

Nothing but **HEAVY DUTY.**™













2024/25



TO DEVELOP AND PRODUCE **NOTHING BUT HEAVY DUTY POWER TOOLS** IS ONLY ONE PART OF THE **MILWAUKEE® PROMISE.**

These tools need to last day in and day out. For this reason, serviceability is incorporated into every tool produced.

All power tools leave the factory with a complete documentation package including instructions for use, listing of customer service centres and safety instructions.

MILWAUKEE® has a worldwide service network.

Should a problem arise requiring assistance or support at short notice, you can rely on our service centres/agents worldwide.

The global network ensures that our customers' needs and requirements are shared to influence future product development.

Expertise and competence gained over many years ensures a fast and efficient professional repair service.



MILWAUKEE® strive to meet and surpass all international and European standards and directives for both design and safety. Constant research and development programs aim to anticipate and fulfil future market trends in all regulatory and efficiency requirements. MILWAUKEE® is, amongst others, an active member of EPTA (European Power Tool Association) and so is proudly aligned to all industry measurement standards agreed by the organisation.

EXPERIENCE THE HEAVY DUTY DIFFERENCE

TOOLS BUILT TO DO THE JOB BETTER.

At MILWAUKEE® Heavy Duty is more than just a slogan. It is a promise to offer the best to professional users. Engineers at MILWAUKEE® don't just design tools.

They design tools to get the job done better, faster, reliably and safely.



www.milwaukeetool.eu

ALL YOU HAVE TO DO TO TAKE ADVANTAGE OF OUR EXTRA GUARANTEE OFFER IS TO REGISTER ONLINE. NOTHING BUT HEAVY DUTY[™]

NOTHING BUT HEAVY DUTY GUARANTEE:



*From 1st of February 2024 the extended guarantee for MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM™ batteries will only be granted if the product is new and purchased via an Authorised MILWAUKEE® Distributor. The same applies to the guarantee for MILWAUKEE® hand tool(s) as well. Rights already established before 1st of February 2024 shall remain unaffected.



For full terms and conditions for each of the above mentioned guarantees, please see the link below; https://www.milwaukeetool.eu/service/





batteries come with a standard 1 year guarantee. Guarantee extensions are available by visiting www.milwaukeetool.eu.

MILWAUKEE® power tool(s) and outdoor power equipment guarantee can be extended from 1 year to a maximum of 3 years (1 + 2). With the exception of MX FUEL™ tools for which the guarantee can be extended from 1 years to a maximum of 2 years (1 + 1).

All MILWAUKEE® REDLITHIUM™ batteries including MX FUEL™ batteries come with a standard 1 year guarantee which can be extended to a maximum of 2 years (1+1).

All guarantee extensions are subject to registering online within 30 days of the purchase date.

Every MILWAUKEE® is tested according to a comprehensive certified process before leaving the factory and is guaranteed to

be **NOTHING BUT HEAVY DUTY™** qualified. At MILWAUKEE® we take great pride in the products and services we offer to our professional customers.

The guarantee extension is only available in those countries listed on our warranty registration website. The extended guarantee offer excludes products used in the hire industry, battery chargers and accessories supplied.

MILWAUKEE® hand tool lifetime guarantee

Certain MILWAUKEE® hand tools come with a lifetime guarantee which means they can be replaced or repaired free of charge should they break during normal usage due to material or manufacturing fault.*

MILWAUKEE® Levels - 30 year accuracy guarantee
The following MILWAUKEE® levels are sold with a 30 year
accuracy guarantee: MILWAUKEE® BACKBONE™; Compact box
levels; and the Block Torpedo level.*

MILWAUKEE® Levels - 10 year accuracy guarantee
The following MILWAUKEE® levels are sold with a 10 year
accuracy guarantee: MILWAUKEE® Slim box level; REDCAST®
level; Minibox level; Billet Torpedo; and I-Beam level.*

*For full terms and conditions for each of the above mentioned guarantees, please see the link below; https://www.milwaukeetool.eu/service/

 $oldsymbol{2}$



ZERO EMISSIONS.* ZERO COMPROMISE.

ENSURING OUR USERS CAN WORK SAFELY, SUSTAINABLY, AND PRODUCTIVELY.

THE EU AIMS TO BE **CLIMATE-NEUTRAL**



PETROL **EQUIVALENT PERFORMANCE**



ENHANCE JOBSITE SAFETY

LOW

NOISE



NO PETROL OR EMISSIONS

MX



INCREASED PRODUCTIVITY

LESS

DOWNTIME



M18 FUEL M12 FLEL



MXF PSC MX FUEL™ SCREED



- The MX FUEL™ Screed is the ideal solution when working on larger areas, delivering petrol like performance without petrol headaches
- Power to pull blades up to 4.9 m The push-button start delivers instant power.
- eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect

	MXF PSC-0	MXF PSC-302	MXF PSCKIT-302
Standard equipment	-	-	3 m blade
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479771	4933479772	4933479774
EAN Code	4058546375652	4058546375669	4058546375683

MXF CVBP

ONE TKEY

MX FUEL™ BACKPACK CONCRETE VIBRATOR



- The MX FUEL™ Backpack Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the jobsite
- It has the power to push up to Ø63 mm head at over 11,200 VPM for optimal consolidation, even in the stiffest concrete

	MXF CVBP-0	MXF CVBP-602	MXF CVBPKIT-602
Standard equipment	Remote control	Remote control	Remote control, 2 m vibrator shaft, 38 mm vibrator head
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479595	4933479591	4933479593
EAN Code	4058546373894	4058546373856	4058546373870

SCAN TO VIEW OUR ACCESSORIES FOR **CONCRETE VIBRATORS**



MXF CVBC MX FUEL™ BRIEFCASE CONCRETE VIBRATOR



 Compact and slim design for increased mobility suiting stationary as well as mobile applications

MX

- Carrying strap and handle for increased flexibility on site and easy transport
- Equipped with a ring for easy attachment of the vibrator to the scaffolding or the formwork

	MXF CVBC-0	MXF CVBC-602	MXF CVBCKIT-602
Standard equipment	Remote control	Remote control	Remote control, 4 m vibrator shaft, 38 mm vibrator head
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479607	4933479608	4933479610
EAN Code	4058546374013	4058546374020	4058546374044

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR **MX FUEL™ DIAMOND CORE**



MXF DCD150

MX FUEL™ 150 MM DIAMOND CORE DRILL



- Core with confidence by delivering AC performance with a maximum core diameter capacity of 152 mm wet & dry
- 2 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body Speed 1: up to 75 mm diameter wet & dry
- coring at 1600 rpm Speed 2: 76 to 152 mm diameter wet & dry

MXF DCD150-0C	MXF DCD150-302C	MXF DCD150-302C KIT
Trigger lock-on, side handle	Trigger lock-on, side handle	Trigger lock-on, side handle MXF DR255TV drill stand
No batteries supplied, No charger supplied, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox
4933478986	4933464887	4933471835
4058546362683	4058546228323	4058546297343
	Trigger lock-on, side handle No batteries supplied, No charger supplied, Kitbox 4933478986	Trigger lock-on, side handle Trigger lock-on, side handle No batteries supplied, No charger supplied, Kitbox 2 x MXF CP203 Battery packs, MXF C Charger, Kitbox 4933478986 4933464887

MXF DCD350

MX FUEL™ 350 MM DIAMOND CORE DRILL



- Rig-mounted diamond coring up to 350 mm diameter. Core with confidence by delivering AC performance
- 4 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body Speed 1: up to 51 mm / Speed 2: 51 - 76 mm / Speed 3: 76 - 152 mm / Speed 4: 152 - 350

	MXF DCD350 KIT-0	MXF DCD350 KIT-122
Standard equipment	MXF DCD350 DR rig stand	MXF DCD350 DR rig stand
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933493142	4933493143
EAN Code	4058546480134	4058546480141

MXF DR255TV

PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL



- Height-adjustable insulated drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Universal hinged motor clamp with 60 mm collar diameter
- compatible with M18™ SWITCH TANK™ 15 I water supply

	MXF DR255TV
Article Number	4933472247
FAN Code	4058546338930

SCAN TO VIEW OUR CUT-**OFF SAW DISCS**







MXF COS350G2

MX FUEL™ 350 MM CUT-OFF SAW

MXF C0S350G2-0







- Battery powered, it can be used indoors due to zero fume emissions Anti-kickback system prevents users from
- being injured in case of a kickback • RAPID STOP™/ blade brake: blade stops within
- Petrol equivalent performance with a maximum no load speed of 5370 rpm and a full 125 mm depth of cut

MXF COS350G2-802

Standard equipment	HUDD 350mm SPEEDCROSS™ diamond	HUDD 350mm SPEEDCROSS™ diamond
Statiuatu equipitietit	blade (4932471985) & contractor bag	blade (4932471985) & contractor bag
Kit included	No batteries supplied, No charger supplie	ed, 2 x MXF XC608 Battery packs, MXF SC
KIL IIICIUUEU	No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933480478	4933480480
EAN Code	4058546407636	4058546407650

MXF COSCG2 MX FUEL™ CUT-OFF SAW CART



- 350 mm cut-off saw cart to maintain straight cuts with full 125 mm depth of cut capacity Height-adjustable drive handle and easy to reach depth adjustment handle to facilitate
- Tool-free machine and water tank attachment compatible with the M18™ SWITCH TANK™ interchangeable sprayer and water supply

one-handed operation

MXF COSCG2 Article Number 4933493264

4058546481353

MX

MX



MXF DH2528H

MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER



- The industry's first cordless 28 mm Hex demolition hammer, delivering the power of
- petrol, corded and pneumatic

 Heavy Duty hammer provides 64 blow Joules
 of impact energy for toughest demolition
 applications
- Floating body anti-vibration technologies allows the user to work all day without reaching dangerous exposure levels

	MXF DH2528H-0	MXF DH2528H-602
Kit included	No batteries supplied, No charger	2 x MXF XC406 Battery packs, MXF (
KIL IIIGIUUGU	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933478985	4933464877
EAN Code	4058546362676	4058546228224

MXF DHT

BREAKER TROLLEY FOR MX FUEL" DEMOLITION HAMMER



 Lightweight demolition hammer cart with large rubber wheels for easy transport across uneven terrain

MX

- uneven terrain
 Integrated demolition hammer retention strap and full-metal fastening locations
- and full-metal fastening locations

 On-board spring-loaded storage locations for
 4 chisels
- Battery & charger storage dock with charger cable hook for transport

MXF PTR2

MX FUEL PIPE THREADING MACHINE 2" WITH ONE-KEY"



- Threading capacity from ¹/₅" all the way up to 2"
 One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and reservoir

	MXF PTR2-0	MXF PTR2-601
Ctandard aguinment	1/2"-3/4" BSPT HS die set, 1"-2" BSPT	1/2"-3/4" BSPT HS die set, 1"-2" BSPT
Standard equipment	HS die set	HS die set
Kit included	No batteries supplied, No charger	1 x MXF XC406 Battery pack, MXF C
Kit iliciuded	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933498324	4933492100
EAN Code	4058546521936	4058546414672
LAN OUGC	4030340321330	4030340414072

MXF LSDP

MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

MXF LSDP-301

Standard equipment	1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit
Kit included	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied
Article Number	4933471851
EAN Code	4058546297503

MXF TL





- TRUEVIEW[™] high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

	MXF TL-601
Kit included	1 x MXF XC406 Battery pack, Integrated charger, No
Kit iliciuueu	kitbox or bag supplied
Article Number	4933471844
EAN Code	4058546297435

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™









MXF PS MX FUEL™ POWER SUPPLY



[®] Building on the strengths of the FUEL™ technology, MX FUEL™ system reaches new levels of cordless performance. Focused on petrol, corded and pneumatic performance, these tools deliver without the hazards associated with emissions, noise, vibration, tripping hazards and the frustrations of complex maintenance

	MXF PS-0	MXF PS-602
Kit included	No batteries supplied, Integrated charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, Integrated charger, No kitbox or bag supplied
Article Number	4933493922	4933479266
EAN Code	4058546510824	4058546370602

MX FUEL™ BATTERIES



	MXF HD812	MXF XC608	MXF XC406	MXF XC-2406	MXF CP203	MXF CP-2203
System	MX FUEL™					
Battery pack capacity (Ah)	12.0	8.0	6.0	6.0	3.0	3.0
No. of batteries supplied	1	1	1	2	1	2
Charge time MXF C charger	160 min	110 min	90 min	90 min	45 min	45 min
Charge time MXF SC charger	65 min	45 min				
Weight (kg)	5.9	4.5	4.8	4.8	2.7	2.7
Supplied in	No kitbox or bag supplied					
Article Number	4932492128	4932492130	4933471837	4933479162	4933471838	4933479161
EAN Code	4058546414955	4058546414979	4058546297367	4058546369569	4058546297374	4058546369552

MX FUEL™ CHARGERS





	MXF SC	MXF C
Charging ports	1 x MX FUEL™	1 x MX FUEL™
Charge type	Single	Single
Power source	AC	AC
Carry handle	Yes	Yes
Wall mountable	No	Yes
Weight (kg)	8.9	2.7
Supplied in	No kitbox or bag supplied	No kitbox or bag supplied
Article Number	4932492848	4933471839
EAN Code	4058546477196	4058546297381

MX FUEL™ BATTERIES AND CHARGER KITS



	MXF NRG-406	MXF FORGENRG-802	MXF FORGENRG-122
Kit included	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933479160	4933493548	4933493549
EAN Code	4058546369545	4058546484194	4058546484200

MX



NEXT GENERATION



M18 FUEL

DRIVEN TO OUTPERFORM,

LIMITS REDEFINED.

M18 FUEL™ NEXT GENERATION. MORE COMPACT. UNRIVALLED ACCURACY. REDEFINED PERFORMANCE.

M18™ Next Generation FUEL™, packs a mighty punch in a smaller package. More compact, yet more powerful, the range is perfect for those hard to reach areas, and ideal for working at height, due to the reduced size and weight, better balance and easier handling.



Put M18™ Next Generation FUEL™ to the test, and reset your expectations of 18 V tools.

POWERSTATE" **BRUSHLESS**

MOTOR











MORE COMPACT. UNRIVALED ACCURACY. REDEFINED PERFORMANCE.



TRACK. MANAGE. CUSTOMISE.

With ONE-KEY™ you can add tools and equipment no matter the brand to your inventory and get a full overview of ALL your assets. Add unlimited users for free, assign tools to different employees and see which tools that are currently in use, ready for use or perhaps at the service centre.

Follow a digital trace of when, where and how your tools have been used to optimise effiency and usage, or use it to track and lock your tools and equipment if it's missing.

Print professional reports and get documentation on the tool quality and

All of this and much more FOR FREE!



GET STARTED IN 2 MINUTES











GET THE RIGHT HAMMER FOR THE JOB

For the more demanding, heavy duty applications. Including dry coring and medium duty chipping in both concrete block and





Excellent performance, ideal for repetitive and fast drilling







SDS-MAX

		Battery system	Technology	Feature	ONE-KEY™	Blow energy (EPTA)(J)	Full load hammer action (bpm)	No load speed (rpm)	Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s²	Vibration chis-) eling (m/s²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
1.	M18 FHM-121C	M18 FUEL™	HIGH OUTPUT™	AUTOSTOP™	ONE-KEY™	11.0	0 - 2900	0 - 380	20 - 40	9.4	9.4	10.2 (M18 HB12)	PHDE72
1.	M18 CHM-0C	M18 FUEL™		-	-	6.1	0 - 3000	0 - 450	16 - 32	10.6	9.6	7.1 (M18 HB12)	PHDE72

SDS-PLUS

		Battery system	Technology	ONE-KEY™	FIXTEC™	Blow energy (EPTA)(J)	Max. per- cussion rate (bpm)	No load speed (rpm)	Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s²)	Vibration chiseling (m/s²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
2.	M18 ONEFHP-0X	M18 FUEL™		ONE-KEY™		5.0	0 - 4600	0 - 800	8 - 24	6.9	7.4	5.0 (M18 HB5.5)	M18 FPDDEXL
2.	M18 ONEFHPX-552X	M18 FUEL™		ONE-KEY™	~	5.0	0 - 4600	0 - 800	8 - 24	6.9	7.4	5.2 (M18 HB5.5)	M18 FPDDEXL
2.	M18 FHACOD32-0C	M18 FUEL™		ONE-KEY™		4.9	0 - 4600	0 - 800	8 - 24	10.5	9.4	5.9 (M18 HB5.5)	M18 FDDEL32
3.	M18 FH-0X	M18 FUEL™		-	-	2.5	0 - 4800	0 - 1330	8 - 24	12.9	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 FHX-552X	M18 FUEL™		-	V	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.4 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 ONEFH-0X	M18 FUEL™		ONE-KEY™	-	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 ONEFHX-552X	M18 FUEL™		ONE-KEY™	V	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.5 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
4.	M18 BLH-502X	M18™	Brushless			2.3	0 - 5100	26/ 13/ 26	6 - 18	8.9	9.5	3.3 (M18 B5)	M18 CDEX
4.	M18 BLHX-502X	M18™	Brushless	-	V	2.3	0 - 4900	26/ 13/ 26	6 - 18	8.9	9.5	3.5 (M18 B5)	M18 CDEX
4.	M18 BLHACD26-402X	M18™	Brushless			2.6	0 - 4600	28/ 13/ 26	6 - 18	13.9	13.2	3.1 (M18 B4)	M18 CDEX
5.	M12 CH-602X	M12 FUEL™		-	-	1.1	-	0 - 900	Ø 5.5 - 12	4.4	-	1.9 (M12 B6)	M12 UDEL
5.	M18 BH-402C	M18™		-	-	1.2	7000	0 - 1300	Ø 5.5 - 13	10.3	-	2.5 (M18 B4)	M12 UDEL



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE DRILL BITS



M18 FHM

M18 FUEL

M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND **BREAKING HAMMER**



 The M18 FHM is the most productive SDS-Max tool MILWAUKEE® has produced, delivering AC power with the flexibility of the cordless M18™ platform

 The HIGH OUTPUT[™] system of tools elevates the M18 FUEL[™] technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT"

	M18 FHM-OC	M18 FHM-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933464893	4933464894
EAN Code	4058546228385	4058546228392

M18 CHM

M18 FUEL

M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The world's first 18V 5 kg SDS-Max hammer for maximum versatility and portability with
- equal performance to an AC tool Brushless POWERSTATE™ motor provides
 - corded drilling performance REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

M18 CHM-0C

(it included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933451362
EAN Code	4002395159208

M18 ONEFHPX

M18 FUEL

M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK



Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s²

 Drills up to 10 Ø18 x 100 mm holes on a M18^t HIGH OUTPUT™ 5.5 Ah battery charge

 ALITOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

	M18 ONEFHPX-OX	M18 ONEFHPX-552X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478495	4933478496
EAN Code	4058546346881	4058546346898

M18 FHACOD32

M18 FUEL

M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™



- D-handle with compact and ergonomic design for increased end user comfort Powerful hammer mechanism and the
- brushless motor design delivers 4.9 J of impact
- only, rotation only and variolock for maximum Anti-vibration side handle for lower vibration

	M18 FHACOD32-OC	M18 FHACOD32-0
Kit included	No batteries supplied, No charger supplied, Kitbox	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492140	4933492141
EAN Code	4058546415075	4058546415082

M₁₈ FDDEL₃₂

DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE™

AUTOPULSE



Designed to collect dust efficiently with automatic operation from the tools on/ off

trigger switch • AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an onefficiency as well as the filter life time

The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

M18 FDDEL32-0
4933492142
4058546415099

M₁₈ ONEFHP

M18 FUEL M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™



Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s² Drills up to 10 Ø18 x 100 mm holes on a M18"

HIGH OUTPUT™ 5.5 Ah battery charge

• AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

M18 ONEFHP-OX

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478884
EAN Code	4058546361662

M₁₈ FPDDEXL

M18 DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



 Designed to collect dust efficiently with automatic operation from the tools on/ off triager switch

AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time

The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

	M18 FPDDEXL-0
ticle Number	4933478509
N Code	4058546347024
·	·

M18 ONEFHPXDEL

M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR



M18 ONEFHPX - M18 FUEL™ high performance 4-mode 32 mm SDS-Plus hammer with ONE-KEY™ and FIXTEC™ chuck M18 FPDDEXL - Dedicated dust extraction for M18 FUEL™ 32 mm SDS-Plus hammers with

M18 FUEL

AUTOPULSE"

M18 ONEFHPXDEL-552C 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox 4933478498

Article Number



M₁₈ ONEFHX

M18 FUEL

M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™



The fastest drilling rotary hammer in its class leading to increased productivity Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations

 Drills up to 125 Ø10 x 50 mm holes on a M18[™]
 HIGH OUTPUT[™] 5.5 Ah battery charge AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up

	M18 ONEFHX-OX	M18 ONEFHX-552X
Kit included	No batteries supplied, No charger	2 x M18 HB5.5 Battery packs, M12-
KIL IIICIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478503	4933478504
EAN Code	4058546346966	4058546346973

M₁₈ ONEFH

M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH





The fastest drilling rotary hammer in its class leading to increased productivity

Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations Drills up to 125 Ø10 x 50 mm holes on a M18

HIGH OUTPUT™ 5.5 Ah battery charge AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up

M18	ONEFH-OX
-----	----------

luded No batteries supplied, No charger supplied, HD Box	
Number 4933478886	
ode 4058546361686	

M18 BLHX

M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK

BRUSHLESS



Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact

Compact, ergonomic design for increased end user comfort

FIXTEC™ system for keyless chuck changing between SDS-Plus and 13 mm metal chuck All metal gear case - optimum seating of the gears for enhanced tool life

	M18 BLHX-0X	M18 BLHX-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478891	4933478892
EAN Code	4058546361730	4058546361747

M18 BLH

M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER

BRUSHLESS



Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact

Compact, ergonomic design for increased end

All metal gear case - optimum seating of the gears for enhanced tool life

4-mode operation; rotany be-

mode operation: rotary nammer, nammer
nly, rotation only and selectable work position
the chisel (variolock) for maximum versatility

	M18 BTH-0	M18 BLH-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
NII IIIGuueu	supplied, No kitbox or bag supplied	18 FC Charger, HD Box
Article Number	4933479426	4933478894
EAN Code	4058546372200	4058546361761

M18 FHX

M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH

M18 FUEL



The fastest drilling rotary hammer in its class leading to increased productivity

- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s2 vibrations Drills up to 125 Ø10 x 50 mm holes on a M18[™] HIGH OUTPUT[™] 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up

	M18 FHX-0X	M18 FHX-552X
Vit in aludod	No batteries supplied, No charger	2 x M18 HB5.5 Battery packs, M12-
Kit included	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478888	4933478889
EAN Code	4058546361709	4058546361716

M18 FH

Kit inclu Article EAN Co

M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER





- The fastest drilling rotary hammer in its class leading to increased productivity Powerful hammer mechanism delivers 2.5 J of
- impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- $\mathsf{AUTOSTOP}^{\text{\tiny{TM}}}$ shuts down the tool to protect the user of sharp movement in bind up

M18 FH-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478500
EAN Code	4058546346935

M₁₈ CDEX

M18 FUEL™ SDS-PLUS DUST EXTRACTOR



- Designed to collect dust effectively with automatic operation from the tools on/off trigger switch
- HEPA Filter: widely regarded as the ultimate filter that traps all sizes of particles with an efficiency rating of 99.75%
- Large dust collection box
- Dust extraction aluminium tube is adjustable according to the size of the drill bit and length

Kit included	No batteries supplied, No charger supplied, No kitbox or
KIT IIIGIUUEU	bag supplied
Article Number	4933447450
EAN Code	4002395006243

M18 BLHACD26

M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE **HAMMER**



- D-handle with lightweight and ergonomic design for increased end user comfort Powerful hammer mechanism and the brushless motor design delivers 2.6 J of impact
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility Anti-vibration system (AVS) for decreased user
- fatigue and lower vibration exposure

	WIO DLINGUZO-UA	WITO DLINGUZO-4UZA
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
KIL IIICIUUEU	supplied, HD Box	Charger, HD Box
Article Number	4933492482	4933492480
EAN Code	4058546418496	4058546418472

M₁₈ FDDEXL

DEDICATED DUST EXTRACTION FOR M18 FUEL™26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



 Designed to collect dust efficiently with automatic operation from the tools on/ off triager switch

of airborne particles down to 0.3 microns

AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an ontool dust extractor, which increases the air flow efficiency as well as the filter life time The highly efficient HEPA filter collects 99.97%

M18 FDDEXL-0

Article Number	4933478508
EAN Code	4058546347017

M₁₈ FCDDEXL

COMPACT DEDICATED DUST EXTRACTION FOR M18

FUEL™ 26 MM SDS-PLUS HAMMERS Designed to collect dust efficiently with automatic operation from the tools on/ off



- trigger switch
 The highly efficient HEPA filter collects 99.97%
- of airborne particles down to 0.3 microns
- Manual filter cleaning mechanism increases the air flow efficiency as well as the filter life time

M18 FCDDEXL-0

Article Number	4933478507
EAN Code	4058546347000

M18 BH

Kit included

EAN Code

Article Number

M18™ COMPACT 2-MODE SDS-PLUS HAMMER



- Superior power to weight ratio in its class 2.5 kg 1.2 J (EPTA)
- High performance 4-pole motor delivers maximum power whilst maximising the power
- to weight ratio REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- system durability 2-mode operation: choose rotary hammer or
- rotation only for maximum versatility

M18 BH-0	M18 BH-402C
No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 (Charger, Kitbox
4933443320	4933443330
4002395003730	4002395003747

M18 FCOS230 M18 FUEL™ CUT-OFF SAW

M18 FUEL

ONETKEY



cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine

The world's first 18V 230 mm battery powered

- Can be used indoors due to zero fume

M18 FC0S230-0 M18 FC0S230-121 1 x M18 HB12 Battery pack, M12-No batteries supplied, No charger Kit included 18 FC Charger, No kitbox or bag supplied, No kitbox or bag supplied supplied Article Number 4933471696

M₁₈ ONEFHXDEL

M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST





- M18 ONEFHX M18 FUEL™ 4-mode 26 mm SDS-Plus hammer with FIXTEC™ chuck and
- M18 FDDEXL Dedicated dust extraction for M18 FUEL™26 mm SDS-Plus hammers with AUTOPULSE™

M18 ONEFHXDEL-552C

Kit included	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478506
EAN Code	4058546346997



M18 FPM M18 FUEL™ PADDLE MIXER



• POWERSTATE™ brushless motor delivers the power to mix heavy compounds, such as concrete and mortar

- Ultimate speed control: 3 different ways of controlling speed for clean and consistent mixes (8-speed setting dial, variable speed trigger and a lock on button)
- 180° adjustable handle with 16 adjustable settings for user to optimise the handle position based on preference and comfort

	M18 FPM-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933459719
EAN Code	4058546028916

M₁₈ FCVN

M18 FUEL™ NEEDLE CONCRETE VIBRATOR



• M18 FUEL™ Needle Vibrator for consolidation. of concrete with a compact design

M18 FUEL

 1.2 m whip length execution recommended for footings or small flatwork (M18 FCVN12)

 2.4 m whip length execution recommended for walls or columns (M18 FCVN24) • 25 mm² head design and 12,500 VPM for an improved consolidation power

Variable speed trigger for ideal adaption to M18 FCVN12-551 M18 FCVN24-0 M18 FCVN24-551

No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB5.5 Batter pack, M12-18 FC Charger, No kitbox or bag supplied		1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
4933479596	4933479597	4933479599	4933479600
4058546373900	4058546373917	4058546373931	4058546373948
	No charger supplied, No kitbox or bag supplied 4933479596	No charger supplied, pack, M12-18 FC No kitbox or bag charger, No kitbox or supplied bag supplied 4933479596 4933479597	No kitbox or bag Supplied Charger, No kitbox or bag Supplied Suppl



GET THE RIGHT PERCUSSION DRILL FOR THE JOB







		Battery system	Technology	ONE-KEYTM	Feature	No load speed (rpm)	Max. drilling wood/ steel/ masonry (mm)	Max. percussion rate (bpm)	Max. torque (Nm)	Chuck capacity (mm)	Weight with battery pack (EPTA) (kg)
1.	M18 ONEPD3-502X	M18 FUEL™		ONE-KEY™	-	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
1.	M18 FPD3-502X	M18 FUEL™		-	AUTOSTOP™	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
1.	M12 FPD2-602X	M12 FUEL™		-	-	0 - 450/ 0 - 1,550	35/ 13/ 13	0 - 22,500	45	13	1.4 (M12 B6)
2.	M18 BLPD2-502X	M18 TM	Brushless	-	-	0 - 550/ 0 - 1800	76/ 13/ 16	0 - 28,800	82	13	2.1 (M18 B5)
3.	M18 BLPDRC-502C	M18 [™]	Compact Brushless	-	-	0-550/ 0-1700	52/ 13/ 16	0 - 25,500	60.5	13	1.5 (M18 B5)



SCAN HERE TO VIEW **OUR PPE RANGE**





M18 ONEPD3

M18 FUEL M18 FUEL™ ONE-KEY™ PERCUSSION DRILL





 Save up to 3 custom settings to the tools memory for fast selection on the jobsite

	M18 ONEPD3-0X	M18 ONEPD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492798	4933492801
EAN Code	4058546476694	4058546476724

M₁₈ ONEDD3

M18 FUEL™ ONE-KEY™ DRILL DRIVER



Higher power efficiency under load outstanding torque of 158 Nm Extremely compact design of 173 mm length for access into tight spaces Connect via Bluetooth® with the ONE-KEY

M18 FUEL

M18 FUEL

M18

M18

 Save up to 3 custom settings to the tools memory for fast selection on the jobsite

	M18 ONEDD3-0X	M18 ONEDD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492799	4933492802
EAN Code	4058546476700	4058546476731

M18 FPD3

AUTO STOP

M18 FUEL™ PERCUSSION DRILL



outstanding torque of 158 Nm Extremely compact design of 175 mm length for access into tight spaces

Higher power efficiency under load with


 AUTOSTOP[™] control mode offers enhanced safety for the operator by preventing overrotation in a bind-up

13 mm metal chuck for quick bit changes and bit retention

	M18 FPD3-0X	M18 FPD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479859	4933479860
EAN Code	4058546376536	4058546376543

M18 FDD3

M18 FUEL™ DRILL DRIVER





Extremely compact design of 173 mm length for access into tight spaces AUTOSTOP™ control mode offers enhanced safety for the operator by preventing overrotation in a bind-up

Fastest drilling and driving applications under

Brighter LED workspace illumination

	M18 FDD3-0X	M18 FDD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479862	4933479863
EAN Code	4058546376567	4058546376574

M18 BLPD2

M18™ BRUSHLESS PERCUSSION DRILL

BRUSHLESS



 New brushless motor design delivers 40% more torque than previous model - up to 82 Nm

• Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces

 Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention Optimised speed for faster drilling & fastening

(0 - 550/ 0 - 1800 rpm)

	M18 BLPD2-0X	M18 BLPD2-402X	M18 BLPD2-502X
Kit included	No batteries supplied, No	2 x M18 B4 Battery packs,	2 x M18 B5 Battery packs,
Kit iliciuded	charger supplied, HD Box	M12-18 FC Charger, HD Box	x M12-18 FC Charger, HD Box
Article Number	4933464516	4933464560	4933464517
EAN Code	4058546224615	4058546225056	4058546224622

M18 BLDD2

M18™ BRUSHLESS DRILL DRIVER

BRUSHLESS



New brushless motor design delivers 40% more torque than previous model - up to 82 Nm

Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm)

		M18 BLDD2-0X	M18 BLDD2-402X	M18 BLDD2-502X
	Kit included	No batteries supplied, No	2 x M18 B4 Battery packs,	2 x M18 B5 Battery packs,
		charger supplied, HD Box	M12-18 C Charger, HD Box	M12-18 FC Charger, HD Bo
	Article Number	4933464514	4933464559	4933464515
	EAN Code	4058546224592	4058546225049	4058546224608

M₁₈ BLPDRC

M18™ COMPACT BRUSHLESS PERCUSSION DRILL

BRUSHLESS



- Compact brushless percussion drill measuring 145 mm in length for access into tight spaces Advanced 13 mm heavy duty metal chuck for
- quick bit changes and superior bit retention 60 Nm of torque - best power to size ratio All metal reversible belt clip to hang your tool
- quickly and easily On board fuel gauge and LED light

	M18 BLPDRC-0X	M18 BLPDRC-202C	M18 BLPDRC-502C
Kit included	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B5 Battery packs,
	charger supplied, HD Box	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox
Article Number	4933492821	4933492822	4933492826
EAN Code	4058546476922	4058546476939	4058546476977

M₁₈ BLDDRC

M18™ COMPACT BRUSHLESS DRILL DRIVER

BRUSHLESS



Compact brushless drill driver measuring 145 mm in length for access into tight spaces Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention

60 Nm of torque - best power to size ratio All metal reversible belt clip to hang your tool quickly and easily

On board fuel gauge and LED light

M18 BLDDRC-0X M18 BLDDRC-202C M18 BLDDRC-502C No batteries supplied, No Kit included

2 x M18 B2 Battery packs, 2 x M18 B5 Battery packs, charger supplied, HD Box M12-18 C Charger, Kitbox M12-18 C Charger, Kitbox Article Number 4058546477035 4058546477042 4058546477066



GET THE RIGHT IMPACT DRIVER FOR THE JOB





COMPACT BRUSHLESS





		Battery system	Technology	ONE-KEYTM	No load speed (rpm)	Impact rate (ipm)	Max. torque (Nm)	Tool reception	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1.	M18 ONEID3-502X	M18 FUEL™		ONE-KEY™	1750/3000/4000/0-4000	1200/3400/4300/0-4400	119/176/226/0-226	¼" Hex	M16	1.7 (M18 B5)
	M18 FID3-502X	M18 FUEL™			1750/3000/3900/0-3900	1400/3600/4400/0-4400	226	1/4" Hex	M16	1.7 (M18 B5)
1.	M12 FID2-602X	M12 FUEL™		-	1700/2900/3600/3600	1300/3500/4000/0-4000	170	1/4" Hex	M14	1.1 (M12 B6)
1.	M18 FQID-502X	M18 FUEL™	SURGE™	-	900/2100/3000/0-3000	1800/2900/4000/0-4000	50	1/4" Hex	M14	1.7 (M18 B5)
1.	M12 FQID-202X	M12 FUEL™	SURGE™	-	1100/2200/3200/3200	950/2200/3400/3400	50	1/4" Hex	M14	1.1 (M12 B2)
2.	M18 BLIDR-502X	M18™	Brushless	-	1250/2400/3600	2500/4700/4900	190	1/4" Hex	M14	1.3 (M18 B5)
3.	M18 BLIDRC-402C	M18 [™]	Compact Brushless	-	0 - 3600	0 - 4900	190	1/4" Hex	M14	1.3 (M18 B4)
4.	M18 BRAID-0	M18 [™]		-	1500/ 2250	2400/3400	41/81	1/4" Hex	M14	1.8 (M18 B5)
4.	M12 BRAID-0	M12™		-	0 - 2425	0 - 3300	68	1/4" Hex	M12	1.2 (M12 B2)



SCAN HERE TO VIEW **OUR PPE RANGE**





M18 FRAD2

M18 FUEL

M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL **DRIVER GEN II**




- Extremely long run time, up to 100 holes with a 65 mm auger bit into wood POWERSTATE[™] brushless motor provides
- constant power under load to power through 152 mm holes
- Mechanical clutch protects the tool in the event of a stall
- Compact design allows working in confined
- On board fuel gauge and LED light

M18 FRAD2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933471207	
EAN Code	4058546288358	

M18 CRAD2

M18 FUEL™ RIGHT ANGLE DRILL





 All metal gear case and 13 mm keyed chuck
 Extremely long run time with a 5.5 Ah battery pack drills up to 200 holes with a 22 mm auger bit into 50 x 100 mm wood

M18 FUEL

M18 FUEL

M18 FUEL

M18 CRAD2-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933471641
EAN Code	4058546295400

C18 RAD

M18™ COMPACT RIGHT ANGLE DRILL



- Optimised performance: 1500 rpm at 20 Nm
 REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Perfect speed to power ratio for fast application completion
- 10 mm single sleeve ratcheting chuck provides maximum versatility and grip
- 100 mm compact head designed to fit in the

C18 RAD-0

t included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
e i Ni i	0 11	
ticle Number	4933427189	
AN Code	4002395239085	

M₁₈ ONEID₃

M18 FUEL™ ONE-KEY™ 1/4" HEX IMPACT DRIVER



- Save up to 3 custom settings to the tools memory for fast selection on the jobsite Connect via Bluetooth® with the ONE-KEY®
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design of 113 mm length for access into tight spaces Adjustable trigger control for all applications with ONE-KEY™

	M18 ONEID3-0X	M18 ONEID3-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Kit ilicidued	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933492800	4933492804
EAN Code	4058546476717	4058546476755

M18 FID3

M18 FUEL™ 1/4" HEX IMPACT DRIVER



- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces DRIVE CONTROL allows the user to shift into
- four different speed and torque settings to

IIIdXIIIII	se application versati
 Mode 1 	for precision work

	M18 FID3-0X	M18 FID3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479864	4933479865
EAN Code	4058546376581	4058546376598

M₁₈ FQID

M18 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER

SURGE



- The M18 FUEL™ SURGE™ 1/4" Hex hydraulic driver is MILWAUKEE®'s quietest impact driver FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering guieter operation, smoother performance and increased durability over a standard impact
- Delivers same performance in wood fastening as standard brushless impact drivers

	M18 FQID-0X	M18 FQID-502X
Git included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
di iliciaded	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459187	4933451790
AN Code	4002395289226	4002395277636

M₁₈ BLIDR

M18™ BRUSHLESS 1/4" HEX IMPACT DRIVER

BRUSHLESS



- Brushless impact driver measures only
- 112 mm in length making it ideal for working within confined spaces
- Brushless motor technology delivers 190 Nm of torque, 3600 rpm and 4900 ipm
- 3-Mode DRIVE CONTROL allows the user to shift into three different speed and torque
- settings to maximise application versatility

 One-handed bit insert with retention lock, for faster, easier changing of bits

	M18 BLIDR-0X	M18 BLIDR-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIT INCIUDED	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933492842	4933492843
FAN Code	4058546477134	4058546477141

M₁₈ BLIDRC

M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER

BRUSHLESS



 Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces

Brushless motor technology delivers 190 Nm

of torque, 3600 rpm and 4900 ipm One-handed bit insert with retention lock, for

faster, easier changing of bits Heavy duty full metal gearbox and gears for superior durability and maximum torque

On board fuel gauge and LED light


	WIO DLIDING-U	W10 DLIDNG-4026
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933492839	4933492840
EAN Code	4058546477103	4058546477110






GET THE RIGHT IMPACT WRENCH FOR THE JOB

SPECIALIST Specialist tools designed for different application to get the job done fast







Perfect match of power, size and functionality for the machinery technician to mounting bolt on a steel juction plate





Small to medium metric bolts



	Battery system	Technology	ONE-KEYTM	No load speed (rpm)	Impact rate (ipm)	Tool reception	Max. torque (Nm)	Nut-busting torque (Nm)	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1. M18 FHIWF1R-122C	M18 FUEL™	HIGH OUTPUT™		1000/ 1400/ 1670/ 1670	1750/ 2150/ 2500/ 2500	1"square	730/ 1500/ 2000	2000	M42	7.8 (M18 HB12)
1. M18 ONEFHIWF1D-121	C M18 FUEL™		ONE-KEY™	600/ 700/ 900/ 1200	750/ 930/ 1200/ 1440	1"square	1180/ 1254/ 1966/ 2576	2711	M42	12.7 (M18 HB12)
1. M18 ONEFHIWF1DS-12	1C M18 FUEL™		ONE-KEY™	600/ 700/ 900/ 1200	750/ 930/ 1200/ 1440	1"square	1180/ 1254/ 1966/ 2576	2711	M42	11.1 (M18 HB12)
1. M18 ONEFHIWH716-50	2X M18 FUEL™		ONE-KEY™	0-900/ 0-1200/ 0-1800/ 0-2300	0-800/ 0-1300/ 0-2600/ 0-2800	7/16" Hex	1017	1017	M24	3.3 (M18 B5)
2A. M18 ONEFHIWF34-502)	X M18 FUEL™		ONE-KEY™	0-800/ 0-1300/ 0-1800/ 0-1800	0-850/ 0-1850/ 0-2400/ 0-2400	3/4" square	702/ 1138/ 1627/ 1627	2034	M33	3.5 (M18 B5)
2B. M18 ONEFHIWF1-802X	M18 FUEL™		ONE-KEY™	0-950/ 0-1080/ 0-1370/ 0-1670	1350/ 1650/ 2100/ 0-2500	1"square	530/ 1020/ 1800/ 2033	2400	M42	5.9 (M18 HB8)
2C. M18 ONEFHIWF12-502)	X M18 FUEL™		ONE-KEY™	0-550/ 0-1400/ 0-1750/ 0-1750	0-950/ 0-1750/ 0-2100/ 0-2100	½" square	130/ 400/ 1356/ 1356	1898	M33	3.3 (M18 B5)
2C. M18 ONEFHIWF12E-0X	M18 FUEL™		ONE-KEY™	0-1200/ 0-1800/ 0-1800/ 0-1800	0-1600/ 0-2400/ 0-2400/ 0-2400	½" square	102/ 203/ 610/ 1017	1500	M33	3.3 (M18 B5)
2C. M18 ONEFHIWP12-502	X M18 FUEL™		ONE-KEY™	0-950/ 0-1500/ 0-1800/ 0-1800	0-1150/ 0-2100/ 0-2400/ 0-2400	½″ square	190/ 400/ 1017/ 1017	1491	M24	3.2 (M18 B5)
3. M18 FHIW2F12-502X	M18 FUEL™		-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1300/ 0-2200/ 0-2400/ 0-2400	½" square	881 / 1220 / 1491 / 68	2034	M36	3.4 (M18 B5)
3. M18 FHIW2P12-502X	M18 FUEL™		-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1400/ 0-2500/ 0-2700/ 0-2700	½" square	475 / 1017 / 1220 / 68	1491	M36	3.4 (M18 B5)
3. M18 BLHIWF12-0X	M18™	Brushless	-	0 - 1750	0 - 2000	½~ square	1085	1627	M36	3.4 (M18 B5)
4. M18 ONEIWF12-502X	M18 FUEL™		ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200	½" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
4. M18 ONEIWP12-502X	M18 FUEL™		ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200	½" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
4. M18 FIW2F12-502X	M18 FUEL™		-	0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500	½″ square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4. M18 FIW2P12-502X	M18 FUEL™		-	0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500	½″ square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4. M18 FIW2F38-0X	M18 FUEL™		-	0-800/ 0-1650/ 0-2400/ 0-1000	0-1000/ 0-2400/ 0-3500	³/s" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4. M18 FMTIW2F12-502X	M18 FUEL™		-	0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	½" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
4. M18 FMTIW2P12-502X	M18 FUEL™		-	0-1250/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	½″ square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
4. M18 FMTIW2F38-502X	M18 FUEL™		-	0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	³/s" square	475/ 610/ 745/ 47	813	M22	2.3 (M18 B5)
4. M12 FIWF12-422X	M12 FUEL™		-	1200/ 1800/ 2700/ 2700	1100/ 2100/ 3200	½" square	339	339	M16	1.1 (M12 B4)
4. M12 FIW14-0	M12 FUEL™		-	1300/ 1900/ 3200/ 3200	1300/ 2000/ 4300	¾" square	136	136	M12	0.90 (M12 B4)
4. M12 FIW38-0	M12 FUEL™		-	1200/ 1800/ 2700/ 2700	1100/ 2100/ 3200	³/s" square	339	339	M16	1.1 (M12 B4)
4. M18 BIW12-402C	M18™		-	0 - 2450	0 - 3350	½" square	240	240	M14	1.9 (M18 B4)
4. M18 BIW38-0	M18™			0 - 2450	0 - 3350	³/s" square	210	210	M14	1.9 (M18 B4)
4. M12 BIW12-202C	M12™		-	0 - 2550	0 - 3400	½" square	138	138	M12	1.0 (M12 B2)
4. M12 BIW38-0	M12™			0 - 2500	0 - 3300	³/s" square	135	135	M12	1.0 (M12 B2)
										









M₁₈ BRAID

M18™ RIGHT ANGLE IMPACT DRIVER



- Compact right angle impact driver measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

	M18 BRAID-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933447891
EAN Code	4002395006663

M₁₈ FSGC

M18 FUEL

M18 FUEL™ SCREW GUN WITH A COLLATED **ATTACHMENT**



- Fine adjustment nose cone for setting desired countersink levels in single screw applications Removable collated attachment allows the user to use the gun as a stand alone screwdriver or

a conagoa coron gan
 Reinforced collated attachment to protect
against dropping of tool

	M18 FSGC-202X
	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box
	4933459199
_	4002205280042

M₁₈ ONEFHIWF₁₂ WRENCH WITH FRICTION RING

M18 FUEL M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT

ONE KEY



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1356 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF12-0X	M18 ONEFHIWF12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459726	4933459727
EAN Code	4058546028985	4058546028992

M₁₈ ONEFHIWF₁₂E

M18 FUEL M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL





- The M18 FUEL™ extended anvil high torque impact wrench with ONE - KEY™ technology delivering 1017 Nm of fastening torque with a 75 mm extended 1/2" anvil friction ring
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWF12E-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478405
EAN Code	4058546345969

M₁₈ FSG

M18 FUEL™ SCREW GUN



 Fine adjustment nose cone for setting desired countersink levels in single screw applications Quick release 1/4" Hex chuck allows for easy

- bit change o AUTO-START™ technology: When activated the power only engages when the screw gun is pushed into the material during application, delivering outstanding run time
- On board fuel gauge and LED light

м	18 F	SG-0	Σ

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933459201
EAN Code	4002395289967

M₁₈ FHIWF₁R

Kit included Article Number EAN Code





- The M18 FUEL™ 1" railway impact wrench with 2000 Nm of maximum torque has the power to replace petrol solutions
- With a weight of only 6.1 kg it allows fatigue-
- free working even over long periods of time

 Three different speed settings ensure that work
- can always be done at the optimum speed
- The auto shut-off function integrated in mode 4 prevents over-tightening of bolts

	M18 FHIWF1R-0C	M18 FHIWF1R-122C
Kit included	No batteries supplied, No charger	2 x M18 HB12 Battery packs, M12-
NII IIIGiuueu	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933493140	4933493141
EAN Code	4058546480110	4058546480127

M₁₈ ONEFHIWP₁₂



M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1017 Nm of fastening torque in a compact size of 206 mm, which gives more access in tight
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWP12-0X	M18 ONEFHIWP12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459724	4933459725
EAN Code	4058546028961	4058546028978

M18 ONEFHIWH716

M18 FUEL™ 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™



- Our MILWAUKEE® M18 FUEL™ 7/16" hex utility high torque impact wrench with ONE-KEY is the perfect match for our 7/16" accessories range giving you the power when needed in larger wood application With up to 1017 Nm max torque, this battery powered impact wrench gives you more power
- to effortlessly complete your applications or the removal of rusted and corroded hardware M18 ONFFHIWH716-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479152
EAN Code	4058546369460

M18 ONEFHIWF1D

M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED



- The M18 FUEL™ D-handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened The 4 -Mode DRIVE CONTROL allows the user
- to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF1D-OC	M18 ONEFHIWF1D-121C
Kit included	No batteries supplied, No charger	1 x M18 HB12 Battery pack, M12-
NII IIICiuueu	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933471755	4933471756
EAN Code	4058546296544	4058546296551

M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH

M18 ONEFHIWF1DS

M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT



EAN Cod

- The M18 FUEL™ D-handle high torque impact wrench delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions Delivers up to 2711 Nm of nut-busting torque
- that enables holts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF1DS-OC	M18 ONEFHIWF1DS-121C
Kit included	No batteries supplied, No charger	1 x M18 HB12 Battery pack, M12-
	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933472071	4933472072
EAN Code	4058546324674	4058546324681

M18 FHIW2F12

M18 FUEL

M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH **FRICTION RING**



- Great power density: the M18 FUEL™ high torque impact wrench delivers 1491 Nm fastening torque and 2034 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no-load speed to perform your task 35% faster than with the previous gen Next gen battery isolator to prevent vibration
- damage to battery fitment Robust gearcase for more durability

	M18 FHIW2F12-0X	M18 FHIW2F12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492782	4933492783
EAN Code	4058546476533	4058546476540

M18 FHIW2P12

M18 FUEL M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN



- Great power density: the M18 FUEL™ high torque impact wrench delivers 1220 Nm fastening torque and 1491 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no-load speed to perform your task 35% faster than with the previous gen Next gen battery isolator to prevent vibration
- damage to battery fitment Robust gearcase for more durability

	M18 FHIW2P12-0X	M18 FHIW2P12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492785	4933492786
EAN Code	4058546476564	4058546476571

M18 ONEFHIWF1

WITH FRICTION RING

M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



 The M18 FUEL™ 1" T-handle high torque impact wrench has the power to replace AC, petrol or pneumatic solutions

- Delivering up to 2033 Nm of fastening torque at half the size and weight of AC, petrol or pneumatic solutions
- Packed with 2400 Nm of nut busting torque meaning those rusted stubborn old bolts wont stand a chance

	M18 ONEFHIWF1-0X	M18 ONEFHIWF1-802X
Kit included	No batteries supplied, No charger	2 x M18 HB8 Battery packs, M12-
All Illiciaded	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459732	4933459733
EAN Code	4058546029043	4058546029050

M₁₈ ONEFHIWF₃₄

M18 FUEL



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1627 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF34-0X	M18 ONEFHIWF34-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIIGIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459729	4933459730
EAN Code	4058546029012	4058546029029

nnical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

M18 FMTIW2F12 M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH

M18 FUEL

FRICTION RING



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

	M18 FMTIW2F12-0X	M18 FMTIW2F12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478449	4933478450
EAN Code	4058546346409	4058546346416

M18 FMTIW2P12

M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH PIN DETENT



Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening Incredibly compact design for this performance

M18 FUEL

level, with only 152 mm overall length ideal for applications in tight spaces

M18 FMTIW2P12-502X

No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933478452	4933478453
4058546346430	4058546346447
	supplied, HD Box 4933478452

M18 FMTIW2P12-0X



M18 FMTIW2F38

M18 FUEL

M18 FUEL™ 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 813 Nm of nut-busting torque and 745 Nm of fastening
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

M18 FMTIW2F38-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479153
EAN Code	4058546369477

M18 ONEIWF12

M18 FUEL

M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH **FRICTION RING**





- M18 FIWF12 but with ONE-KEY[™] technology Connect via Bluetooth® with the ONE-KEY
- app ∘ Complete tool customisation via ONE-KEY™
- app to tune the tool to your needs
- Control speed, torque, start end speeds and LED light
- Configure to any application choosing optimum
- tool settings for repeatable precision
 Program / save profiles for unmatched control

	M18 ONEIWF12-OX	M18 ONEIWF12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459198	4933451374
EAN Code	4002395289936	4002395160525

M18 BIW38 M18™ 3/8" IMPACT WRENCH



- Compact 3/8" impact wrench measures 152 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 3/8" square drive for use with universal sockets

	M18 BIW38-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933443600
EAN Code	4002395003273

M₁₈ BRAIW

M18™ 3/8" RIGHT ANGLE IMPACT WRENCH



Compact right angle impact wrench measures 307 mm in length making it ideal for working within confined spaces

M18

- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

	RRΔI	

Kit included	No batteries supplied, No charger supplied, No kitbox o bag supplied
Article Number	4933447899
EAN Code	4002395006670

M18 ONEIWP12

M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH PIN





- M18 FIWP12 but with ONE-KEY™ technology Connect via Bluetooth® with the ONE-KEY
- Complete tool customisation via ONE-KEY™
- app to tune the tool to your needs Control speed, torque, start and end speeds and LFD
- Configure to any application choosing optimum
- tool settings for repeatable precision

 Program/save profiles for unmatched control

M18 ONFIWP12-0

Kit included	No batteries supplied, No charger supplied, No kitbox o
Kit iliciuueu	bag supplied
Article Number	4933451152
EAN Code	4002395138210
	·

M18 FIW2F12

M18 FUEL

M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH **FRICTION RING**



- Power efficiency under load outstanding torque of 339 Nm
- Extremely compact design total length of just
 124 mm for access into tight spaces
- 4-Mode DRIVE CONTROL allows the user
- to shift into four different speed and torque
- settings to maximise application versatility Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

	M18 FIW2F12-0X	M18 FIW2F12-502X			
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box			
Article Number	4933478443	4933478444			
EAN Code	4058546346348	4058546346355			

M₁₈ ONEFLT

M18 FUEL M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY





- The M18 FUEL[™] lockbolt tool with ONE-KEY[™] is an optimised cordless solution that delivers fast, easy installations while maintaining performance, durability, and size
- 20,000 N of pulling force with a stroke length of 30 mm gives you the power to complete the larger applications effortlessly Installs up to 1,200 aluminium 6.4 mm
- lockbolts with one fully changed M18™ 5.0 Ah battery pack

	M18 ONEFLT-OX	M18 ONEFLT-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIICIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478637	4933478638
EAN Code	4058546348304	4058546348311

M18 ONEFPRT

M18 FUEL™ RIVET TOOL WITH ONE-KEY™



Kit included

Article Number

• The M18 FUEL™ rivet tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy riveting while maintaining performance, durability, and size Pulls up to 900 rivets with a rivet size of
 4.8 mm in aluminium or 500 rivets with a size

of 6.4 mm in aluminium on a fully charged

18 FC Charger, HD Box

M18

M18

405854634795

M18 FUEL

M18[™] 2.0 Ah battery pack M18 ONFFPRT-OX M18 ONFFPRT-202X No batteries supplied, No charger 2 x M18 B2 Battery packs, M12-

M18 FIW2P12

M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN

Kit included

EAN Code



- Power efficiency under load outstanding torque of 339 Nm
- Extremely compact design total length of just
 124 mm for access into tight spaces

M18

- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque
- settings to maximise application versatility Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

M18 FIW2P12-0X	M18 FIW2P12-502X
No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
4933478446	4933478447
4058546346379	4058546346386

M18 FIW2F38

M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH

FRICTION RING

EAN (



 The most compact cordless impact wrench in its class, delivering the most access in tight spaces, with performance at 339 Nm of fastening torque

M18 FUEL

M18

- Incredibly compact design for this performance level, with only 124 mm overall length ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478650
EAN Code	4058546348434

C18 PCG/600

M18™ CAULK GUN WITH 600 ML TUBE



- Up to 4500 N of force, Min 40% higher than previous MILWAUKEE® caulk gun REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability Optimised performance with all adhesives and
- cool temperatures Anti-drip feature prevents unwanted dripping when trigger is released

C18 PCG/600A-201B	C18 PCG/600T-201B
	1 x M18 B2 Battery pack, M12-18 C
Charger, Tool bag 4933441305	Charger, Tool bag 4933441808
4000000001400	40000000000075

C18 PCG/400

M18™ CAULK GUN WITH 400 ML TUBE

supplied, HD Box

4058546347949



- Up to 4500N of force. Min 40% higher than previous MILWAUKEE® caulk gun REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- system durability Optimised performance with all adhesives and
- cool temperatures Anti-drip feature prevents unwanted dripping when trigger is released

C18 PCG/400T-201B

Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag
Article Number	4933441812
EAN Code	4002395002368

M₁₈ BLHIWF₁₂

M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

BRUSHLESS



- Delivers 1085 Nm of fastening torque and 1627 Nm of nut-busting torque to easily work with most occasional applications
- 222 mm body allows for more access in tight spaces
- Integrated LED light to illuminate the working
- A speed of 1750 RPM to do your task quickly and efficiently

M18 BLHIWF12-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933492787
EAN Code	4058546476588

M18 BIW12

Kit included

Article Number

M18™ 1/2" IMPACT WRENCH



M18 BIW12-0

 Compact 1/2" impact wrench measures 155 mm. in length making it ideal for working within confined spaces

system durability

- High performance 4-pole motor delivers maximum power whilst maximising the power REDLINK™ overload protection electronics
- M18 BIW12-402C No batteries supplied, No charger 2 x M18 B4 Battery packs, M12-18 C supplied, No kitbox or bag supplied Charger, Kitbox

in tool and battery pack deliver best in class

C18 PCG/310

Kit included Article Number

FAN Code

M18™ CAULK GUN WITH 310 ML CANISTER



- Our to 4500 N of force. Min 40% higher than ous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures Anti-drip feature prevents unwanted dripping
- when trigger is released

	C18 PCG/310C-0B	C18 PCG/310C-201B			
Kit included	No batteries supplied, No charger	1 x M18 B2 Battery pack, M12-18 C			
KIL IIICIUUEU	supplied, Tool bag	Charger, Tool bag			
Article Number	4933459637	4933441310			
EAN Code	4058546028091	4002395001439			

M18 GG M18™ GREASE GUN



- Powerful 18V motor delivers over 690 bar max. erating pressure REDLINK™ overload protection electronics
- in tool and battery pack deliver best in class system durability
- Extreme long run time dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics only 355 mm long and 3.9 kg M18 GG-201C

Kit included	No batteries supplied, No charger	1 x M18 B2 Battery pack, M12-18 C
NIL IIIGIUUCU	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933440493	4933440490
EAN Code	4002395000357	4002395000340

M18 GG-0



GET THE RIGHT ANGLE GRINDER FOR THE JOB


● HIGH OUTPUT™ designed for the heavy applications, from beveling to



Plat gear head design allows working within acute angles down to



3 Variable speed. Maximum control, ideal for working with stainless steel and aluminium, and for rust and paint removal



Angle grinders that provide best handling and perfect for surface



		Battery system	Technology	Feature	ONE-KEYTM	No load speed (rpm)	Disc diameter (mm)	Weight with battery pack (EPTA) (kg)	Switch type	Brake	Anti-kickback protection	FIXTECTM	Line lock out function
1.	M18 ONEFLAG230XPDB-122C	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	ONE-KEY™	6600	230	5.4 (M18 HB12)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FLAG230XPDB-121C	M18 FUEL™	HIGH OUTPUT™	-	-	6600	230	5.3 (M18 HB12)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG150XPDB-0X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	-	9000	150	3.5 (M18 HB5.5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
	M18 FHSAG150XB-0X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™		9000	150	3.5 (M18 HB5.5)	Slide lock-on switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG125XPDB-552X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	-	9000	125	3.4 (M18 HB5.5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
1.	M18 FHSAG125XB-552X	M18 FUEL™	HIGH OUTPUT™	RAPIDSTOP™	-	9000	125	3.4 (M18 HB5.5)	Slide lock-on switch	Yes	Yes	Yes	Yes
2.	M18 FSAGF125XPDB-0X	M18 FUEL™		RAPIDSTOP™	-	8500	125	2.6 (M18 B5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
2.	M18 FSAGF125XB-0X	M18 FUEL™		RAPIDSTOP™	-	8500	125	2.6 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
3.	M18 FSAGSV0125X-502X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	3500 - 8500	125	3.0 (M18 B5)	Deadman switch	Yes	Yes	Yes	Yes
3.	M18 FSAGV125XPDB-0X	M18 FUEL™		RAPIDSTOP™	-	3500 - 8500	125	2.7 (M18 B5)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
3.	M18 FSAGV125XB-0X	M18 FUEL™		RAPIDSTOP™	-	3500 - 8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 ONEFSAG125XPDB-802X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	8500	125	3.1 (M18 HB8)	Paddle (Deadman) switch	Yes	Yes	Yes	Yes
4.	M18 ONEFSAG125XB-0X	M18 FUEL™		RAPIDSTOP™	ONE-KEY™	8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 FSAG125XB-502X	M18 FUEL™		RAPIDSTOP™	-	8500	125	2.7 (M18 B5)	Slide lock-on switch	Yes	Yes	Yes	Yes
4.	M18 FSAG125X-0X	M18 FUEL™		-	-	8500	125	2.7 (M18 B5)	Slide lock-on switch	No	Yes	Yes	Yes
4.	M18 BLSAG125X-402X	M18™	Brushless	-	-	11,000	125	2.4 (M18 B4)	Slide lock-on switch	No	Yes	Yes	Yes
4.	M18 BLSAG125XPD-402X	M18™	Brushless	-	-	11,000	125	2.4 (M18 B4)	Paddle (Deadman) switch	No	Yes	Yes	Yes
4.	M18 BLSAG115XPD-402X	M18 [™]	Brushless	-	-	11,000	115	2.4 (M18B4)	Paddle (Deadman) switch	No	Yes	Yes	Yes



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE CUTTING



M18 ONEFLAG230XPDB M18 FUEL M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE **GRINDER WITH PADDLE SWITCH**



Delivering corded performance similar to a 2200 W grinder

 ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

RAPIDSTOP™ for fastest disc brake in less th 3 seconds and best user protection

	M18 ONEFLAG230XPDB-0C	M18 ONEFLAG230XPDB-122C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB12 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933478782	4933478783
EAN Code	4058546360641	4058546360658

M₁₈ FLAG₂₃₀XPDB

M18 FUEL M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH



The world's first single 18V battery operated large angle grinder that delivers the power to grind, lighter than corded tools and makes up to 68 cuts per charge in 42 mm stainless

	M18 FLAG230XPDB-0C	M18 FLAG230XPDB-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933464114	4933464115
EAN Code	4058546220594	4058546220600

M18 FHSAG150XPDB

M18 FUEL M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING **GRINDER WITH PADDLE SWITCH**



M18™ HIGH OUTPUT™ 150 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe

RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

M18 FHSAG150XPDB-0

	mio i nonditoxi bb ox
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933471085
EAN Code	4058546287139

M18 FHSAG150XB

M18 FUEL M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING **GRINDER WITH SLIDE SWITCH**



M18™ HIGH OUTPUT™ 150 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2° electrical pipe

• RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

M18 FHSAG150XB-0X

Cit included No.	o batteries supplied, No charger supplied, HD Box
Article Number 49	933471084
EAN Code 40	058546287122

M18 FHSAG125XPDB

M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING **GRINDER WITH PADDLE SWITCH**



Kit included Article Number M18[™] HIGH OUTPUT[™] 125 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2"

RAPIDSTOP™ for fastest disc brake in less than 2.5 seconds and best user protection

4058546287085

M18 FUEL

M18 FHSAG125XPDB-0	M18 FHSAG125YPDR_0Y	M18 FHSAG125XPDB-552X
No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
4933471076	4933471078	4933471080

M18 FHSAG125XB

M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING **GRINDER WITH SLIDE SWITCH**



M18™ HIGH OUTPUT™ 125 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2°

M18 FUEL

• BAPIDSTOP™ for fastest disc brake in less than 2.5 seconds and best user protection

	M18 FHSAG125XB-0	M18 FHSAG125XB-0X	M18 FHSAG125XB-552X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933471075	4933471077	4933471079
FAN Code	4058546287030	1058516287051	1058516287078

M18 FSAGSVO125X

M18 FUEL™ SAFETY 125 MM GRINDER WITH VARIABLE SPEED AND ONE-KEY™



 Dual trigger activation - requires the user to have always both hands on the tool and automatically shuts down the tool whenever

one hand is taken off

RAPIDSTOP™ for fastest disc brake in less than second and best user protection

AUTOSTOP™ shuts down the tool to protect the user in bind-up situations or any unnatura

	M18 FSAGSV0125X-0X	M18 FSAGSV0125X-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIIGIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933493552	4933493553
EAN Code	4058546484231	4058546484248

M18 ONEFSAG125XPDB M18 FUEL M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE

GRINDER WITH PADDLE SWITCH



Delivering corded performance similar to a 1200 W grinder
• ONE-KEY™ tool tracking & security offers a free

of charge cloud-based tracking network and inventory management platform for your tools functionality

PAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

M18 ONEFSAG125XPDB-0X M18 ONEFSAG125XPDB-502X No batteries supplied, No charger 2 x M18 B5 Battery packs, M12-Kit included supplied, HD Box 18 FC Charger, HD Box



M18 ONEFSAG125XB

M18 FUEL

M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



Delivering corded performance similar to a 1200 W grinder

- ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

M18 ONEFSAG125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478433
EAN Code	4058546346249

M18 FSAG125XB

M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH **SLIDE SWITCH**



- Delivering corded performance similar to a
- RAPIDSTOP™ for fastest disc brake in less than
- 2 seconds and best user protection
- Reduced gearhead size and lower angle of battery slot - for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration Integrated FIXTEC[™] system for tool-free wheel

	M18 FSAG125XB-0X	M18 FSAG125XB-502X
it included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
rticle Number	4933478429	4933478430
ANI Codo	4058546346201	4058546346218

M18 BLSAG125XPD

M18 BRUSHLESS 125 MM ANGLE GRINDER WITH **PADDLE SWITCH**

BRUSHLESS



- 11,000 RPM optimised for cutting applications Powerful brushless motor delivering corded
- performance similar to a 800 W grinder Most compact and lightest cordless angle
- grinder in the the range
- Safety clutch protects user the from kickback
- Integrated FIXTEC™ system for tool-free whee

	M18 BLSAG125XPD-0	M18 BLSAG125XPD-402X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box
Article Number	4933492645	4933492646
EAN Code	4058546413958	4058546413965

M18 BLSAG115XPD

M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH



- 11,000 RPM optimised for cutting applications
 Powerful brushless motor delivering corded
- performance similar to a 800 W grinder Most compact and lightest cordless angle
- grinder in the the range Safety clutch protects user the from kickback
- Integrated FIXTEC™ system for tool-free wheel

WIO DESAUTISATU-U
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933492647
4058546413972

M18 FSAG125X

M18 FUEL

M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE



- Delivering corded performance similar to a 1200 W grinder
- Properties Properties
- compared to previous model
 Anti-vibration side handle for lower vibration Integrated FIXTEC™ system for tool-free wheel
- change Slim handle design

M18 FSAG125X-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478428
EAN Code	4058546346195

M18 FSAGV125XPDB **GRINDER WITH PADDLE SWITCH**

M18 FUEL M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE



- and aluminium & for rust and paint removal Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line
- lock-out function to prevent automatic start up Anti-vibration side handle for lower vibration

M18 FSAGV125XPDB-0X

t included	No batteries supplied, No charger supplied, HD Box
rticle Number	4933478437
AN Code	4058546346287

M18 FROP21

M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM

M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM




	M18 FROP21-0X	M18 FR0P21-502X
tandard equipment	150 mm backing pad, dust screen	150 mm backing pad, dust screen
it included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
it included	supplied, HD Box	18 FC Charger, HD Box
rticle Number	4933478836	4933478837
AN Code	4058546361181	4058546361198

M18 FROP15

M18 FMCS66

Kit included

Article Number EAN Code



M18 FUEL

- and heavy-correction applications 8 position speed dial selection for maximum
- control and best finishing results
 15 mm orbital function for fast and efficient
- polishing with a free hologram finish Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

First 18V cordless metal circular saw with

66 mm cutting depth and 1800 W corded

Faster cutting speed compared to corded unit

Shoe designed to connect directly on MILWAUKEE® guide rail (sold separately). This

allows the user to make straight and accurate

Performance light indicates when the device is

M18 FMCS66-121C

18 FC Charger, Kitbox 4933472111

405854632507

1 x M18 HB12 Battery pack, M12-

cuts with minimum setup time

M18 FROP15-0X M18 FROP15-502X M18 FROP15-502X KIT

Standard equipment	125 mm backing pad, dust screen	125 mm backing pad, dust screen	sponge (hard), 140 mm yellow sponge (medium red cloth, heavy compound, medium compound
Kit included	No batteries supplied, No charger supplied, HD Box		$2\ x$ M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478834	4933478835	4933492352

performance

M18 FUEL™ 66 MM METAL CIRCULAR SAW

M18 FMCS66-0C

supplied, Kitbox 4933472110

405854632506

No batteries supplied, No charger

M18 FSAGV125XB

M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



- Maximum control for every application 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal Delivering corded performance similar to a
- 1200 W grinder RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Anti-vibration side handle for lower vibration Integrated FIXTEC™ system for tool-free whee

M18 FSAGV125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478436
EAN Code	4058546346270

M18 FSAGF125XPDB

M18 FUEL M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE **GRINDER WITH PADDLE SWITCH**



1200 W grinder seconds and best user protection

- Flat gear head design allows user working within acute angles down to $42^{\circ}\,$ Delivering corded performance similar to a
- RAPIDSTOP™ for fastest disc brake in less than
- Non-lockable safety paddle switch with linelock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration
 FIXTEC™ nut for tool-free wheel change

M18 FSAGF125XPDB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478439
EAN Code	4058546346300

M18 FAP M18 FUEL™ POLISHER



- Cordless polisher with 8 position variable speed selection ranging from 360 - 2200 rpm Outstanding run time to polish one full size car per battery charge (on moderate to good paint, light scratches)
- ximum polishing accessory diameter of 180 mm
- smooth start up

	M18 FAP180-0	M18 FAP180-502X
Standard equipment	Polishing backing pad, dust screen, bale handle, AVS side handle	Polishing backing pad, polishing sponge white, polishing sponge orange, lambswool, dust screen, bale handle, AVS side handle
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 FC Charger, HD
KIL IIIGIUUEU	supplied, No kitbox or bag supplied	Box
Article Number	4933451549	4933451550
EAN Code	4002395144518	4002395144525

M₁₈ FMCS M18 FUEL™ 57 MM METAL CIRCULAR SAW

M18 FUEL

Tool-free depth adjustment, quickly and easily Compact and light weight design for most comfortable use

- Dry-cutting technology provides cold, fast and burr-free metal cutting
- adjusts cutting depth from 0 to 57 mm
- Dual-action trigger prevents any accidental start up
- Tool-free cutting depth adjustment and plunge lever for fast and effective plunge cuts

	M18 FMCS-0X	M18 FMCS-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIIGIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459192	4933459193
EAN Code	4002395289271	4002395289288

M18 CBS125 M18 FUEL™ DEEP CUT BAND SAW

M18 FUEL



- Large cutting capacity up to 125 x 125 mm 5 step variable speed selection from 0 - 116
- Tool-free blade locking mechanism for quick
- and easy saw blade changes Solid metal rafter hook for quick and easy
- jobsite storage Slim full metal motor housing design and LED

	III 10 0D0120 0	11110 000120 0020
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIIGIUUEU	supplied, No kitbox or bag supplied	18 FC Charger, Kitbox
Article Number	4933447150	4933448195
EAN Code	4002395006038	4002395262779

M18 CRS125-0

M18 FSAGF125XB

M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



- Flat gear head design allows user working vithin acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder RAPIDSTOP™ for fastest disc brake in less than
- seconds and best user protection Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change Slim handle design

M18 FSAGF125XB-0X No batteries supplied, No charger supplied, HD Box Article Number 4933478438

M18 BLSAG125X

M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE **SWITCH**



- 11.000 RPM optimised for cutting applications Powerful brushless motor delivperformance similar to a 800 W grinder
- Most compact and lightest cordless angle arinder in the the range Safety clutch protects user the from kickback
- iniuries . Integrated FIXTEC™ system for tool-free wheel change

M18 BLSAG125X-402X

Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
NI IIICIUUeu	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933492643	4933492644
EAN Code	4058546413934	4058546413941
		-

M18 BLSAG125X-0




M18 FBS85 M18 FUEL™ COMPACT BAND SAW

M18 FDGROVPDB

EAN Code

M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, **VARIABLE SPEED AND PADDLE SWITCH**

20% faster cutting compared to previous




adjustments Band saw cover protects user from injuries by

preventing any access to the blade - tool-free nstallation and removal within seconds

	M18 FBS85-0C	M18 FBS85-202C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933471496	4933471497
EAN Code	4058546293956	4058546293963

RAPID STOP ONE TKEY





steel, carbide burrs & accessories up to 75 mm Delivering corded performance similar to a 1200 W grinder ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools.

ONE-KEY™ also features a remote locking

	,
	M18 FDGROVPDB-0X
ncluded	No batteries supplied, No charger supplied, HD Box
de Number	4933480957

4058546412425

M₁₈ FDGROVB

M18 FUEL

M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH



Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm Delivering corded performance similar to a

1200 W grinder

ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking

	•	
	M18 FDGROVB-0X	M18 FDGROVB-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933480955	4933480956
EAN Code	4058546412401	4058546412418

M₁₈ FDGRB

M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder Spindle lock - increased productivity by
- reducing the need of 2 wrenches
- RAPIDSTOP™ stops all accessories in under Lower angle of battery slot for better balance &
- ergonomics compared to previous model Universal reception to fit both, 6 and 8 mm

	M18 FDGRB-0	M18 FDGRB-0X	M18 FDGRB-502X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933480952	4933480953	4933480954
EAN Code	4058546412371	4058546412388	4058546412395

M18 FMDP

M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET





 FUEL™ technology provides corded drilling performance with strongest magnet holding force on 1/4" steel and 40 x 18 mm holes per

battery charge

• AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection

	M18 FMDP-0C	M18 FMDP-502C
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
NII IIIGIUUGU	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933451636	4933451012
EAN Code	4002395142330	4002395136650

M18 BMS12

M18™ METAL SHEAR





· Accurate cuts with maximum cutting depth of

M18

M18

- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces
- and increasing user comfort REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability Individual battery cell monitoring optimises tool
- run time and ensures long term pack durability

Kit included	No batteries supplied, No charger supplied, No kitbox or
THE INCIDENCE	bag supplied
Article Number	4933447925
EAN Code	4002395006731

M18 BMS20

M18™ METAL SHEAR

M18™ HEAT GUN



Accurate cuts with maximum cutting depth of Unique 360° tool-free rotating head with

12 locking positions to access tight spaces and increasing user comfort REDLINK™ overload protection electronics in tool and battery pack deliver best in class

Individual battery cell monitoring optimises tool

M18 BMS20-0

No batteries supplied, No charger supplied, No kitbox or bag supplied Article Number 4002395006748

M18 BHG



- High performance heat coil allows the tool to Reaches operational temperature in six
- seconds allowing the user to quickly complete his application
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M18 BHG-0	M18 BHG-502C
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 C
KIL IIIGIUUEU	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933459771	4933459772
EAN Code	4058546029432	4058546029449

GET THE RIGHT MITRE SAW FOR THE JOB



Roofing, fencing, decking **CAPACITY**





		Battery system	Technology	ONE-KEYTM	No load speed (rpm)	Blade diamete (mm)		Bevel capacity right (°)	Mitre capacity left (°)	Mitre capacity right (°)	Bore size (mm)		Weight with battery pack (EPTA) (kg)
	M18 FMS305-121	M18 FUEL™	HIGH OUTPUT™	ONE-KEY™	3600	305	48	48	55	60	30	96.5 x 340	22.5 (M18 HB12)
1.	M18 FMS254-0	M18 FUEL™		-	4000	254	48	48	50	60	30	91 x 289	20.0 (M18 B5)
2.	M18 SMS216-0	M18™		-	2700	216	48	-2	50	50	30	-	14.8 (M18 B5)
2.	M18 FMS190-0	M18 FUEL™		-	5000	190	48	48	48	48	30	-	12.7 (M18 B5)

MITRE SAW EXTENDABLE LEGSTANDS

	Height (mm)	Base size (mm)	Extendable up to (mm)	Collapsed size (mm)	Bearing force (kg)	Weight (kg)
MSL 1000	850	1065	2125	1065	180	17.0
MSL 2000	860	1093	2542	1093	227	14.0
MSL 3000	810	1100	3000	1200	250	23.0
MSUV 280	850	1160	2800	1320	136	27.0









Kit i

M18 FMS305

M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW



 Delivers the power to cut at the same rate of an equivalent AC 305 mm saw, with the ability to cut up to 500 pieces of 78 mm pine base board on one 12.0 Ah battery charge The HIGH OUTPUT[™] system of tools elevates the M18 FUEL[™] technologies to a new level

and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT"

	M18 FMS305-0	M18 FMS305-121
included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
icle Number	4933471205	4933471122
N Code	4058546288334	4058546287504

M18 FMS254

M18 FUEL™ 254 MM MITRE SAW



- With a 254 mm blade it delivers large and accurate cut capacities
- Up to 430 cuts in 26 mm x 142 mm decking with a 12.0 Ah battery gives the ability to work

M18 FUEL

a full day without recharging the battery
• Quick release bevel setting with detents allows the simple setting of bevel angles to the left

M18 FMS254-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451729
EAN Code	4002395279418

M18 FMS190

M18 FUEL™ 190 MM MITRE SAW



With a 190 mm blade it delivers accurate cut

- Up to 299 cuts in 38 mm 89 mm soft wood
- with a 5.0 Ah battery gives the ability to work a full day without recharging the battery Quick release bevel setting allows the simple
- setting of bevel angles to the left and right Large sliding fences gives maximum support to the material being cut providing stability and

M18 FMS190-0

Kit included	No batteries supplied, No charger supplied, No kitbox o bag supplied
Article Number	4933459619
EAN Code	4058546027919

MSL 1000

MITRE SAW STAND EXTENDABLE UP TO 2 M



- Light weight aluminium, easy to transport onto
- 1.08 m total length, will fit into most small vans and cars
- Extendable each side 2.08 m extended
- Will hold up to 180 kg
- One point lea adjustment for leveling on
- uneven ground Quick release brackets
- Height adjustable length stops

ticle Number	4933428970
AN Code	4002395241729

MSL 2000

MITRE SAW STAND EXTENDABLE UP TO 2.5 M



- Light weight aluminium, easy to transport onto
- 1.09 m total length, will fit into most small vans
- Extendable each side 2.54 m extended
- Will hold up to 227 kg One point lea adjustment for leveling on
- uneven ground
- Quick release brackets
- Height adjustable length stops

	MSL 2000
le Number	4933459617
Code	4058546027896

MSL 3000

MITRE SAW STAND EXTENDABLE UP TO 3 M



- Lightweight construction and wheel set -
- provides portability on the jobsite
- Folds down to 1200 mm thanks to the collapsible legs and compact design
- Extendable up to 3 m makes it easy to cut
- large workpieces to length

 Heavy Duty carries up to 250 kg
- One point leg adjustment for leveling on uneven ground Comfortable working height at 81 cm
- MSL 3000

mber	493
1	400

umber	4933411565	
e	4002395236213	

MSUV 280

MITRE SAW STAND EXTENDABLE UP TO 2.8 M



- Upright folding design for easy storage and
- Easy one action foot pedal lock and single lift point allows the stand to be quickly setup with a mitre saw attached
- compatible with all MILWAUKEE® mitre saws
- Extra wide work piece support rollers allows larger materials to be more easily handled

MSUV 280 4933478992 4058546362744

M18 FTS210

M18 FUEL™ ONE-KEY™ TABLE SAW



The ONE-KEY™ M18 FUEL™ table saw delivers the power to rip cut at the same feed rate of an equivalent AC saw, with the ability to cut 190 m of 19 mm OSB board on one 12.0 Ah


M18 FUEL

	M18 FTS210-0	M18 FTS210-121B
it included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
rticle Number	4933464722	4933464225
AN Code	4058546226671	4058546221706

GET THE RIGHT SAW FOR THE JOB







TABLE, PLUNGE AND CIRCULAR SAWS

	Battery system	Technology	ONE-KEYTM	No load speed (rpm)	Blade diameter (mm)	Bevel capacity (°)	Max. cutting depth 45° (mm)	Max. cutting depth 50° (mm)		Weight with battery pack (EPTA) (kg)
M18 FTS210-121B	M18 FUEL™	HIGH OUTPUT™	ONE-KEY™	6300	210	47			63.5	22.3 (M18 HB12)
M18 FPS55-552P	M18 FUEL™			2500 - 5600	165	-1 - 48	44		59	4.9 (M18 HB5.5)
M18 CCS55-502X	M18 FUEL™		-	5000	165	0 - 50	41	-	55	3.2 (M18 B5)
HD18 CS-402B	M18™		-	3500	165	0 - 50	39	-	55	3.8 (M18 B4)
M18 FCS66-0	M18 FUEL™	HIGH OUTPUT™		5800	190	0 - 56	48		66	5.4 (M18 HB12)
M18 FCSG66-121C	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 50	48	-	66	5.6 (M18 HB12)
M18 FCSRH66-0	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 53	48	45	66	5.2 (M18 HB12)
M18 BLCS66-502X	M18™		-	5000	190	0 - 50	48	-	66	4.0 (M18 B5)
M12 FCS442-502X	M12 FUEL™		-	3600	140	0 - 50	33	-	44	2.7 (M12 HB5)

[®] SAWZALL™, HACKZALL™, JIGSAWS

	Battery system	Technology	ONE-KEYTM	No load stroke rate (spm)	Stroke length (mm)	Weight with battery pack (EPTA) (kg)
M18 FSX-121C	M18 FUEL™	HIGH OUTPUT™	-	0 - 3000	32	5.5 (M18 HB12)
M18 ONEFSZ-502X	M18 FUEL™		ONE-KEY™	0-3000	32	3.8 (M18 B5)
M18 FSZ-502X	M18 FUEL™		-	0-3000	32	3.8 (M18 B5)
M18 BSX-402C	M18™			3000	28.6	4.0 (M18 B4)
M18 FHZ-502X	M18 FUEL™		-	0 - 3000	22	2.6 (M18 B5)
C18 HZ-402B	M18™		-	0 - 3000	20	2.5 (M18 B4)
M18 FBJS-502X	M18 FUEL™		-	800 - 3500	25	2.8 (M18 B5)
M18 FJS-502X	M18 FUEL™		-	0 - 3500	25	2.9 (M18 B5)
M18 BJS-402C	M18™			0 - 2800	25	2.5 (M18 B4)
M12 CHZ-602X	M12 FUEL™		-	0 - 3000	15.9	1.6 (M12 B6)
C12 HZ-202C	M12™		-	0 - 3000	13	1.2 (M12 B2)
M12 FJS-422X	M12 FUEL™		-	800 - 3000	22	1.7 (M12 B2)

MULTI-TOOLS

	Battery system	Oscillation angle left/ right (°)	No load speed (rpm)	Weight with battery pack (EPTA) (kg)
M18 FMT-502X	M18 FUEL™	2.1	10,000 - 20,000	1.9 (M18 B5)
M18 BMT-421C	M18™	1.7	12,000 - 18,000	1.7 (M18 B2)
M12 FMT-422X	M12 FUEL™	1.8	10,000 - 20,000	1.6 (M12 B2)
C12 MT-402B	M12™	1.5	5000 - 20,000	1.2 (M18 B4)



SCAN HERE TO VIEW OUR PPE RANGE







TSS 1000 TABLE SAW STAND



- Light weight of only 6.6 kg easy to transport onto the job site
- Will hold up to 82 kg
- Quick release bracket to hold the saw firmly in place
- One point leg adjustment for leveling on
- uneven ground
- Comfortable work height at 559 mm To be used with M18 FUEL™ ONE-KEY™ table
- saw (M18 FTS210)

	TSS 1000
Article Number	4933464227
EAN Code	4058546221720

M18 CCS55

M18 FUEL™ 55 MM CIRCULAR SAW FOR WOOD AND **PLASTICS**



- Brushless POWERSTATE™ motor for up to 3x longer motor life and up to 2x more cuts per
- Magnesium upper and lower guards provide
- best in class durability for impact resistance Integrated dust blower keeps cut line clear 50° bevel capacity
- Magnesium shoe reduces weight and
- maximises durability Hang hook allows safe storage of the tool

	M18 CCS55-0X	M18 CCS55-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933451429	4933451376
EAN Code	4002395162680	4002395160549

M₁₈ ONEFSZ M18 FUEL™ ONE-KEY™ SAWZALL™

M18 FUEL



- M18 FSZ but with ONE-KEY™ technolog Connect via Bluetooth® with the ONE-KEY™
- app
 ONE-KEY™ tool customisation allows the user to optimise their tool for specific applications ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking

	M18 ONEFSZ-OX	M18 ONEFSZ-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478296	4933478294
EAN Code	4058546344733	4058546344719

M₁₈ FSZ M18 FUEL™ SAWZALL™





- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes Metal reinforced battery connection provides improved durability and battery retention over

M18 FSZ-0X	M18 FSZ-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933478293	4933478291
4058546344702	4058546344689
	No batteries supplied, No charger supplied, HD Box 4933478293

HD18 CS

M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC



- Powerful 3500 rpm motor easily cuts most
- timber construction materials
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- system durability
- Large 50° bevel facility
- Magnesium upper guard provide best in class durability for impact resistance

 Excellent visib 	ility of	cutting	line
-------------------------------------	----------	---------	------

	HD18 CS-0	HD18 CS-402B
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
KIT INCIUDED	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933419134	4933441400
EAN Code	4002395238248	4002395001613

M18 FCSRH66

M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD



 Delivers the power to rip cut at the same feed rate of an equivalent AC circular saw, with the ability to cross cut up to 570 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

M18 FUEL

M18 FCSRH66-0
No batteries supplied, No cha

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471444
EAN Code	4058546290726

M₁₈ FSX

M18 FUEL™ SUPER SAWZALL™



 The M18 FUEL™ Super SAWZALL™ delivers the power to cut at the same speed as an equivalent AC reciprocating saw - with the ability to cut 150 pieces of 290 mm x 45 mm pine on one 12.0 Ah battery charge

	M18 FSX-0C	M18 FSX-121C
it included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12- 18 FC Charger, Kitbox
rticle Number	4933464724	4933464484
AN Code	4058546226695	4058546224295

M18 BSX M18™ SAWZALL™

High performance 4-pole motor delivers maximum power whilst maximising the power

M18

M18



- to weight ratio REDLINK™ overload protection electronics in tool and battery pack deliver best in class
- Patented FIXTEC™ clamp for fast and easy
- keyless blade change Counter balance mechanism to reduce
- vibrations 15.2 m/s² in wooden beams

	INIIO DOY-0	W10 D3X-402G
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
KIL IIICIUUEU	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933447275	4933447285
EAN Code	4002395006113	4002395006120

M18 FCS66

M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND **PLASTICS**





The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

	M18 FCS66-0
Kit included	No batteries supplied, No charger supplied, No
AIL IIICIUUCU	bag supplied
Article Number	4933464725
TANLO I	1050510000701

M18 FCSG66

M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS, GUIDE RAIL COMPATIBLE



M18



- The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

 190 mm blade which gives a 66 mm depth of
- cut, enabling the saw to cut 3 stacked OSB

	M18 FCSG66-0	M18 FCSG66-121C
Kit included	No batteries supplied, No charger	1 x M18 HB12 Battery pack, M12-
	supplied, No kitbox or bag supplied	18 FC Charger, Kitbox
Article Number	4933472163	4933471195
EAN Code	4058546325596	4058546288235

M18 FHZ M18 FUEL™ HACKZALL™

Kit included

EAN Code

Article Number



blade change Pivoting shoe allows the user to optimise his

cutting position

Built in LED light improves visibility in low light

M18 FHZ-0X	M18 FHZ-502X	
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-	
supplied, HD Box	18 FC Charger, HD Box	
4933459887	4933459885	
40E8E4E030E00	4059546020575	

C18 HZ M18™ HACKZALL™

High performance compact one handed use HACKZALL™, measuring only 375mm in length,



- makes it ideal for working within confined • REDLINK™ overload protection electronics. in tool and battery pack deliver best in class
- system durability Dual gear counter balance reduces vibration and increases tool life

	C18 HZ-0	C18 HZ-402B
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
Kit iliciaaea	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933416785	4933441340
EAN Code	4002395237982	4002395001491

M18 BLCS66

M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS

BRUSHLESS



- M18™ brushless circular saw with a 190 mm blade giving a 66 mm depth of cut which enables the saw to cut three stacked 19 mm OSB boards
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

	M18 BLCS66-0X	M18 BLCS66-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIIGIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933464589	4933464590
EAN Code	4058546225346	4058546225353

M18 FPS55

M18 FUEL™ 55 MM PLUNGE SAW



The M18 FUEL™ plunge saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 45 metres of 18 mm plywood on one 5.5 Ah battery charge

for on the rail and one for off the rail, this can easily be adjusted by the press of a button

	M18 FPS55-0P	M18 FPS55-552P
it included	No batteries supplied, No charger	2 x M18 HB5.5 Battery packs, M12-
it iliciuded	supplied, PACKOUT™ XL tool box	18 FC Charger, PACKOUT™ XL tool box
rticle number	4933478777	4933478778
AN code	4058546360597	4058546360603

M₁₈ FBJS M18 FUEL™ BODY GRIP JIGSAW



 Patented FIXTEC™ blade clamp for fast and easy blade change • 3500 SPM delivers smooth cuts, minimised

- chipping and vibration
- 5 stage pendulum action for increased cutting
- Brushless POWERSTATE™ motor for fast cutting, long tool life and up to 32 m in 19 mm OSB (on a 5.0 Ah pack)

	M18 FBJS-0X	M18 FBJS-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933464799	4933464800
EAN Code	4058546227449	4058546227456

M₁₈ FJS M18 FUEL™ TOP HANDLE JIGSAW



 Dust blower keeps the cut line free of wood Kevless bevel facility on the base plate allows

M18 FUEL

for adjustment between 0 - 45°
• Patented FIXTEC™ blade clamp for fast and

5 stage pendulum action for increased cutting





M18 BJS M18™ TOP HANDLE JIGSAW

M18



- High performance motor delivers 2800 spm for fast cutting
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class
- system durability Patented FIXTEC™ blade clamp for fast and
- easy blade change Keyless bevel facility on the base plate allows
- for adjustment between 0 45°

	M18 BJS-0	M18 BJS-402C
Kit included	No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
Kit ilicidued	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933451391	4933451389
EAN Code	4002395157990	4002395157976







- POWERSTATE™ brushless motor pairs with an aggressive oscillation angle of 2.1° (left/ right) and 10,000 - 20,000 OPM to deliver one of the fastest cut speeds in the industry
- Suitable for many demanding applications with ease, such as rip cuts through hardwoods and nail embedded wood
- 10-setting dial with an auto-load feature allows users to adjust the speed to the application

	M18 FMT-OX	M18 FMT-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
KIL IIICIUUEU	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478491	4933478492
EAN Code	4058546346843	4058546346850



M18 BMT M18™ MULTI-TOOL

Kit included

Article Number



- Unique cutting depth stop adaptor to prevent over-cutting in material
- Productivity enhancing FIXTEC[™] tool free blade change with universal blade change adaptor
 - included to accept all competitor blades 12 variable speed settings from 12,000 -18.000 orbits per minute and 3.4° oscillation movement allows quick completion of professional applications into materials such as
 - metal, wood and plastic M18 BMT-0 M18 RMT-421C No batteries supplied, No charger 1 x M18 B4, 1 x M18 B2 Battery supplied, No kitbox or bag supplied packs, M12-18 C Charger, Kitbox

M18 BP M18™ PLANER



- Adjustable depth of cut from 0 to 2 mm with twenty locking positions allows the user to accurately set the amount of material to be removed in one pass
- Up to 10.7 mm of rebate depth
- High performance 4-pole motor delivers
- 14.000 rpm to achieve optimum surface finish Faster material removal with two double edged carbide blades over a planning width of 82 mm

	M18 BP-0	M18 BP-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933451113	4933451114
EAN Code	4002395137374	4002395137381

M18 FR12 M18 FUEL™ 12 MM ROUTER





- POWERSTATE™ brushless motor in combination with the HIGH OUTPUT™ 5.5 Ah battery pack supplies constant power for faster cuts and reduced heat in high demand applications with the equivalent amount of power as a corded unit
- Variable speed from 12,000 RPM to 25,000 RPM for clean and accurate cutting in a wide range of material

	M18 FR12-0X	M18 FR12KIT-0P
standard equipment	1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe	1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extrac- tion pipe and plunge base
iit included	No batteries supplied, No charger supplied, HD Box	No batteries supplied, No charger supplied, PACKOUT [™] box
rticle Number	4933493304	4933493305
AN Code	4058546481759	4058546481766

M18 FTR8

M18 FUEL M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES



- POWERSTATE™ brushless motor delivers the power of AC trim routers, max. 31,000 rpm for powerful, smooth cutting
- Variable speed dial allows users to adjust the speed between 10.000 and 31.000 rpm to choose the best control for the application at hand
- All day run time on a single charge of an M18™ 5.0 Ah battery (up to 115 m)

M18 FTR8-0X
No batteries supplied, No charger supplied, HD Box
4933479073
4058546368678

M₁₈ BQSS

M18™ QUARTER SHEET SANDER



High performance motor delivers 11,000 to 13,000 sanding strokes per minute for faster material removal

M18

- Variable speed wheel with 6 speed settings allows the correct speed to be set for different
- Universal hook and loop sanding pad allows easy changing of sanding sheets
- Paper retention clips for use with standard

	M18 BQSS-0	M18 BQSS-502B
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 C
KIL IIICIUUEU	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933479966	4933479967
EAN Code	4058546377601	4058546377618

M18 FBTS75 M18 FUEL™ 75 MM BELT SANDER



- Compact design, with a flat front and side edge allows flush sanding capability Captures 90% of dust either through the universal dust port or with the multi layered dust bag
- Variable speed adjustable with a belt speed range from 230 to 410 m/s Tool-free adjustable pommel allows for

adjustment of the front handle letting the user find the optimum sanding position

	M18 FBTS75-0	M18 FBTS75-552X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB5.5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479614	4933479615
EAN Code	4058546374082	4058546374099

M18 BOS125

M18™ 125 MM RANDOM ORBITAL SANDER



- High performance motor delivers 14,000 to 24,000 sanding strokes per minute for faster material removal
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material

	M18 B0S125-0	M18 BOS125-502B
Kit included	No batteries supplied, No charger supplied. No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag
Article Number	4933464228	4933464229
EAN Code	4058546221737	4058546221744

M18 FAC

M18 FUEL™ AIR COMPRESSOR



- POWERSTATE™ brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite

M18 FAC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
KIL IIIGUUEU	bag supplied
Article Number	4933472166
EAN Code	4058546325626

M18 FFN21

M18 FUEL M18 FUEL™ 21° FRAMING NAILER 2-MODE

- Fires standard framing nails which fits an angled magazine at 20° to 22°
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge No gas cartridges and no cleaning required, designed to deliver durability and reliability
- to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

M18 FFN21-0C

(it included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933478993
EAN Code	4058546362751

M18 FUEL **M18 FFN** M18 FUEL™ 34° FRAMING NAILER 2-MODE



Kit included FAN Code

- Excellent power to consistently seat nails sublush to the surface in hardwoods
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

•	
M18 FFN-0C	M18 FFN-502C
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, Kitbox	18 FC Charger, Kitbox
4933471406	4933471404
40E0E4C200244	40E0E46300330

M₁₈ FFNS

M18 FUEL M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT



- Single shot mode only allows for precision placement of each nail fired
- Fires standard framing nails which fits an angled magazine at 30° or 34° No gas cartridges and no cleaning required, designed to deliver durability and reliability
- to the most demanding users with very little maintenance
- Excellent power to consistently seat nails sub-flush to the surface in hardwoods

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478302
EAN Code	4058546344795

M18 FUEL **M18 FN16GA** M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE



- Fire 16 Gauge nails with a 20° pitch
 Tool-free, quick and easy depth adjustment to assure nails are driven sub-flush
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Excellent power to consistently seat nails subflush to the surface in hardwoods

	M18 FN16GA-0X	M18 FN16GA-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478094	4933478092
EAN Code	4058546340278	4058546340254

M18 FN15GA

M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE



- ° Fires 15 gauge nails with a 34° pitch ° Fires up to 1200 nails per charge on a REDLITHIUM™ 2.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little

M18 FUEL

maintenance

Ready to Fire Nail Technology eliminates ramp-

	M18 FN15GA-OX
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478091
EAN Code	4058546240247



GET THE RIGHT NAILER/ STAPLER FOR THE JOB

FRAMING NAILERS

Cut roofs, floor joists, stud walls, decking




FINISHING NAILERS

Skirting boards, molding, flooring, deck railings, staircases, door and window casing, cabinet making



FENCING UTILITY STAPLER



STAPLERS Fabric, plastic, beading, fascias & soffits



		Battery system	Collation angle (°)	Nail diameter (mm)	Nail type (mm)	Staple strip length (mm)	Staple strip width (mm)	Magazine capacity	Weight with battery pack (EPTA) (kg)
	M18 FFN21-0C	M18 FUEL™	20 - 22	2.8 - 3.7	50 - 90			51	5.0 (M18 B5)
1.	M18 FFN-502C	M18 FUEL™	30 - 34	2.8 - 3.3	50 - 90			51	5.1 (M18 B5)
1.	M18 FFNS-502C	M18 FUEL™	30 - 34	2.8 - 3.3	50 - 90	-	-	51	5.1 (M18 B5)
2,	M18 FN18GS-202X	M18 FUEL™	0	1.2	16 / 54	-	-	110	3.1 (M18 B2)
2,	M18 FN16GA-202X	M18 FUEL™	20	1.6	32 - 64	-	-	110	3.3 (M18 B2)
2,	M18 FN16GS-0X	M18 FUEL™	0	1.6	25 - 64	-	-	110	3.2 (M18 B2)
2,	M18 FN15GA-0X	M18 FUEL™	34	1.8	32 - 64	-	-	110	3.3 (M18 B2)
2,	M12 FCN18GS-202X	M12 FUEL™	0	1.2	15 - 38	-	-	110	2.1 (M12 B2)
3.	M18 FFUS-302C	M18 FUEL™	0	4	-	38 - 51	10.3	45	5.0 (M18 HB3)
4.	M18 FNCS18GS-202X	M18 FUEL™	0	-	-	9.5 - 38	5.7 - 6.35	108	2.8 (M18 B2)
4.	M12 BCST-0	M12™	0	-	-	25.4	19	45	2.3 (M12 B2)
4.	M12 BST-202X	M12™	0	-	-	6 - 14	10.6	89	1.6 (M12 B2)



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW AVAILABLE NAILS AND STAPLES



M18 FN18GS M18 FUEL™ 18 GS FINISH NAILER

M18 FUEL



- Fires 18 gauge straight nails with a 0° pitch Different shaped noses stored on board allows the user to get the best finish no matter what the application
- No gas cartridges and no cleaning required designed to deliver durability and reliability to the most demanding users with very little maintenance
- Smaller nail hole, the exact size of the nail head

	M18 FN18GS-0X	M18 FN18GS-202X	
(it included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12- 18 FC Charger, HD Box	
rticle Number	4933471409	4933471407	
AN Code	4058546290375	4058546290351	

M18 FN16GS

M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER



Fire 16 gauge straight nails with a 0° pitch from 25 mm - 64 mm long

M18 FUEL

- Quick and easy tool free adjustable nail driving
- Smaller nail hole, the exact size of the nail head leaving a neater finish Small work contact bracket allows the user to
- fire and sink nails at a more acute angle Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine

M18 FN16GS-0X

it included No	batteries supplied, No charger supplied, HD Box
rticle Number 49:	33493353
AN Code 409	058546482244

M₁₈ FFUS

M18 FUEL™ FENCING UTILITY STAPLER



 Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity

No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

	M18 FFUS-0C	M18 FFUS-302C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB3 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933479834	4933479832
EAN Code	4058546376284	4058546376260

M18 FNCS18GS

M18 FUEL M18 FUEL™ NARROW CROWN STAPLER 2-MODE



Accepts narrow crown staplers from 9.5 mm Ready to fire nail technology eliminates rampup time between each staple discharge

 No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little

	M18 FNCS18GS-0X	M18 FNCS18GS-202X
Cit included	No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-
di iliciadea	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933471942	4933471940
AN Code	4058546298418	4058546298395

M18 F2VC23L M18 FUEL™ 23L L-CLASS VACUUM





o The M18 FUEL™ 23 litre L class Wet/Dry Vacuum brings outstanding performance, durability, and versatility to jobsite cleanup With a maximum air flow of 3086 I/min and 192 mbar this provides excellent performance for both wet and dry clean up applications

M18 F2VC23L-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478964
FAN Codo	4050546262464

M₁₈ FBPV M18 FUEL™ BACKPACK VACUUM





particles down to 0.3 microns Dust class L. Standard MAK-factor > 1 mg/m³ Low noise of only 76 db (operating sound level) DEK 26 compatible allows the vacuum to be

M18 FUEL

- easily connected to a powertool Cyclonic technology for longer filter life,
- extended peak performance and bag-less debris collection

M18 FBPV-0

it included	No batteries supplied, No charger supplied, No kitbox or bag supplied
rticle Number	4933464483
AN Code	4058546224288

M₁₈ FPOVCL

M18 FUEL™ PACKOUT™ WET/ DRY VACUUM

PACKOUT



- The M18 FUEL™ PACKOUT™ wet/ dry vacuum is fully compatible with the MILWAUKEE® PACKOUT™ Modular Storage System Delivers up to 30 minutes of run time on a HIGH OUTPUT™ 8.0 Ah battery pack in high
- mode and over 50 minutes in low mode Extendable hose up to 1.6 m for extended reach and versatility

M18 FPOVCL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NIT IIIGUUGU	bag supplied
Article Number	4933478187
EAN Code	4058546341206

M₁₈ VC₂ M18™ WET/ DRY VACUUM

Powerful 18 V motor with a maximum air flow of 1300 l/min/ 80 bar provides excellent suction power for both wet and dry clean up

HEPA filter will collect 99.97% of airborne particles down to 0.03 microns for fine dust collection

Up to 30 minutes run time with M18™ HIGH OUTPUT™ 5.5 Ah battery pack

M18 VC2-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933464029
EAN Code	4058546219741



M18 CV M18™ HAND VAC

Excellent suction power for wood, metal and common debris

- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Lock on switch reduces fatigue during
- sustained use Versatile accessories for small or large clean
- up areas Secure canister lock guards against unwanted
- spillage

M18 CV-0

it incllined	No batteries supplied, No charger supplied, No kitbox or bag supplied
rticle Number	4933459204
AN Code	4002395289998

M18 BBL M18™ BATTERY BLOWER





· Compact body - clears dirt and debris in tight Power control - 3 speed settings with variable speed trigger

M18

Versatile attachments - nozzle extension (228.6 mm), universal inflator/deflator attachment

Removable nozzle for easy, convenient storage Lock-on switch

Flexible battery system: works with all MILWAUKEE® M18™ batteries

M18 BBL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933446216
AN Code	4002395004942

M₁₈ ARFHP M18™ HIGH VELOCITY AIR FAN



Three speed settings for optimised air flow up to 21.6 metres per hour

Adjustable head allows the user to utilise the

fan in various heights and positions over a range of 360° Efficient air circulation circulates the air up to

5 775 m³/m

Compact lightweight design for fast inflation of car, light truck and compact equipment

tyres. Top off 235/65R16 sprinter tyres in under 1 minute

Anti-vibration stand with all rubber feet for no movement while inflating • Top off up to 30 tyres on an M18[™] 5.0 battery

No batteries supplied, No charger supplied, No kitbox or

10.3 max bar capacity

M18 BI-0

405854634899

Compact design with integrated carry handle to maximise portability

M18 ARFHP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuueu	bag supplied
Article Number	4933492110
EAN Code	4058546414771

M18 AF M18™ AIR FAN



AC/DC, allows the user to run on M18™ REDLITHIUM™ or AC power when available

Three speed settings for optimised air flow up to 1290 meters per hour

• Efficient air circulation circulates the air within a 3.6 m x 4 m room

Adjustable head allows the user to utilise the fan in various heights and positions over a range of 120°

M18 AF-0

Article Number 4933451022	o kitbox or
Alticle Number 4555451022	
EAN Code 4002395136971	

M12-18 JSSP

M12™ - M18™ BLUETOOTH® SPEAKER



Advanced technology Bluetooth® jobsite

M12 M18

Bluetooth® wireless range of up to 30 m Flexible battery system: works with all MILWAUKEE® M12™ & M18™ batteries

IP54 rated, water and debris resistant to withstand tough conditions on and off the

Loud, clear sounds at all volumes

M12-18 JSSP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459275
EAN Code	4058546002411

M18 FPP2A3

M18 FUEL



M18 FUEL™ ONE-KEY™ POWERPACK

M18 ONEPP2A3

M18 ONEPD3 - M18 FUEL™ ONE-KEY

percussion drill

• M18 ONEID3 - M18 FUEL™ ONE-KEY™ 1/4" Hex

M18 ONFPP2A3-502X 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box

4933493244

M18 FUEL™ POWER PACK

M18 FPD3 - M18 FUEL[™] percussion drill
 M18 FID3 - M18 FUEL[™] ¹/₄" Hex impact driver



M18 FPP2A3-502X

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933480873
EAN Code	4058546411589

M18 BI M18™ INFLATOR

EAN Code



M₁₈ PRCDAB+ M18™ PACKOUT™ RADIO CHARGER

dab+ PACKOUT



 Premium 360° surround sound speakers with a 40 W amplifier producing rich and full sound

M18

for large and outdoor spaces DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time

Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer

M18 PRCDAB+-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
KIL IIIGIUUGU	bag supplied
Article Number	4933472112
EAN Code	4058546325084

M18 FPP6E3 M18 FUEL™ POWER PACK

Kit included

Article Number



M18 FPD3 - M18 FUEL™ percussion drill
 M18 FID3 - M18 FUEL™ 1/4″ Hex impact driver
 M18 CCS55 - M18 FUEL™ 55 mm circular saw

for wood and plastics M18 FSZ - M18 FUEL™ SAWZALL

M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch

M18 TLED - M18™ LED torch

M18 FPP6E3-502B

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag
Article Number	4933480874
FAN Code	4058546411596

M18 FPP6F3 M18 FUEL™ POWER PACK





M18 FPD3 - M18 FUEL™ percussion drill
 M18 FIW2F12 - M18 FUEL™ ½″ compact impact wrench with friction ring

M18 CCS55 - M18 FUEL™ 55 mm circular saw

for wood and plastics M18 FSZ - M18 FUEL™ SAWZALL™

M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch • M18 TLED - M18™ LED torch

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag
Article Number	4933480875
EAN Code	4058546411602

M18 RADDAB+G2 M18™ JOBSITE RADIO DAB+



High performance audio system - DAB+/
 FM tuner with digital processor delivers high

reception accuracy and signal clarity Digital Bluetooth® receiver, plays music up to 36 m away from your smartphone, computer

Integrated handles and on board storage allow for easy transport and storage for phones

Dual 8.89 cm woofers provide balanced &

M18 RADDAB+G2-0

No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number 4058546417116

M18 RC

M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®



 Built in charger function allows for guick, convenient charging of any M18[™] battery or electronic devices via USB port

Digital Bluetooth® receiver: play music up to 30 m away from your smartphone, computer,

AC/DC versatility: powered by MILWAUKEE® M18™ batteries, or 230 V mains supply

M18 RC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciuded	bag supplied
Article Number	4933446639
EAN Code	4002395005420

M₁₈ BLCPP₂A

M18™ COMPACT BRUSHLESS POWERPACK

Kit included

Article Number



M18 BLPDRC - M18[™] compact brushless

M18 BLIDRC - M18[™] compact brushless ¹/₄

Hex impact driver

2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox

M18 BLCPP2A-402C


4933492827

M₁₈ BLCPP₂B M18™ COMPACT BRUSHLESS POWERPACK



M18 BLDDRC - M18[™] compact brushless drill

M18 BLIDRC - M18[™] compact brushless ¹/4" Hex impact driver





M12 FUEL

DRIVEN TO OUTPERFORM.™

M12 FUEL™ is engineered for the most demanding tradesmen in the world. M12 FUEL™ delivers extreme performance in a compact structure and features three MILWAUKEE® exclusive innovations - the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence hardware and software - that deliver incredible power, run time and durability.

Simply put, M12 FUEL™ offers the best, full circle technology that drives, protects and powers your cordless tools.



POWERSTATE BRUSHLESS MOTOR



- Provides increased efficiency
- Lasts longer and delivers maximum power?





REDLINK PLUS" **INTELLIGENCE**

- Individual cell monitoring to optimise tool run time and ensure long term pack durability
- Advanced system electronics with unique digital performance enhancement
- Total system communication with overload protection increases tool life











REDLITHIUM™ BATTERY PACKS

- Total system communication with overload
- Fade-free performance to deliver more run time and more work over pack life
- Fuel gauge displays remaining charge
- Operates down to -20°C



MORE CAPABLE.

LIGHTWEIGHT.

MORE COMPACT.

M12 PORTABLE TRADE FO

M12 FUEL™ SUB COMPACT SDS-PLUS HAMMER

- Industry's first brushless compact 12V rotary hammer with 1.1 Joules (EPTA), 0 - 6575 bpm & 0 - 900 rpm
- Exceptionally low vibration value 4.4 m/s² can be used for 8 hours in a day
- Will drill over 60 50 mm x 6 mm holes per battery charge
- Superior power to weight ratio in its class with brushless POWERSTATE™ motor for up to 3x longer motor life and up to 2x more run time

No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B6 Battery p	
Kit included charger supplied, No kitbox C12 C Charger, Kitbox C12 C Charger, HD Bo	
Article Number 4933441947 4933441997 4933451510	
EAN Code 4002395002719 4002395002665 4002395161584	

M₁₂ UDEL

M12™ UNIVERSAL DUST EXTRACTOR



- Fits all MILWAUKEE® SDS-plus and the majority of competitor's hammers between 41-61 mm neck size with just one adjustable side handle which can be mounted right or left of the hammer
- single M12 B2 2.0 Ah battery
- Due to telescopic nozzle capable of operating with up to 210 mm long SDS-plus drill bits

	M12 UDEL-0B	M12 UDEL-201B
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Kit iliciuueu	supplied, Tool bag	Charger, Tool bag
Article Number	4933471460	4933471461
EAN Code	4058546290887	4058546290894

M12 FPD2

M12 FUEL

M12 FUEL™ SUB COMPACT PERCUSSION DRILL



- for access into tight spaces 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention Mechanical clutch with 13 torque settings, plus
- 1 for locked clutch drilling and 1 for locked
- On board fuel gauge, metal belt clip and LED

No batteries supplied, No charger supplied, No charger supplied or bag supplied 2 x M12 B2 Battery packs, C12 C Charger, HD Box		M12 FPD2-0	M12 FPD2-202X	M12 FPD2-602X
	Kit included	charger supplied, No kitbox		2 x M12 B6 Battery packs, C12 C Charger, HD Box
EAN Code 4058546376611 4058546376628 4058546376642	Article Number	4933479867	4933479868	4933479870
	EAN Code	4058546376611	4058546376628	4058546376642

M12 FDD2

M12 FUEL

M12 FUEL™ SUB COMPACT DRILL DRIVER



- Extremely compact design of 151 mm length for access into tight spaces
- 45 Nm of torque superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- On board fuel gauge, metal belt clip and LED

	M12 FDD2-0	M12 FDD2-202X	M12 FDD2-602X
it included		2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs C12 C Charger, HD Box
rticle Number	4933479872	4933479873	4933479875
AN Code	4058546376666	4058546376673	4058546376697

M₁₂ FPDX

M12 FUEL M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH





- High performance compact 6-in-1 percussion drill system for extreme versati
- Removable chuck system with 3 different heads for multiples of applications
- Brushless POWERSTATE™ motor delivers up to
- REDLINK PLUS™ intelligence system delivers
- an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

M12 FPDX-0	M12 FPDX-202X	M12 FPDXKIT-202X
Removable chuck	Removable chuck	Removable chuck, offset attach- ment, right angle attachment
No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 Charger, HD Box	C 2 x M12 B2 Battery packs, C12 C Charger, HD Box
4933464135	4933464136	4933464138
4058546220808	4058546220815	4058546220839
	Removable chuck No batteries supplied, No charger supplied, No kitbox or bag supplied 4933464135	Removable chuck No batteries supplied, No charger supplied, No kitbox or bag supplied 4933464135 Removable chuck Removable chuck 2 x M12 B2 Battery packs, C12 Charger, HD Box 4933464136

M₁₂ FDDX

M12 FUEL M12 FUEL™ INSTALLATION DRILL/DRIVER WITH



drill for extreme versatility Removable chuck system with 4 different

High performance compact 4-in-1 installation

- heads for multiples of applications ¼" hex drive behind chuck fitting, reduces drill
- length to 130 mm when required In-line grip for unrivaled access and control
- Brushless POWERSTATE™ motor delivers up to 34 Nm of torque
- M12 FDDX-0 M12 FDDXKIT-0X M12 FDDXKIT-202X 10 mm metal chuck, right 10 mm metal chuck, right angle attachment, offset angle attachment, offset 10 mm metal chuck No batteries supplied, No charger No batteries supplied, No krt included supplied, No kitbox or bag supplied charger supplied, HD Box
 Article Number 4933464978 4933471332 C12 C Charger, HD Box 4933464979 405854622923 4058546229245

M₁₂ BDDX

M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK



- High performance sub compact 5-in-1 drill driver system for extreme versatil Removable chuck system with 3 different
- heads for multiples of applications Standard 10 mm keyless chuck, full metal right angle 1/4" hex drive head and full metal offset 1/4" hex drive head
 - ¹/₄" hex drive behind chuck fitting, reduces drill length to 153 mm when required

	WIIZ DUDANII-202G	
Standard aguinment	Removable FIXTEC™ chuck, offset attachment, right angle	
Standard equipment	drill attachment, belt clip, 25 mm PZ2 bit	
Kit included	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	
Article Number 4933447836		
EAN Code	4002395006601	



C12 RAD

M12™ SUB COMPACT RIGHT ANGLE DRILL



- Heavy Duty full metal gearbox and gears for superior durability and maximum torque REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed paddle switch trigger for
- comfortable working in any situation 10 mm chuck for quick bit changes and bit

	C12 RAD-0	C12 RAD-202B
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
KIL IIIGIUUEU	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933416900	4933441215
EAN Code	4002395237678	4002395001248

M12 CD

M12 FUEL™ SUB COMPACT DRIVER



- o 1/4" Hex chuck for quick easy one handed bit change
- On hoard fuel gauge and I ED light

on board race gauge and LLD light
 Individual battery cell monitoring optimises tool
run time and ensures long term pack durability

M12 FUEL

M12

	M12 CD-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933440450
EAN Code	4002395000968

M12 FIWF12

M12 FUEL M12 FUEL™ SUB COMPACT 1/2" IMPACT WRENCH

More power, more compact, more control
 Up to 339 Nm of maximum torque

socket changes

length of only 124.5 mm

supplied, No kitbox or bag supplied packs, C12 C Charger, HD Box

1/2" anvil with friction ring for quick and easy

Better access in tight spaces with an overal

4-Mode DRIVE CONTROL with auto-shut off

M12 FIWF12-422X

1 x M12 B4, 1 x M12 B2 Battery

mode, offers the user precise control Bright LED workspace illumination

M12 FUEL M12 FIW14 M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH

- More power, more compact, more control
 Up to 115 Nm of maximum fastening torque
 - $^{\circ}$ Up to 136 Nm of maximum nut busting torque $^{\circ}$ $^{1}\!/^{4}$ anvil with friction ring for quick and easy
 - socket changes
 - Brushless POWERSTATE™ motor delivers more power in a more compact size

	M12 FIW14-0
Kit included	No batteries supplied, No charger supplied, No kitbox or

M12 BD M12™ SUB COMPACT DRIVER



- High performance sub compact screw driver measures 175 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 1/4" Hex chuck for quick easy one handed bit change
- Optimised handle for better control and improved grip

	M12 BD-0	M12 BD-202C
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit iliciadea	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933441910	4933441900
EAN Code	4002395002566	4002395002559

M12 BSD

M12™ SUB COMPACT SINGLE SPEED DRIVER



- High performance compact screw driver measures 169 mm in length making it ideal for working within confined spaces
- Metal planetary gears for superior durability and maximum torque up to 20 Nm
- 1/4" Hex chuck for quick easy one handed bit change
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

M12 BSD-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933447135
A002305006021

M12 BIW12

Kit included

Article Number

M12™ SUB COMPACT 1/2" IMPACT WRENCH

M12 FIWF12-0

No batteries supplied, No charger



- High performance sub compact impact wrench measures 171 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 1/2" square drive with pin detent for use with

	M12 BIW12-0	M12 BIW12-202C
(it included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933447134	4933447133
:AN Code	4002395006014	4002395006007

M12 BIW38

Article Number

M12™ SUB COMPACT 3/8" IMPACT WRENCH



 High performance sub compact impact wrench measures 165 mm in length making it ideal for working within confined spaces

M12

- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque 3/8" square drive with friction ring for use with
- M12 BIW38-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number

40023950026

M12 FID2

M12 FUEL M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER



- The compact design with a length of only
- 127 mm is ideal for working in confined spaces Outstanding power to size ratio with 170 Nm
- Fast driving speed with up to 3,600 rpm and
- Tri-LEDs deliver high definition lighting to increase workspace visibility

	M12 FID2-0	M12 FID2-202X
it included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
rticle Number	4933479876	4933479877
AN Code	4058546376703	4058546376710

M₁₂ FQID

M12 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER

SURGE

Kit included

Article Number



The M12 FUEL™ SURGE™ 1/4" Hex hydraulic impact driver is MILWAUKEE®'s quietest 12V impact driver, delivers best in class sound at only 76 dB(A) in wood fastening applications FLUID-DRIVE™ hydraulic powertrain reduces. metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact

M12 FUEL

M12 FUEL

	M12 FQID-0	M12 FQID-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464972	4933464973
EAN Code	4058546229177	4058546229184

M₁₂ BPRT

Kit included Article Number EAN Code

M12™ SUB COMPACT RIVET TOOL



Up to 325 x 4.8 mm stainless steel rivets on a single charge with a 2.0 Ah battery pack

M12

- Suitable for all aluminium, steel, stainless steel and copper rivets up to 4.8 mm Rivets in one stroke with a 20.32 mm stroke
- Retention nose pieces hold rivets in any

M12 BPRT-0	M12 BPRT-201X
No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
supplied, No kitbox or bag supplied	Charger, HD Box
4933464404	4933464405
40E8E4E33340E	4059546222502

M₁₂ FRAIWF₁₂

M12 FUEL M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH



- Delivers up to 270 Nm fastening torque and
- 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head with anvil profile design
- allows for more access in tight spaces

	MIZ THAINI IZ-U
Kit included	No batteries supplied, No charger supplied, No kitbox
KII IIIGUUEU	bag supplied
Article Number	4933471699
EAN Code	4058546295981

M₁₂ BRAID

M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER



Compact right angle impact driver measures 287 mm in length making it ideal for working within confined spaces

M12

- REDLINK™ overload protection electronics
- delivers best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque of 68 Nm
- Compact head design with diameter of 35.6

M12 BRAID-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number 4002395167715

M12 FIW38

M12 FUEL™ SUB COMPACT 3/8" IMPACT WRENCH



- More power, more compact, more control Up to 339 Nm of maximum torque
- 3/8" anvil with friction ring for quick and easy socket changes

 • Brushless POWERSTATE™ motor delivers more
- power in a more compact size REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M12 FIW38-0	M12 FIW38-422X
Kit included	No batteries supplied, No charger	1 x M12 B4, 1 x M12 B2 Battery
NIL IIICIUUEU	supplied, No kitbox or bag supplied	packs, C12 C Charger, HD Box
Article Number	4933464612	4933464613
EAN Code	4058546225575	4058546225582

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

M12 FUEL M₁₂ FRAIWF₃₈ M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH **FRICTION RING**



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque

 4-Mode DRIVE CONTROL includes Auto
- Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces

 Only 71 mm head profile design allows for
- more access in tight spaces

M12 FRAIWF38-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933471700
EAN Code	4058546295998

M₁₂ ONEFTR₁₂

ONE KEY

M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH




MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool Provides 16.9 - 203.4 Nm of torque range

M12 FUEL

Faster, more productive torque reporting with ONE-KEY™ providing torque data and nisable reports for inspectors or owners

and accuracy within ±2% for torque critical





GET THE RIGHT RATCHET FOR THE JOB

PRECISION TOOLS Delivering increased productivity, precise torque accuracy, and user demanded reporting functionality

LONG REACH

Slim head profile and an extended reach that gives you the longest reach in tight spaces



HIGH SPEED

Faster speed while installing and removing fasteners



COMPACT

Perfect mix of size and power to get into those tight areas



		Battery system	ONE-KEYTM	Tool reception	Max. torque (Nm)	Torque range (Nm)	Accuracy	No load speed (rpm)	Length (mm)	Weight with battery pack (EPTA) (kg)
	M12 ONEFTR12-2010	C M12 FUEL™	ONE-KEY™	½" square	203.4	16.9 - 203.4	CW ±2 %, CCW ±3%	0 - 100	596,9	2.6 (M12 B2)
1.	M12 ONEFTR38-2010	C M12 FUEL™	ONE-KEY™	³/8" square	135.6	13.6 - 135.6	CW ±2 %, CCW ±3%	0 - 100	591,8	2.5 (M12 B2)
2.	M12 FPTR-202X	M12 FUEL™	-	14.4 mm Hex	81	-	-	0 - 350	386	1.2 (M12 B2)
2.	M12 FHIR14LR-0	M12 FUEL™	-	¼" square	47	-	-	0 - 450	348	1.1 (M12 B2)
2.	M12 FHIR38LR-0	M12 FUEL™	-	³/8" square	47	-	-	0 - 450	363	1.1 (M12 B2)
2.	M12 FIR38LR-0	M12 FUEL™	-	³/8" square	75	-	-	0 - 200	363	1.4 (M12 B2)
3.	M12 FHIR14-0	M12 FUEL™	-	¼" square	47	-	-	0 - 450	272	1.0 (M12 B2)
3.	M12 FHIR38-0	M12 FUEL™	-	³/8" square	47	-	-	0 - 450	272	1.0 (M12 B2)
4.	M12 FIR12-0	M12 FUEL™	-	½" square	81	-	-	0 - 175	290	1.5 (M12 B2)
4.	M12 FIR38-0	M12 FUEL™	-	³/8" square	75	-	-	0 - 200	281	1.4 (M12 B2)
4.	M12 IR-201B 3/8	M12™	-	³/8" square	47	-	-	0 - 250	274	0.9 (M12 B2)
4.	M12 IR-201B 1/4	M12™		1/4" square	40			0 - 250	274	0.90 (M12 B2)
4.	M12 FRAIWF12-0	M12 FUEL™		½" square	270			0-1150/ 0-2300/ 0-3000/ 0-3000		1.7 (M12 B4)
4.	M12 FRAIWF38-0	M12 FUEL™		³/8" square	270			0-1550/ 0-2300/ 0-3000/ 0-3000		1.7 (M12 B4)



SCAN HERE TO VIEW **OUR PPE RANGE**





M₁₂ FPTR

M12 FUEL M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET



- With up to 81 Nm of max torque and 350 rpm's, this tool offers the perfect
- combination of power and speed Features the lowest-profile head for best-in-
- class access in confined spaces The extended neck allows users better access
- in hard-to-reach places Pass-through sockets up to a size of 15 mm allow users to comfortably fasten and unfasten nuts on bolts of any length

	M12 FPTR-0	M12 FPTR-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933480756	4933480754
EAN Code	4058546410414	4058546410391

M12 ONEFTR38

M12 FUEL

M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH



ONE KEY

- MILWAUKEE[®]'s first digital torque wrench, delivers up to 50% faster installation by
- replacing the hand tool Provides 13.6 135.6 Nm of torque range and accuracy within ±2% for torque critical asteners Faster more productive torque reporting
- with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

	M12 ONEFTR38-0C	M12 ONEFTR38-201C
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Kit ilicidued	supplied, Kitbox	Charger, Kitbox
Article Number	4933464966	4933464967
EAN Code	4058546229115	4058546229122

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR THE M12 FUEL' INSIDER™ PASS-THROUGH RATCHET





M₁₂ FHIR₁₄LR

M12 FUEL M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design and extended neck allow users better access in tight spaces The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel voke housing provides greater durability for the professional user

M12 FHIR14I R-0

Kit inclined	No batteries supplied, No charger supplied, No kitbox o bag supplied
Article Number	4933480790
EAN Code	4058546410759

M₁₂ FHIR₃₈LR M12 FUEL M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the
- .
 19 mm low profile head design and extended neck allow users better access in tight spaces
 • The industry leading FUEL™ technology combined with a reinforced mechanism and

investment cast steel yoke housing provides

greater durability for the professional user

M12 FHIR38LR-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
THE HIGHGOOD	bag supplied
Article Number	4933480791
EAN Code	4058546410766

M₁₂ FIR₃₈LR

M12 FUEL M12 FUEL™ 3/8" EXTENDED REACH RATCHET



With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening

solution for automotive mechanics.

maintenance and repair professionals • The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel voke housing provides greater durability for the professional user Extended reach ratchet adding additional 82 mm of length for access into tight spaces

it included	No batteries supplied, No charger supplied, No kitbox or
it iliciaded	bag supplied
rticle Number	4933471500
AN Code	4058546293994

M12 FHIR14

M12 FUEL™ 1/4" HIGH SPEED RATCHET



M12 FUEL

- 450 rpm's, this tool delivers faster application professional user 19 mm low profile head design allows users
- better access in tight spaces Variable speed metal trigger provides ultimate

With up to 47 Nm of max torque and

speed and increased productivity for the

WIIZ FRIKI4-U
No batteries supplied, No
bear according

included	No batteries supplied, No charger supplied, No kitbox or
iliciuueu	bag supplied
ticle Number	4933478171
N Code	4058546341046

M12 FHIR38

M12 FUEL™ 3/8" HIGH SPEED RATCHET




With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user

M12 FUEL

. 19 mm low profile head design allows users

better access in tight spaces Variable speed metal trigger provides ultimate

M12 FHIR38-0 No batteries supplied, No charger supplied, No kitbox or bag supplied





M12 FIR12

M12 FUEL

M12 FUEL™ SUB COMPACT 1/2" RATCHET

With up to 81 Nm of max torque and 175 rpm's, this tool is the ideal fastening solution for automotive mechanics. maintenance and repair professionals Low profile head design allows users better access in tight spaces The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user M12 FIR12-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number

M12 FIR38

M12 FUEL™ SUB COMPACT 3/8" RATCHET



With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics. maintenance and repair professionals


M12 FUEL

- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

	M12 FIR38-0	M12 FIR38-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933459797	4933459798
EAN Code	4058546029692	4058546029708

M12 BI M12™ SUB COMPACT INFLATOR

Compact lightweight design for fast inflation of car, light truck and compact equipment tires High efficiency motor & pump Anti-vibration stand with all rubber feet for no



M12 BI-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933464124
4058546220693

M12 SI M12™ SUB COMPACT SOLDERING IRON



 3 locking head positions to work in multiple orientations - 0°, 45°, 90° Tool free replaceable tips

M12

M12

Dual color LED lights to notify user: flashing green when tool is heating up, solid green when the tool is ready for operation and solid red when the tool is off but the tip is hot to touch until the red LED turns off

	M12 SI-0	M12 SI-201C	
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C	
	supplied, No kitbox or bag supplied	Charger, Kitbox	
Article Number	4933459760	4933459761	
EAN Code	4058546029326	4058546029333	

M12 IR

Kit included


Article Number

M12™ SUB COMPACT RATCHET



- Pneumatic performance with cordless
- convenience, 47 Nm of torque and no load speed of 250 rpm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Reinforced housing provides high durability
- similar to steel ratchets Compact design - ideal for tight spaces and
- small engine bays M12 IR-201R 1/4 M12 IR-201B 3/8 1 x M12 B2 Battery pack, C12 C 1 x M12 B2 Battery pack, C12 C Charger, Tool bag 4933441725 Charger, Tool bag 4933441720

M12 GG M12™ SUB COMPACT GREASE GUN





 Powerful 12 V motor delivers over 562 bar max operating pressure REDLINK™ overload protection electronics

M12

M12

M12

- in tool and battery pack deliver best in class
- system durability
- Extreme long run time dispenses up to
- 7 cartridges per charge Strong handle balance and ergonomics only
- 355 mm long and 3.2 kg

	M12 GG-0	M12 GG-401B
Kit included	No batteries supplied, No charger	1 x M12 B4 Battery pack, C12 C
Kit iliciuded	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933440435	4933441675
EAN Code	4002395000951	4002395001903

M12 FTB

M12 FUEL™ LOW SPEED TYRE BUFFER



The M12 FUEL™ low speed tyre buffer has a two-speed mode selector for reaming & buffing applications

M12 FUEL

- Optimal speed settings of 1200 RPM in first mode and 2500 RPM in second mode help to avoid burning the rubber and damaging the tyre
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

M12 FTB-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933472215


M12 BLROT

M12™ BRUSHLESS ROTARY TOOL

BRUSHLESS

Kit included

Article Number



Compact and balanced in all orientation design

- with 12 speed settings allows the user to dial in the correct speed for each application 3.2 mm collet included, compatible with most
- common accessories

 Soft grip and low vibration allows user to work comfortably and for longer periods

M12 BI ROT-0

	No batteries supplied, No charger supplied, No kitbox
	bag supplied
	4933493591
•	4058546484620

M12 PCG/600

M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping
- when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

	M12 PCG/600A-0	M12 PCG/600A-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441786	4933441670
EAN Code	4002395002283	4002395001897

M₁₂ PCG/400

M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction
- adhesives and cool temperatures Anti-drip feature prevents unwanted dripping
- vhen trigger is released Dial control with 6 speed settings allows for
- maximum bead control

	M12 PCG/400A-0	M12 PUG/400A-201B
it included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
	supplied, Tool bag	Charger, Tool bag
rticle Number	4933441780	4933441665
AN Code	4002395002276	4002395001880

C12 RT

Kit included

Article Number

M12™ SUB COMPACT ROTARY TOOL



- Versatile cordless solution for cutting and noval applications
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- /ariable speed (5000 32,000 rpm) 3.2 mm collet fits most current accessories in
- Spindle lock mechanism for easy accessory
- changes C12 RT-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933427183
EAN Code	4002395239030

M₁₂ FCOT

M12 FUEL M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF



- Fast accurate cutting with up to 20,000 RPM
- Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm Multi-material cutting capability with variety of
- blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade)
- A very capable problem solving tool for cutting steel, stainless steel, non-ferrous materials, drywall, fibre cement, plastic and ceramics

	M12 FCOT-0	M12 FCOT-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464618	4933464619
FAN Code	4058546225636	4058546225643

M12 PCG/310

M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for
- M12 PCG/310C-0 M12 PCG/310C-201B No batteries supplied, No charger 1 x M12 B2 Battery pack, C12 C supplied, No kitbox or bag supplied Charger, Tool bag

M12 ATB

Art

M12™ AUTOMOTIVE TECHNICIAN BORESCOPE



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
 - 5.0 mm camera head allows great access to tight places like spark plug holes, fuel injector
 - Front and side view camera guarantees to identify hairline cracks and other issues on the engine and other areas of the vehicle

M12 ATB-0C Kit included No batteries supplied, No charger supplied, Kitbox Article Number 4933493136

M12 FBS64

M12 FUEL M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM **CUTTING CAPACITY**



- First 12V band saw with 64 mm cutting capacity on the market
- Compact light weight design, especially for cutting overhead with one hand in existing installations and in tight spaces Variable speed trigger for quick & easy speed
- adjustments ntegrated blade cover protects user from injuries by preventing any access to the blade

	M12 FBS64-0C	M12 FBS64-402C
Kit included	No batteries supplied, No charger	2 x M12 B4 Battery packs, C12 C
	supplied, Kitbox	Charger, Kitbox
Article Number	4933478440	4933478441
EAN Code	4058546346317	4058546346324
EAN Gode	4000040040017	4030340340324

M12 BS

M12™ SUB COMPACT BANDSAW



- Compact light weight design for cutting with one hand overhead in existing installations and in tight spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Cuts a multitude of materials: steel, stainless steel, copper, plastic, aluminium
- Cold cutting spark and burr free

	III I DO O	III I DO 4020	
Kit included	No batteries supplied, No charger	2 x M12 B4 Battery packs, C12 C	٠
	supplied, No kitbox or bag supplied	Charger, Kitbox	
Article Number	4933431310	4933441805	
EAN Code	4002395242092	4002395002344	

Kit included

Article Number



M12 FNB16 M12 FUEL™ 1.6 MM NIBBLER

M12 FUEL

M₁₂ FDGS M12 FUEL™ STRAIGHT DIE GRINDER

M12 FMT M12 FUEL™ MULTI-TOOL

M12 FUEL **C12 MT**

M12™ SUB COMPACT MULTI-TOOL

M12



First 12V Nibbler with max. cutting capacity in mild Steel: 1.6 mm, in Stainless Steel: 1.2 mm, in Aluminium: 2.1 mm

With only 1.6 kg (6.0 Ah battery included) it is the lightest cordless Nibbler on the market, while still outperforming 18V brushed competitors

Maximum control for any material, with a 5-step speed dial it is ideal for working with stainless steel and aluminium

	M12 FNB16-0X	M12 FNB16-402X
Kit included	No batteries supplied, No charger	2 x M12 B4 Battery packs, C12 C
KIL IIICIUUEU	supplied, HD Box	Charger, HD Box
Article Number	4933479618	4933479619
EAN Code	4058546374129	4058546374136



The first cordless in-line die grinder that delivers more power vs. pneumatic models

Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and

M12 FUEL

M12

Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control

To be used with discs up to Ø50 mm
Supplied with 6 and 8 mm collets

	M12 FDGS-0	M12 FDGS-422B
(it included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933471435	4933471436
AN Code	4058546290634	4058546290641



Brushless POWERSTATE™ motor delivers fast cutting speed through common materials without slowing or bogging down in hardwoods

Adjustable 10.000 to 20.000 opm allow the user to get the perfect cut whatever the material

Lowest vibration in its class, 4.56 m/s2 driving productivity through performance and safety

M12 FMT-0	M12 FMT-422X		C12 MT-0	C12 MT-202B	C12 MT-402B
No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box	Kit included		2 x M12 B2 Battery packs, C12 C Charger, Tool bag	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
4933472238	4933472239		or bag supplied	G12 G Gharger, 1001 bag	G12 G Gharger, 1001 bag
4058546326340	4058546326357	Article Number	4933427180	4933441710	4933441705
		EAN Code	4002395239276	4002395002009	4002395001989

REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Variable speed (5000 - 20,000 rpm) and 1.5° left/right oscillation movement allows guick

completion of professional applications into

materials such as metal, wood and plastic

Versatile cordless solution for cutting and

removal applications

Will accept competitor accessories

	C12 MT-0	C12 MT-202B	C12 MT-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Tool bag	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
Article Number	4933427180	4933441710	4933441705
EAN Code	4002395239276	4002395002009	4002395001989

M₁₂ FDGA

Kit included

Article Number

M12 FUEL™ ANGLED DIE GRINDER

M12 FDGA-0

40585462906

No batteries supplied, No charger



M12 FUEL

The first cordless right angle die grinder that

in tight places, and offers great mobility and

responsive variable speed trigger enabling

M12 FDGA-422B

1 x M12 B4, 1 x M12 B2 Battery

Features a 4-mode speed control and

To be used with discs up to Ø50 mm

Supplied with 6 and 8 mm collets

outstanding control

supplied, No kitbox or bag supplied packs, C12 C Charger, Tool bag

delivers more power vs. pneumatic models Compact size (only 119 mm long) to help fit

M12™ SUB COMPACT POLISHER / SANDER



M12 BPS

0-8300 RPM) for both polishing and sanding applications

Variable 2 speed selection (0-2800 /

REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

 Large capacity of 76 mm polishing sponge and 50 mm sanding pad size for fast job completion

	M12 BPS-0	M12 BPS-421X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933447791	4933447799
EAN Code	4002395006557	4002395006564

M12 FCS442

Kit included Article Number

M12 FUEL

M12 FUEL™ SUB COMPACT CIRCULAR SAW



Redesigned brushless POWERSTATE™ motor for up to 25% increase in performance when combined with MILWAUKEE ® M12™ HIGH OUTPUT™ batteries

Magnesium shoe reduces weight and maximises durability

Integrated dust blower keeps cut line clear

LED light illuminates the cut line for better

	M12 FCS442-0	M12 FCS442-502X
Vit in aludo d	No batteries supplied, No charger	2 x M12 HB5 Battery packs, C12 C
Kit included	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933493488	4933493489
EAN Code	4058546483593	4058546483609

M₁₂ CHZ

M12 FUEL™ SUB COMPACT HACKZALL™



M12 FUEL™ BODYGRIP JIGSAW

 Counter balance mechanism lowers vibration to 6.5 m/s2 allowing the operator to work safely for longer periods of time reducing fatigue

M12 FUEL

M12 FUEL

Sealed gearbox prevents water and debris entering the housing Patented FIXTEC™ clamp for fast and easy

keyless blade change LED light illuminates the cutline in low light

	M12 CHZ-0	M12 CHZ-402C	M12 CHZ-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Kitbox	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933446960	4933446950	4933451511
EAN Code	4002395005727	4002395005710	4002395161591

M12 FBFL10

M12 FUEL™ BAND FILE 10 MM



Lightest cordless band file on the market, only

.0 kg with a 2.0 Ah battery Outperforms pneumatic competitor while providing better balance

Compact detail sander with a penta

be set for different types of material

the precision and removal of material

Low vibration at only 4.3 m/s²

accessibility

M12 FDSS-0B

supplied. Tool bag

4058546374747

No batteries supplied, No charger

shaped pad allows uncompromised corner

Four speed modes allows the correct speed to

Sponge interface pad included optimises the

tool for profiles and contours which increases

M12 FDSS-422X

4058546374754

1 x M12 B4, 1 x M12 B2 Battery

packs, C12 C Charger, HD Box

 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium

	M12 FBFL10-0	M12 FBFL10-402B
Kit included	No batteries supplied , No charger supplied , No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
Article Number	4933480958	4933480959
EAN Code	4058546412432	4058546412449

M12 FUEL **M12 FBFL13**

M12 FUEL™ BAND FILE 13 MM



EAN Code

 Worlds first cordless 12V band file with a capacity of 13mm belt width

Lightest cordless band file on the market, only 1.1 kg with a 2.0 Ah battery

M12 FUEL

 Outperforms pneumatic competitor while providing better balance

 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium

•	M12 FBFL13-0	M12 FBFL13-402B
Kit included	2 x M12 B4 Battery packs, C1: Charger, Tool bag	2 C No batteries supplied , No charger supplied , No kitbox or bag supplied
Article Number	4933480960	4933480961
FAN Code	4058546412456	4058546412463

C12 HZ

Kit included

EAN Code

Article Number

M12™ SUB COMPACT HACKZALL™



High performance compact one handed use HACKZALL™, measurir in length, making it ideal for confined spaces

REDLINK™ overload protect in tool and battery pack del

system durability Patented FIXTEC™ clamp for fast and easy

400239500120

keyless blade change

Low vibration at 10.5 m/s²

supplied, No kitbox or bag supplied Charger, Kitbox 4933411925 4933441195

C12 HZ-202C No batteries supplied, No charger 2 x M12 B2 Battery packs, C12 C

i one nanceu	
ng only 280 mm	
r working within	A MINI
•	
ction electronics	All the same of th
liver best in class	
iiivoi bost iii olass	mark and the

M₁₂ FJS

4.0 Ah battery pack) Patented FIXTEC™ blade clamp for fast and easy blade change

and accurate cut starts

6-speed settings with auto controlled start mode allows the tool to start slow and ramp up to full speed when load is detected for smooth

Delivering outstanding power, durability with

a run time of up to 24 m in 19 mm OSB (on a

	M12 FJS-0	M12 FJS-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933493347	4933493348
FANI O- d-	4050540400400	4050540400400

M₁₂ FDSS

Kit included

EAN Code

Article Number

M12 FUEL M12 FUEL™ SUB COMPACT SPOT SANDER

M12™ BRUSHLESS PLANER

M12 BLP





 M12™ Brushless Planer with a 2 mm planning. depth and 51 mm planning width allows the tool to perform in the most common user Compact and light weight, comfortable to use

M12

in a variety of orientations and allows for one handed usage

Dual-sided dust port for improved chip ejection to the left or right

	M12 BLP-0X	M12 BLP-402X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B4 Battery packs, C12 C Charger, HD Box
Article Number	4933492850	4933492851
EAN Code	4058546477219	4058546477226

M12 FCN18GS M12 FUEL M12 FUEL™ 18 GA STRAIGHT BRAD NAILER

Fires 18 gauge straight nails with a 0 degree Dry-Fire lockout stops the tool being fired

C12 HZ-0

400239523636

when there are no nails left in the magazine · Quick access for tool free jam removals Small work contact bracket allows the user to

fire and sink nails at a more acute angle Smaller nail hole, the exact size of the nail head leaving a neater finish

M12 FCN18GS-0X M12 FCN18GS-202X No batteries supplied, No charger 2 x M12 B2 Battery packs, C12 C supplied, HD Box Charger, HD Box

M₁₂ BCST

M12™ SUB COMPACT CABLE STAPLER



The new battery powered cable stapler is twice as fast than manual staple installat It eliminates majority of hand stapling of low voltage cable into wood

 Moveable cable guides ensure proper alignment over cable prior to fastening over a variety of cable sizes

M12 BCST-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number 405854640773

Kit included Article Number EAN Code



C12 PN

Kit included

Article Number


M12 AUN

M12 HV

M12 BST M12™ SUB COMPACT STAPLER



M12



- the user to fire quickly and accurately 2000 staples fired with one 2.0 Ah battery pack
- Fires standard T11 T50 and T140 10.6 mm staples from 6 to 14 mm

	M12 BST-0	M12 BST-202X
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit ilicidued	supplied, No kitbox or bag supplied	Charger, HD Box
Article Number	4933459634	4933459635
EAN Code	4058546028060	4058546028077



M₁₂ FVCL M12 FUEL™ WET/ DRY VACUUM

M12 FUEL



M12™ SUB COMPACT PALM NAILER

 Professional power effectively drives 100 mm framing nails in less than 3 seconds REDLINK™ overload protection electronics

in tool and battery pack deliver best in class system durability Superior ergonomics – user-preferred palm

style grip provides outstanding comfort and Fits into locations where a hammer cannot

C12 PN-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933427182



 Powerful M12 FUEL™ motor with a maximum air flow of 1275 l/min & 105 mbar provides 18V performance for both wet and dry clean up applications

 With a 6.0 Ah battery the vacuum provides
 14 minutes of run time on high and 26 minutes on the low setting, this compact vacuum is ideal for spot and service focused wet/ dry quick clean up needs

M12 FVCL-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933478186
4050546241100

Kit included

Article Number



M12™ AIR-TIP™ UTILITY NOZZLE

The M12[™] powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces

The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm. 47.6 mm and 63.5 mm)

M12 AUN-0

Kit included	No batteries supplied, No charger supplied, No kitbox or	
THE INDIGATE	bag supplied	
Article Number	4932479461	
EAN Code	4058546372552	



M12 BBL M12™ BLOWER







M12™ SUB COMPACT STICK VAC

• Excellent suction power for wood, metal and common debris

 Clear viewing window gives the user the ability to see debris build up

Lock on switch reduces fatigue during Versatile accessories for small or large clean

up areas Compact design makes it easy to clean in tight

|--|

	mil ii v
Sit included	No batteries supplied, No charger supplied, No kitbox or
at included	bag supplied
Article Number	4933448390
AN Code	4002395262908



Powerful motor can generate up to 4.81 m³ / min of air volume at 177 km/h for fast cleaning of the iobsite

M12

Lightweight, compact body clears dirt and debris in tight spaces

Perfect control of the power with the 2 speed adjustable trigger

Versatile attachments like the nozzle extension (25.5 cm) and a tip tube for accurate working

M12 BBL-0

it included	No batteries supplied, No charger supplied, No kitbox or
it iliciuded	bag supplied
rticle Number	4933472214
AN Code	4058546326104

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

M12 AF M12™ AIR FAN



The 360° head rotation allow an unlimited directional airflow

 Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks and pass through holes

M12 AF-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478228
EAN Code	4058546344054

M12 RCDAB+

M12™ RADIO CHARGER DAB+



Premium speaker and high frequency tweeter provides high sound quality DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like:

M12

M12 M18

song, artist and accurate time Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

M12 RCDAB+-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
KIT IIIGUUGU	bag supplied
Article Number	4933472114
FAN Code	4058546325107

M₁₂ JSSP

M12™ JOBSITE BLUETOOTH® SPEAKER



Advanced technology Bluetooth[®] jobsite

 Connect wirelessly with portable electronic devices from up to 10 m away

Loud, clear sound at all volumesPremium speaker with bass port

Withstand tough conditions on and off the

Rugged over mould, metal speaker grill

M12 JSSP-0

Introduced bag supplied Article Number 4933448380 EAN Code 4002395262892	Cit included	No batteries supplied, No charger supplied, No kitbox or
	At Included	bag supplied
EAN Code 4002395262892	Article Number	4933448380
	EAN Code	4002395262892

M12-18 JSSP

M12™ - M18™ BLUETOOTH® SPEAKER



Advanced technology Bluetooth® jobsite

Bluetooth® wireless range of up to 30 m • Flexible battery system: works with all MILWAUKEE® M12™ & M18™ batteries

IP54 rated, water and debris resistant to withstand tough conditions on and off the

Loud, clear sounds at all volumes

M12-18 JSSP-0

No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied 4933459275 Article Number 40585460024

M12 FPP2A2

M12™ POWERPACK



M12 FPD2 - M12 FUEL™ sub compact

M12 FID2 - M12 FUEL™ sub compact 1/4"

M12 FPP2A2-602X

Charger, HD Box 4933480588

405854640873

2 x M12 B6 Battery packs, C12 C

M12 FUEL



EAN Code

M12 FUEL™ POWERPACK



M12 FPP2F2

M12 FPD2 - M12 FUEL™ sub compact M12 CH - M12 FUEL™ sub compact SDS-plus

M12 FUEL

M12 FPP2F2-402X M12 FPP2F2-602X 2 x M12 B4 Battery packs, C12 C 2 x M12 B6 Battery packs, C12 C Kit included Charger, HD Box 4933480590 Charger, HD Box 4933480591 Article Number

4058546408756

M12 FPP2E2 M12 FUEL™ POWERPACK

Kit included

Article Number

EAN Code

Kit included

EAN Code

Article Number

M12 FUEL

M12 FPP2E2-402X

4933480594

M12 FPP2A2-402X 2 x M12 B4 Battery packs, C12 (

Charger, HD Box 4933480587

405854640872



M12 FPD2 - M12 FUEL[™] sub compact

M12 FQID - M12 FUEL™ SURGE™ 1/4" Hex hydraulic impact driver



M12 BPP2B

M12™ POWERPACK

M12 BPD - M12[™] sub compact percussion drill M12 BID - M12™ sub compact ¹/4" Hex impact

405854640876

M12 BPP2B-421C 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Kit included Article Number 4933443497

4002395004614

2 x M12 B4 Battery packs, C12 C Charger, HD Box

M12

M12

M12

M12



ORK GEAR

SCAN HERE FOR **MORE INFORMATION**



M12

M12

M12



M12 HJ BL5

M12™ HEATED JACKET - BLACK



- Heat on demand sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- ∘ Easy touch heat controller 3 heat settings: High, Medium, Low ∘ TOUGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- ∘ FREE FLEX™ mobility additional material under the arms increases range of movement for working overhead ∘ New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12[™] battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices

	M12 HJ BL5-0 (S)	M12 HJ BL5-0 (M)	M12 HJ BL5-0 (L)	M12 HJ BL5-0 (XL)	M12 HJ BL5-0 (XXL)	M12 HJ BL5-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or
	bag supplied					
Article Number	4933478967	4933478968	4933478969	4933478970	4933478971	4933479362
EAN Code	4058546362492	4058546362508	4058546362515	4058546362522	4058546362539	4058546371562

M₁₂ HJ GREY₅

M12™ HEATED JACKET - GREY



- Heat on demand sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller 3 heat settings: High, Medium, Low TOÚGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility additional material under the arms increases range of movement for working overhead
 New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm M12[™] battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices

	M12 HJ GREY5-0 (S)	M12 HJ GREY5-0 (M)	M12 HJ GREY5-0 (L)	M12 HJ GREY5-0 (XL)	M12 HJ GREY5-0 (XXL)	M12 HJ GREY5-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478972	4933478973	4933478974	4933478975	4933478976	4933479363
EAN Code	4058546362546	4058546362553	4058546362560	4058546362577	4058546362584	4058546371579

M12 HJ CAM06

M12™ HEATED CAMOUFLAGE JACKET

REALTRE



- REALTREE XTRA™ Camo pattern blends perfectly year round in a variety of habitats
- Quiet-shell stretch 100% polyester material to reduce noise during movement
- Heat on demand 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets
 Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
 Easy touch heat controller concealed inside the lapel 3 heat settings: High, Medium, Low

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

- FREE FLEX* mobility additional material under the arms increases range of movement for working overhead Water and wind resistant, provides comfort and durability in harsh environments
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12[™] battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

	M12 HJ CAM06-0 (S)	M12 HJ CAM06-0 (M)	M12 HJ CAM06-0 (L)	M12 HJ CAM06-0 (XL)	M12 HJ CAMO6-0 (XXL)	M12 HJ CAM06-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or
	bag supplied	bag supplied				
Article Number	4933478977	4933478978	4933478979	4933478980	4933478981	4933479364
EAN Code	4058546362591	4058546362607	4058546362614	4058546362621	4058546362638	4058546371586

M₁₂ HPJBL₂

M12™ HEATED PUFFER JACKET - BLACK



- M12™ Heated Jacket powered by anM12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
 - · Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Beinforced high-wear zones protect from abrasion and tears.
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12[™] battery in front or rear for increased comfort
 Multiple heating zones 5 sewn in carbon fibre heating zones distribute heat to core body areas
- · Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPJBL2-0 (S)	M12 HPJBL2-0 (M)	M12 HPJBL2-0 (L)	M12 HPJBL2-0 (XL)	M12 HPJBL2-0 (XXL)
Kit included	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box
Article Number	4932480071	4932480072	4932480073	4932480074	4932480075
EAN Code	4058546403560	4058546403577	4058546403584	4058546403591	4058546403607

M₁₂ HPJLBL₂

M12™ HEATED PUFFER JACKET LADIES - BLACK



- M12™ Heated Jacket powered by anM12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- · Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and
- Reinforced high-wear zones protect from abrasion and tears.
- Provides comfort and durability in harsh, rainy or windy environments
 Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones 5 sewn in carbon fibre heating zones distribute heat to core body areas Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPJLBL2-0 (S)	M12 HPJLBL2-0 (M)	M12 HPJLBL2-0 (L)	M12 HPJLBL2-0 (XL)	M12 HPJLBL2-0 (XXL)
Kit included	No batteries supplied , No charger				
Kit iliciuded	supplied, No kitbox or bag supplied	supplied , No kitbox or bag supplied			
Article Number	4932480085	4932480086	4932480087	4932480088	4932480089
EAN Code	4058546403706	4058546403713	4058546403720	4058546403737	4058546403744

M₁₂ HPVBL₂

M12™ HEATED PUFFER VEST



- M12[™] Heated Jacket powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
 Superior run time, up to 11 hours of heat on a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
 Optimised hidden battery pocket to placeM12[™] battery in front or rear for increased comfort
- Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas
 Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Machine washable and dryable

	M12 HPVBL2-0 (S)	M12 HPVBL2-0 (M)	M12 HPVBL2-0 (L)	M12 HPVBL2-0 (XL)	M12 HPVBL2-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480076	4932480077	4932480078	4932480079	4932480080
EAN Code	4058546403614	4058546403621	4058546403638	4058546403645	4058546403652

M₁₂ HVGREY₁ M12™ HEATED VEST - GREY



- M12[™] Heated TOUGHSHELL[™] vest powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest & back
- ° Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack ° TOUGHSHELL™ stretch 90% Polyester and 10% spandex material to withstand harsh working conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

	M12 HVGRE	Y1-0 (S)	M12 HVGREY1-0 (M)	M12 HVGREY1-0 (L)	M12 HVGREY1-0 (XL)	M12 HVGREY1-0 (XXL)	M12 HVGREY1-0 (XXXL)
Kit included	No batteries	supplied, No charger	No batteries supplied, No charger	No batteries supplied, No charge	r No batteries supplied, No charger	No batteries supplied, No charger	No batteries supplied, No charger
KIL IIIGIUUEU	supplied, Gift	box	supplied, Gift box	supplied, Gift box	supplied, Gift box	supplied, Gift box	supplied, Gift box
Article Number	4932480100		4932480101	4932480102	4932480103	4932480104	4932480105
EAN Code	4058546403	850	4058546403867	4058546403874	4058546403881	4058546403898	4058546403904



M₁₂ HHGREY₄

M12™ HEATED HOODIE - GREY



- M12[™] Heated Hoodie powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- optimised hidden battery pocket to place M12[™] battery in front or rear for increased comfort
 In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments
- while generating and holding heat close to the body
 Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas
- · Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

	M12 HHGREY4-0 (S)	M12 HHGREY4-0 (M)	M12 HHGREY4-0 (L)	M12 HHGREY4-0 (XL)	M12 HHGREY4-0 (XXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4932480066	4932480067	4932480068	4932480069	4932480070
EAN Code	4058546403515	4058546403522	4058546403539	4058546403546	4058546403553

M12 HHBL4

M12™ HEATED HOODIE - BLACK



- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to
- withstand tough outdoor conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments
- while generating and holding heat close to the body
- Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas Easy one-touch heat controller - 3 heat settings: High, Medium, Low

	M12 HHBL4-0 (S)	M12 HHBL4-0 (M)	M12 HHBL4-0 (L)	M12 HHBL4-0 (XL)	M12 HHBL4-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box	No batteries supplied, No charger supplied, Gift box
Article Number	4932480061	4932480062	4932480063	4932480064	4932480065
EAN Code	4058546403461	4058546403478	4058546403485	4058546403492	4058546403508

M₁₂ HHLBL₁

M12™ HEATED LADIES HOODIE - BLACK



- M12™ Heated Hoodie for ladies powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- o In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments
- while generating and holding heat close to the body
 Multiple heating zones 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

	M12 HHLBL1-0 (S)	M12 HHLBL1-0 (M)	M12 HHLBL1-0 (L)	M12 HHLBL1-0 (XL)
Kit included	No batteries supplied, No charger supplied, Gift			
Kit ilicidued	box	box	box	box
Article Number	4932480090	4932480091	4932480092	4932480093
EAN Code	4058546403751	4058546403768	4058546403775	4058546403782

L4 HBLB

USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER



- · Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry
- Fully heats-up in 2.5 min
- Heat is created and distributed to the chest and back
- Powered by L4 USB rechargeable REDLITHIUM™ battery pack
- A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment
- Durable, pilling resistant material with raglan designed sleeves and seamless shoulders for improved mobility and comfort
 Superior run time Up to 180 min of heat on low level
- L4 battery holder concealed battery pocket for minimal user interference
- Machine washable

	L4 HBLB-301S	L4 HBLB-301M	L4 HBLB-301L	L4 HBLB-301XL	L4 HBLB-301XXL
Kit included	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied
Article Number	4933478081	4933478082	4933478083	4933478084	4933478085
EAN Code	4058546340148	4058546340155	4058546340162	4058546340179	4058546340186

LASERS RANGE

SCAN HERE FOR **MORE INFORMATION**



M18

M12

M12



M18 RLOHV1200

M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™



M12

M12

M12

- The ultimate tool for grading applications Fast, accurate automatic dual grade match up to 12.5 % in X & Y axis, and can adjust slope remotely with a duplicated remote display
- Adjustable masking to prevent laser interference and laser reflection from windows at iobsite
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

M18 RI OHV1200-501C

Standard equipment	1x RD1200, detector clamp, 1x remote control
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493204
EAN Code	4058546480752

M18 RLOH600

M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-





- The ultimate tool for accurate results when leveling on the jobsite
- Easy to use, one button setup
- Manual masking shutters to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops
- ±5° self levelling range for fast and accurate

M18 RI OH600-201C

Standard equipment	1x RD600, detector clamp
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493191
EAN Code	4058546480622

M₁₈ RLOHVG₃₀₀

M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™





- Designed for interior and exterior jobs, for long distance applications

 • Automatic centre find with one press off a
- button, for long range alignment
 High intensity green laser diode for maximised
- visibility; up to 4x better visibility vs red lasers
- Adjustable masking to prevent laser interference and laser reflection from windows
 Designed for harsh jobsite conditions, IP66
- rated and withstands up to 1.5 m drops

M18 RLOHVG300-501C


Standard equipment	1x RD300G, detector clamp
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493194
EAN Code	4058546480653

M12 3PL

M18

M12

M12™ GREEN 360° 3 PLANE LASER



 M12™ green 360° 3 plane laser provides an allin-one functionality with one horizontal line and two vertical lines for fast and easy alignment. leveling, squaring, and transfers allowing you to easily layout large spaces with one tool

High intensity green laser diode for maximised visibility: up to 4x better visibility vs red lasers High intensity green beams provide a working

range of 38 m and up to 100 m with a detector

	M12 3PL-0C	M12 3PL-401C	M12 3PLKIT-401P
Standard equipment	Track clip, HIVIST	Track clip, HIVIST	HIVIST, LLD50, LM360, TRP120, Track Clip
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B4 Battery pack, C12 C Charger, Kitbox	1 x M12 B4 Battery pack, C12 C Charger, PACKOUT™ box
Article Number	4933478103	4933478102	4933478960
EAN Code	4058546340360	4058546340353	4058546362423

M₁₂ CLL₄P

M12™ CROSS LINE LASER WITH 4 POINTS



 M12[™] green cross line laser with 4 points. provides an all-in-one functionality with horizontal levelling, vertical alignment, plumb point transfer from floor to ceiling and horizontal point transfer

High intensity green beams provide a working range of 38 m and up to 100 m with a detector Provides all-day run time of 9+ hours with an M12 B3 battery pack

	M12 CLL4P-0C	M12 CLL4P-301C
Standard equipment	Track clip, HVIST	Track clip, HVIST
Kit included	No batteries supplied, No charger	1 x M12 B3 Battery pack, C12 C
	supplied, Kitbox	Charger, Kitbox
Article Number	4933479202	4933479203
EAN Code	4058546369965	4058546369972

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

M₁₂ CLLP

M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS



points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers High intensity green beams provide a working range of 38 m and up to 100 m with a detecto Provides all-day run time of 15+ hours with an M12 B3 battery pack


M12[™] green cross line laser with plumb

	M12 CLLP-0C	M12 CLLP-301C
Standard equipment	Track clip, HIVIST	Track clip, HIVIST
Kit included	No batteries supplied, No charger	1 x M12 B3 Battery pack, C12 C
	supplied, Kitbox	Charger, Kitbox
Article Number	4933478101	4933478100
EAN Code	4058546340346	4058546340339



PLUMB POINTS

USB RECHARGEABLE GREEN CROSS LINE LASER WITH





- in-one functionality with horizontal levelling, vertical alignment and plumb point transfer
- visibility; up to 4x better visibility vs red lasers High intensity green beams provide a working range of 30 m and up to 100 m with a detector

L4 CLLP-301C

Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478099
EAN Code	4058546340322

L4 CLL

USB RECHARGEABLE GREEN CROSS LINE LASER



- REDLITHIUM™ USB rechargeable green cross line laser provides an all-in-one functionality
- with horizontal levelling and vertical alignment High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 30 m and up to 100 m with a detector
- The rechargeable and removable REDLITHIUM™ USB 3.0 Ah battery provides all

L4 CLL-301C

Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478098
EAN Code	4058546340315

LLD50 LASER LINE DETECTOR



- The MILWAUKEE® LLD50 laser line detector extends laser line functionality up to 50 metres The LEDs on front and back allow easy and accurate detection of the laser beam to
- improve the set-up process Rare earth magnets located on two sides
- of the detector allow it to easily attach to metal surfaces, ideal for suspended ceiling installations

LLD50
1 x AA Battery, No kitbox or bag supplied
4932478104
4058546340377

LM360

360° LASER MOUNT



- The MILWAUKEE® 360° laser mount is an adaptable laser attachment that provides the fastest laser setup

 Multi-plane rotational adjustment, users can
- easily attach all MILWAUKEE® lasers to the
- A micro vertical adjustment that makes aligning horizontal lines much faster

	LM360		
Article Number	4932478105		
FANLO I	1050510010001		

CLL

ALKALINE GREEN CROSS LINE LASER



- Alkaline cross line laser provides an all-inone functionality with horizontal levelling and vertical alignment
 High intensity green beams provide a working
- range of 30 m and up to 50 m with a detector. The 4x AA alkaline batteries provides all day

run time of over 8 hours

CLI-C

Track clip Standard equipment 4 x AA Batteries, Kitbox 4933478753 Article Number

SCAN TO VIEW OUR LASER ACCESSORIES RANGE



II 2



LWM **LASER WALL MOUNT**

Kit included

EAN Code



- Vertical micro adjustment for most precise alignment during setup
- Hanghole and material clamp for most versatile setup at walls and ceilings
- Leveling adjustment screw to get laser in self evelling range
- Ruler scale to speed up setup and adjustment process
- Compatible with all MILWAUKEE® rotary lasers and M12™ line lasers in the range

LWM	
4932493201	
4058546480721	

HI-VIST

Article Number

HIGH VISIBILITY LASER TARGET PLATE



- The MILWAUKEE® high visibility laser target plate provides fast and visible alignment with a wide magnetic base for floors & ferrous surfaces
- High contrast reflective surface for use with green lasers
- The X design provides responsive centering feedback that guides the line to the centre, making the alignment process faster

	HI-VIST
	4932478108
·	4058546340414

RD1200 ROTARY LASER DETECTOR 1200 M



- 1200 m detection range in combination with the M18 RLOHV1200 laser, for long distance
- applications
 With automatic vertical and horizontal grade match and slope adjustment, the M18 RLOHV1200 laser will automatically align itself to the centre of the detector

1

Easy-to-read, mm/in back and front backlit display, making it more visible for any

RD1200

(it included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493207
AN Code	4058546480783

RD600 ROTARY LASER DETECTOR 600 M



- 600 m detection range in combination with the M18 RLOH600 laser, for long distance applications
 • Easy-to-read, mm/in back and front backlit
- display for clear visibility
 IP67 rated and withstands up to 2 m drops
- Adjustable accuracy at five steps from 0.5 mm
- LED and audio indication for the most versatile

RD600

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493197
EAN Code	4058546480684

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

Article Number

3.6 M TELESCOPING LASER POLE

- The MILWAUKEE® telescoping laser pole with 3.6 m extension range is ideal to setting up line lasers even on high ceilings

 The spring loaded swivel head makes setup
- easy, even at uneven surfaces
- The included quick release clamp opens to 6.3 cm and can be attached to round and

	LMP
Article Number	4932479205
EAN Code	4058546369996

WLB

WIRELESS LASER ALIGNMENT BASE



- Precision horizontal motorised control with micro and macro alignment feature
- +60 m distance control to cover entire laser working range Pivots on point for faster setup when aligning

 - Quick sliding attachment for fast and easy
 - Intuitive pairing and control

WLB-C

Kit included	2 x AA Batteries, Kitbox
Article Number	4932479198
FAN Code	4058546369927

RD300G

ROTARY LASER DETECTOR 300 M GREEN



- 300 m detection range in combination with the M18 RLOHVG300 laser, for long distance applications
- The RD300G detector with integrated remote control allows the M18 RLOHVG300 laser to be
- Easy-to-read, mm/in back and front backlit display for clear visibility, whether used indoors or outdoors

RD300G 2 x AA Batteries, No kitbox or bag supplied Article Number 4932493198

LRD100

Article Number

LINE/ ROTARY LASER DETECTOR



- The MILWAUKEE® LRD100 detector extends laser line functionality up to 100 metre in combination with all MILWUAKEE® cross line and plane lasers and can be universally used with rotary lasers up to 250 metre radius
- The millimetre display on front and back allows easy and accurate detection of the laser beam to improve the set-up process
- Red and green laser diodes detection for most

LRD100 1 x AA Battery, No kitbox or bag supplied 4932479555

TRP300

3.0 METRE LASER TRIPOD



Article Number

EAN Code

- Up to 2.95 m extension range for easy setup at most common working heights
- Most versatile setup in all environments with spiked feet and rubber feet
- 1.10 m elevation range to fine adjust the laser
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- 5/8" standard threading to setup all rotary lasers

and all MILWAUKEE® M12 lasers	
TRP300	

4932493200

4058546480714

1.8 METER LASER TRIPOD

TRP180

- The MILWAUKEE® laser tripod with a 1/4" mounting thread is ideal for setting the height of a horizontal laser line or elevating the laser
- Height can be adjusted easily from 72 cm to
- Laser can be mounted to the bottom of the tripod with the 360° mount (not included) for low level applications like socket installation
- TRP180 4932478106 EAN Code 4058546340391



TRP160 1.6 METRE LASER TRIPOD



- Up to 1.60 m extension range for easy setup at
- most common working heights Aluminium frame and steel feet to use at any
- jobsite condition Reinforced handle design for improved
- durability Shoulder strap for comfortable and hands-free
- transport, when carry the laser
- o 5/8" standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

TRP160

Article Number	4932493199
EAN Code	4058546480707
-	

TRP120

Article Number EAN Code

1.2 METER COMPACT LASER TRIPOD



- The MILWAUKEE® compact laser tripod with a 1/4" mounting thread and a flat head design is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 47 cm to 120 cm
- · 29 cm elevating range for fine adjusting the

TRP120	
4022479050	_

405854636241

SR240 240 CM STAFF ROD




- Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Adjustable level vial for a more precise setup

	SR240
Article Number	4932493202
EAN Code	4058546480738

ROD500

500 CM GRADE ROD



	ROD500	
Article Number	4932493203	
EAN Code	4058546480745	

LDM 100 100 M LASER DISTANCE METER



Article Number

- Easy to use one person point and shoot
- IP54 water & dust protection
- Metric & Imperial units of measuremen
- Easy to touch measure buttons on the front and side of the housing to perform single measurements & continuous tracking

LDM 100
2 x AAA Batteries, No kitbox or bag su
4933459278

LDM 50

50 M LASER DISTANCE METER



- · Easy to use one person point and shoot
- Very slim housing design with belt clip for easy Area/volume/indirect height and patent

2

- pending surface measurement

 Min/Max sweep & continuous tracking
- Distance addition & subtraction for layouting
- Indirect height measurements (Pythagoras 2-point, 3-point, partial height)

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933447700
EAN Code	4002395006540

LDM 45





- Easy to use one person point and shoot
- IP54 water & dust protection
- Metric & Imperial units of measurement
- · Easy to touch measure buttons on the front and side of the housing
- Enables user to perform single measurements
- & continuous tracking

	LDM 45
Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933459277
EAN Code	4058546002435

LDM 30

30 M LASER DISTANCE METER



- Easy to use one person point and shoot
- IP54 water & dust protection Auto shut off and low power indication
- Metric & Imperial units of measurement Very slim housing design with belt clip for easy
- transport Two easy to touch measure buttons on the front and side of the housing

	LDM 30
Kit included	2 x AAA Batteries, Blister packaging
Article Number	4933459276
EAN Code	4058546002428

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

ELECTRICAL

SCAN HERE FOR MORE INFORMATION



M18



M18 HSFC125R

M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY **CABLE CUTTER**



 FORCE LOGIC[™] Safety Cutter allows linemen to cut aluminium, copper and armored cables up to Ø125 mm remotely, removing any physical connection to the tool Enhanced remote control lets users start, pause and reverse the cutting blade all from a distanced position of complete safety Green LED lights on wireless remote gives positive indication that the cable is cut through blade positioning sensors

M18 HSFC125R-802C

Standard equipment	Remote control
Kit included	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933492421
EAN Code	4058546417888


M18 HCC125

M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER





 FORCE LOGIC[™] Hydraulic Cutter cuts aluminium, copper and armored cables up to Adjustable side handle, in-line tool design and



open and close the latch without any hassle of alignment

M18 HCC125-801C

Kit included	kitbox or bag supplied	
Article Number	4933492419	
EAN Code	4058546417864	

M18 HCC75R

M18™ FORCE LOGIC™ HYDRAULIC REMOTE **UNDERGROUND CABLE CUTTER**





- FORCE LOGIC[™] hydraulic remote underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force Wireless remote communicates with the tool via a mutually exclusive Bluetooth® connection removing any physical connection to the tool and allowing Linemen to make remote cuts
- Balanced design, handle and hang hook

M18 HCC75R-502C

Standard equipment	Remote control
Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459271
EAN Code	4058546002374

M18 HCC75

M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND **CABLE CUTTER**

FORCE LOGIC



- FORCE LOGIC[™] hydraulic underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- Brushless POWERSTATE™ motor provides more power, more run time and longer life
- Versatile top-handle can also be used as a stand and provides balanced cut alignment In-line design delivers easiest access in
- trenches and a secure stand during cable cuts

	M18 HCC/5-0C	M18 HCC/5-502C
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Kit iliciuueu	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933459268	4933459269
EAN Code	4058546002343	4058546002350

M18 HCC45

M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER



• FORCE LOGIC™ hydraulic cable cutter cuts ACSR/ACSS cables up to Ø44 mm in less than 9 seconds with 77.8 kN of force

M18

Patent pending jaw design enables opening with just two fingers, enhancing alignment while delivering easiest operation with Class 3 aloves

	M18 HCC45-0C	M18 HCC45-522C
Cit included	No batteries supplied, No charger	1 x M18 B5, 1 x M18 B2 Battery
at included	supplied, Kitbox	packs, M12-18 FC Charger, Kitbox
rticle Number	4933459265	4933459266
AN Code	4058546002312	4058546002329

M12 CC

M12™ SUB COMPACT CABLE CUTTER



 Professional capacity Ø32 mm - powerful jaws cut effortlessly through large cable REDLINK™ overload protection electronics

in tool and battery pack deliver best in class system durability

Extended run time - delivers up to 60 cuts of 4 x 35 mm² copper per charge

Compact front end - goes straight to the cable in panels or electrical cabinets without long handles looping or ratcheting

M12 CC-0 No batteries supplied, No charger supplied, No kitbox or

Kit included bag supplied Article Number 400239524283



M₁₈ ONEHCC

M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER

ONE KEY FORCEL OGIC™



- ∘ FORCE LOGIC[™] hydraulic cable cutter cuts cables in less than 3 seconds with 53 kN of
- Brushless POWERSTATE™ motor provides
- more power, more run-time and longer life Fully balanced tool provides secure control during one hand operation
- One tool provides cutting solutions for ACSR wire, steel guy wire, fine stranded or standard copper and aluminium cable

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 ONEHCC - M18™ FORCE LOGIC™ HYDRAULIC 35 MM **CABLE CUTTER**



M18

	M18 ONEHCC-OC CU/ AL- SET	M18 ONEHCC-201C CU/ AL-SET	M18 ONEHCC-OC ACSR SET	M18 ONEHCC-201C ACSR SET	M18 ONEHCC-OC FSW Set	M18 ONEHCC-201C FSW SET	M18 ONEHCC-OC SWA SET
Standard equipment	Cu/AL jaw	Cu/AL jaw	ACSR jaw	ACSR jaw	FSW jaw	FSW jaw	SWA jaw
Kit included	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No
Nit iliciaded	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox
Article Number	4933464300	4933464301	4933464303	4933464304	4933464308	4933464309	4933464306
EAN Code	4058546222451	4058546222468	4058546222482	4058546222499	4058546222536	4058546222543	4058546222512

M18 HKP

M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH

FORCELOGIC"



- FORCE LOGIC[™] hydraulic knockout punch is the most compact and lightweight tool on the market with 60 kN of force
- The easiest way to punch for fast, accurate, round, and burr free holes
- Highest accuracy due to industry's finest exact alignment system for dies
- Best balanced tool and easiest control due to one hand operation

	M18 HKP-201C	M18 HKP-201CA
Standard equipment	11.1mm ("/16") draw stud, 19mm (3/4") draw stud, quick connector, ball pull, adaptor	11.1mm (⁷ / ₁₆) draw stud, 19mm (³ / ₄) draw stud, quick connector, ball pull, adaptor, punches and dies: M16, M20, M25, M32, M40
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933451202	4933451204
EAN Code	4002395138906	4002395138920

M₁₈ FPFT M18 FUEL™ POWERED FISH TAPE



The M18 FUEL™ Fish Tape is the world's first professional battery powered cable pulling

- POWERSTATE™ brushless motor that provides the ability to pull a maximum length of 72 m
- AUTO-RUN™ powered feeding and cable pulling is a fast and efficient solution providing higher productivity vs other solutions

	M18 FPFT-0	M18 FPFT-202 36m ST Set	M18 FPFT-202 30m NC Set
	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,
Kit included	charger supplied, No kitbox or	M12-18 FC , No kitbox or bag	M12-18 FC , No kitbox or bag
	bag supplied	supplied	supplied
Article Number	4933471952	4933471953	4933471954
EAN Code	4058546298517	4058546298524	4058546298531

M18 HUP700

M18™ HYDRAULIC UTILITY PUMP



• FORCE LOGIC™ hydraulic utility pump powers every single acting 700 bar crimping, cutting or punching head attachment

M18

- Significantly faster work cycles due to a large 1.6 litre total oil reservoir and 2x higher flow rate compared to other pumps
- The pump is equipped with a industry standard CEJN Series 115, G1/4" female quick connection coupler to suit most common

M18 HUP700-121

1 x M18 HB12 Battery pack, M12-18 FC Charger, No
kitbox or bag supplied
4933471813
4058546297121













M18 HCCT109/42

M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE

FORCELOGIC³



- Lightest, most balanced tool with ergonomic grip design
 Red alignment marks on the tool jaws aid accuracy in crimp placement
- Crimps connectors up to 400 mm² with 109 kN of force
- 42 mm jaw opening and 350° head rotation provides easy positioning and access, even fo large connectors

M18 HCCT109/42-522C

(it included	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459273
EAN Code	4058546002398

M18 ONEHCCT60

M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE

FORCELOGIC"



 FORCE LOGIC[™] hydraulic cable crimper crimps connectors up to 300 mm2 in less than 5 seconds with 60 kN of force

M18

- Easy die alignment and linear movemen ensure most uniform crimp results
- Improved ergonomics and slim handle design provide for a comfortable one-handed

	M18 ONEHCCT60-0C	M18 ONEHCCT60-202C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933479683	4933479684
EAN Code	4058546374778	4058546374785

M18 HCCT

M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE

ONE KEY

FORCELOGIC*



- FORCE LOGIC[™] hydraulic cable crimper crimps connectors up to 300 mm² in less than 3 seconds with 53 kN of force
- Revolutionary jaw holds connector for best alignment of cable and connector
- 2 in 1 solution: crimping jaw can be exchanged for an CU/AL cable cutting jaw Best balanced tool and easiest control due to one hand operation

M18 HCCT-2010

Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933451194
EAN Code	4002395138821

M18 HDCT

M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER

FORCELOGIC"



- M18[™] FORCE LOGIC[™] HDCT crimps connectors on flexible wire from 10 to 300 mm²
- without changing dies Auto distance control continuously measures distance & pressure for uniform crimp appearance across every size of the crimping
- deliver easy alignment and free-up second hand to hold material

M18 HDCT-0C	M18 HDCT-202C
No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-18 C
supplied, Kitbox	Charger, Kitbox
4933471949	4933471950

SCAN TO VIEW OUR CRIMPER DIES



M₁₈ BLTRC M18™ BRUSHLESS THREADED ROD CUTTER

BRUSHLESS



fast and effortless solution for cutting threaded Integrated brushless motor provides the user the power to cut through M6, M8, M10 and

M18™ brushless threaded rod cutter delivers a

M18

M12 mild steel or M6, M8 and M10 stainless steel threaded rod, with a run time of up to 300 cuts with a 2.0 Ah battery

	M18 BLIKC-UX	M18 BLIRG-522X
Standard equipment	M6, M8, M10, M12 cutting dies	M6, M8, M10, M12 cutting dies
Kit included	No batteries supplied, No charger supplied, HD Box	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 C Charger, HD Box
Article Number	4933471150	4933471151
EAN Code	4058546287788	4058546287795

M₁₈ BSBT M18™ SHEAR BOLT TOOL

Kit included



Huge capacity up to a cable size of 1000 mm²

M18

- Outstanding power with a max torque of Universal compatibility with the industry
- eading shear bolt lug manufacturers IEC-Tested, superior electrical connection integrity of lug and cable thanks to smooth tightening of the screws without an impact

	medianism			
	M18 BSBT-0X	M18 BSBT-202X		
Standard equipment	9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm, 58-69 mm)	9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm, 58-69 mm)		
(it included	No batteries supplied, No charger supplied,	2 x M18 B2 Battery packs, M12-18 FC		
Article Number	HD Box 4933493288	Charger, HD Box 4933493289		
AN Code	A0585A6A81500	1058546481605		



60



M18 UBL M18™ LED UTILITY BUCKET LIGHT



- Dual light head design with 180° of vertical and horizontal head rotation, heads can be rotated
- individually
 3 output modes: Spot, Flood, Spot/Flood provides up to 2500 lumens and up to 457 m of beam distance on Flood mode
- Patented spring loaded bucket clamp for most bucket sizes
- IP56 to withstand harsh weather conditions

M18 UBL	

Kit included	No batteries supplied, No charger supplied, No kitbox or
NIT IIIGIGGGG	bag supplied
Article Number	4933459433
EAN Code	4058546010942

2205-40 FORK METER FOR ELECTRICIANS



TRMS always guarantees accurate readings High contrast, easy to read display provides

II &

ii Z

II 2

- clearer readings Built-in non-contact voltage detector
 - CAT III 1000 V/CAT IV 600 V for increased Rugged over-moulding for increased durability
 - and grip Built-in LED work light – lights the work area

Kit included	2 x AA Batteries, Tool bag
Article Number	4933416972
EAN Code	4002395238026

2212-20

AUTO VOLTAGE / CONTINUITY TESTER



- Provides measurements down to decimals and displays them on an easy-to-read backlit LCD
- Automatically determines the need for voltage or continuity tests and display all
- measurements with proper resolution
 Compatible with accessories for carrying or
- mounting
 LED worklight for low lit areas
- Dual LED and audible indicators for fast and convenient test results

2212-20

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933447776
EAN Code	4002395006526

2216-40

LIGHT COMMERCIAL MULTIMETER



- TRMS always guarantees accurate readings
 CAT III 600 V for increased safety
- Rugged over-moulding increases durability and user grip
- Side mounted dial for one-handed use Feature set tailored to electrician - for intuitive
- Auto range to mV Supplied with electrical test lead set and 2 x

2216-40

Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933427309
EAN Code	4002395240128

2217-40 **DIGITAL MULTIMETER**



- TRMS always guarantees accurate readings High contrast, easy to read display provides
- clearer readings
- Cat III 600 V for increased safety Side mounted dial for one-handed use
- Feature set tailored to electrician for intuitive
- Lo-Z. always guaranteed accurate readings
- Versatile contact temperature measurement Slide rail for accessory mount

2217-40

it included	2 x AA Batteries, Tool bag
rticle Number	4933416976
AN Code	4002395238064

2235-40

LIGHT COMMERCIAL CLAMP METER



- TRMS always guarantees accurate readings
- Rugged over-moulding increases durability and user grip
- Built-in LED work light lights the work area
- Side mounted dial for one-handed use Thin iaw profile for easier wire measurement in
- panels or in bundles Supplied with electrical test lead set and 2 x

2235-40

Kit included	2 x AA Batteries, No kitbox or bag supplied		
Article Number	4933427315		
EAN Code	4002395240135		

2267-40

10:1 INFRARED TEMP-GUN™



- 10:1 distance to spot ratio, a 1 m spot from 10 m away

 • Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster
- Raised overmolding protects lens and screen
- from direct impact

2267-40

(it included	2 x AA Batteries, No kitbox or bag supplied	
Article Number	4933451906	
AN Code	4002395282159	

2200-40 **VOLTAGE DETECTOR**



- Wide 50 1000 AC voltage range CAT IV 1000 V for highest safety rating
- Tip for checking outlets
- Green light indicates tool is on
- Loud beeper indicates voltage Blinking red light indicates voltage
- On/Off button
- Pocket clip for easy storage

	2200-40
Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4932352561
EAN Code	4002395372195

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

PLUMBING

SCAN HERE FOR MORE INFORMATION



M18



M18 ONEBLHPT

M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™

FORCELOGIC"



- Compact brushless motor in FORCE LOGIC™ press tools delivers up to 10 % faster connections and 20 % more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Tool records & stores every press made. ONE-KEY™ enabled for professional report buildings via ONE-KEY™ app or ONE-KEY™ browser version
- ∘ ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention ∘ FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes Universal jaw reception to fit most common jaws available on the market
- Auto-Cycle ensures a full press cycle is completed with every press connection

	M18 ONEBLHPT-OC	M18 ONEBLHPT-302C	M18 ONEBLHPT-302C TH-SET	M18 ONEBLHPT-302C V-SET	M18 ONEBLHPT-302C U-SET	M18 ONEBLHPT-302C M-SET	M18 ONEBLHPT-302C Geberit Mapress Set
Standard equipment -		_	3 x TH-profile jaws (16/20/3)	23 x V-profile jaws (15/22/28	3 x U-profile jaws (16/20/25	3 x M-profile jaws (15/22/28	3 x Geberit Licensed Ma-
Standard equipment			mm)	mm)	mm)	mm)	press jaws (15/22/28 mm)
Kit included	No batteries supplied, No	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,
	charger supplied, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox
Article Number	4933478305	4933478306	4933478307	4933478308	4933478309	4933478310	4933480904
EAN Code	4058546344825	4058546344832	4058546344986	4058546344993	4058546345006	4058546345013	4058546411893

M₁₈ BLHPT

M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL

BRUSHLESS

- New compact brushless motor in FORCE LOGIC[™] press tools delivers up to 10% faster connections and 20% more runtime
 FORCE LOGIC[™] press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Most compact in-line design with 13% less weight for easy operation Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check
- ensures enough charge to complete each press
 - ∘ FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes

 - Universal jaw reception to fit most common jaws available on the market
 - On board fuel gauge and LED light

	M18 BLHPT-OC	M18 BLHPT-202C	M18 BLHPT-202C M-SET	M18 BLHPT-202C V-SET	M18 BLHPT-202C TH-SET	M18 BLHPT-202C U-SET	M18 BLHPT-202C Geberit Mapress Set
Standard equipment	_	_	3 x M-profile jaws (15/22/28	8 3 x V-profile jaws (15/22/28	3 x TH-profile jaws (16/20/3	23 x U-profile jaws (16/20/25	3 x Geberit Licensed Ma-
Standard equipment	-		mm)	mm)	mm)	mm)	press jaws (15/22/28 mm)
Kit included	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,
Kit iliciuded	charger supplied, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox
Article Number	4933478248	4933451132	4933451133	4933451134	4933451135	4933451136	4933480903
EAN Code	4058546344252	4002395138012	4002395138029	4002395138036	4002395138043	4002395138050	4058546411886

M₁₈ BLHPTXL

M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu



Kit

- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
 Extended press range up to 108 mm in copper, C- steel & stainless steel & up to 4" in steel pipe
- One hand operated tool for over head applications and working in narrow spaces
 One hand operated tool for over head applications and working in narrow spaces
 Adjustable stroke length allows usage of all standard MILWAUKEE® J18 jaws + most common competitive jaws available on the market
 FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Auto-cycle ensures a full press cycle is completed with every press connection

	M18 BLHPTXL-0P	M18 BLHPTXL-502P
űt included	No batteries supplied, No charger supplied, PACKOUT™ box	2 x M18 B5 Battery packs, M12-18 C Charger, PACKOUT™ box
rticle Number	4933479440	4933479441
AN Code	4058546372347	4058546372354



M18


















Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press On board fuel gauge and LED light



M12 HPT

M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL

 The industry's smallest, lightest press tool: weighs only 1.8 kg for greater user comfort FORCELOGIC"

- Patented one hand operation allows to work in restricted areas
- Press indicator: provides visual confirmation of a quality connection
 Outstanding pressing range up to 35 mm metal and 40 mm composite pipes
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press

MXF PTR2

ONE KEY

Standard equipment

Kit included

Article Number

- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- 4-step and precise battery status indicator
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
 Individual battery cell monitoring optimises tool run time and ensures long term pack durability

	M12 HPT-OC	M12 HPT-202C	M12 HPT-202C M-SET	M12 HPT-202C V-SET	M12 HPT-202C V-SET2	M12 HPT-202C TH-SET	M12 HPT-202C U-SET	M12 HPT-202C Geberit Mapress Set
Standard equip-			3 x M-profile jaws	3 x V-profile jaws	3 x V-profile jaws	3 x TH-profile jaws	3 x U-profile jaws	3 x Geberit Licensed Mapress
ment	-		(15/22/28 mm)	(15/22/28 mm)	(14/16/22 mm)	(16/20/26 mm)	(16/20/25 mm)	jaws (15/22/28 mm)
Kit included	No batteries supplied, No	o 2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs,					
KIL IIICIUUEU	charger supplied, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
Article Number	4933478247	4933443085	4933443095	4933443100	4933459382	4933443105	4933443110	4933480902
EAN Code	4058546344245	4002395003037	4002395003044	4002395003051	4058546010430	4002395003068	4002395003075	4058546411879

SCAN TO VIEW OUR M12™ AND M18™ PRESS JAWS





M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY"

M18 FUEL

M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™

1/2"-3/4" BSPT HS die set, 1"-2" BSPT

supplied, No kitbox or bag supplied 4933498324

MXF PTR2-0

HS die set

MX FUEL™ PIPE THREADING MACHINE 2"WITH ONE-KEY™

one tool

corded speed

cart with tool free setup

ONE TKEY

M18 FPT2

- World's first 18V 2" pipe threader on the market that is fully universal with competitive die
- heads. It threads pipes from 1/8" up to 2" Unique to MILWAUKEE®, pipe threader with AUTO-STOP™ kickback control, senses binding and shuts tool off to provide the user with

	M18 FPT2-0C	M18 FPT2-121C
Standard equipment	1x support arm	1x support arm
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933478596	4933478597
EAN Code	4058546347895	4058546347901

M18 FPT114

ONE KEY

M18 FUEL



 Wide threading capacity from 1/8" up to 1 1/4" Unique to MILWAUKEE®, pipe threader with AUTOSTOP™ kickback control, senses binding more safety

Threading capacity from 1/8" all the way up to 2"

One stop shop: Cut, Ream and Thread with

Outstanding performance with 2 speed

settings of 39 RPM and 59 RPM matching

Maximum mobility thanks to foldable wheel

Integrated auto oil system with oil pump and

MXF PTR2-601

1/2"-3/4" BSPT HS die set, 1"-2" BSPT

1 x MXF XC406 Battery pack, MXF C

Charger, No kitbox or bag supplied

- Low weight and compact size allows convenient usage on installed pipes in confined spaces
 - Compatible with new MILWAUKEE® FPT114H die heads and Ridgid 11R heads until 1 1/4"

	M18 FPT114-0C	M18 FPT114-802C	M18 FPT114-802CA
Included heads	-	-	4x BSPT alloy heads (1/2"/3/4"/1"/11/4")
Standard equipment	1x support arm	1x support arm	1x support arm, 4x BSPT alloy heads (½"/¾"/1"/1¼")
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933480220	4933479420	4933479421
EAN Code	4058546405052	4058546372149	4058546372156

SCAN TO VIEW OUR PIPE THREADER DIES





SCAN TO VIEW OUR PIPE THREADER HEADS



M12



MPS MILWAUKEE® PIPE STAND



- Worlds first pipe stand, that is flat foldable which allows for easier transportation and more efficient storage
- Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to
- The MILWAUKEE® pipe stand can be used with threaders, angle grinders, sawzalls, hackzalls, metal circular saws and various other tools

	MPS
ticle Number	4933472022
N Code	4058546324186
	-

M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL

RAPTOR

M₁₂ PCSS



- The MII WALIKEE® RAPTOR™ is the worlds first. 12V pipe cutter that is able to cut installed pipe in stainless steel, c-steel and copper
- High performance 380 rpm motor cuts 28 mm stainless steel pipe in less than 20 seconds Up to 90 cuts in 15 mm stainless steel with one
- M12™ 2.0 Ah battery pack Auto locking cut mechanism cuts installed pipe with as little as 40 mm clearance

	M12 PCSS-0	M12 PCSS-202C
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
KIL IIICIUUEU	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933479241	4933479242
EAN Code	4058546370350	4058546370367

C12 PC

M12™ SUB COMPACT COPPER PIPE CUTTER

SCAN TO VIEW OUR

ACCESSORIES FOR MPS -MILWAUKEE® PIPE STAND



High performance 500 rpm motor cuts 12 mm copper pipe in less than 3 seconds • REDLINK[™] overload protection electronics.

M12

M18

- in tool and battery pack deliver best in class system durability Auto locking cut mechanism cuts installed
- copper tubing with as little as 40 mm clearance Auto adjusting jaws automatically adjust to pipe size
- C12 PC-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number 400239523637

C12 PPC M12™ SUB COMPACT PEX CUTTER

Massive cutting pressure of 175 kg/cm²



Article EAN C

- REDLINK™ overload protection electronics in tool and battery pack deliver best in class Powerful mechanism cuts up to 50 mm PVC
- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- Variable speed trigger for complete cut out C12 PPC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NIT IIIGIQUEQ	bag supplied
Article Number	4933416550
EAN Code	4002395237203

M18 STSO M18™ FORCE LOGIC™STRUT SHEAR



- · Cleanest and safest way to cut strut profiles Compatible with 41x41 mm, 41x21 mm, 41x22 mm strut
- manufacturers in the specified dimensions Shears pre- and hot dipped galvanized strut
- until 3.0 mm wall thickness All day run time of over 200 cuts on a single M18[™] 5.0 Ah batterv
- M18 STSO-0B

Kit included	No batteries supplied, No charger supplied, Tool bag
Article Number	4933492097
EAN Code	4058546414641

M18 BTP M18™ COMPACT TRANSFER PUMP



- 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with
- an equal performance With a flow rate of 1817 I/h, it can deliver 908 I of transferred water with one M18™ 5.0 Ah
- REDLINK™ intelligence can recognise when the tool stops moving water and automatically shuts itself off to avoid dry pumping

	M18 BTP-0
cluded	No batteries supplied, No charger supplied, No kitbox o
uuueu	bag supplied
e Number	4933471494
Code	4058546293932

M₁₂ BSWP

M12™ HYDROPASS™ BRUSHED STICK WATER PUMP

HYDROPASS



blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered Pumps more then 2000 I/hour and up to 1000 I on 1x M12™ 6.0 Ah battery, perfect

• HYDROPASS™ unique filter system, prevents

for emptying trenches, storm drains, outside meter boxes, rain barrels and various other applications

	M12 BSWP-0	M12 BSWP-601
Kit included	No batteries supplied, No charger	1 x M12 B6 Battery pack, C12 C
Kit ilicidaea	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933479639	4933479640
EAN Code	4058546374334	4058546374341



2267-40

10:1 INFRARED TEMP-GUN™



- 10:1 distance to spot ratio, a 1 m spot from
- 10 m away
- Up to -30°C to 400°C temperature range
 Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

	2267-40
it included	2 x AA Batteries, No kitbox or bag supplied
rticle Number	4933451906
AN Code	4002395282159

M18 FVP5

M18 FUEL™ VACUUM PUMP 5 CFM



 Up to 90 minutes of run time in Manifold Mode and 60 minutes of run time in Default Mode on an M18™HIGH OUTPUT™ 8.0 Ah battery

M18 FUEL

M18 FUEL

- Delivers corded performance
- Instant power allows to vacuum a system without generators or temporary power
- 1/2", 3/8" and 1/4" ports and an additional 5/16"
- adaptor enables to easily fit different hose sizes Check valve protects vacuum when pump is

	M18 FVP5-0	M18 FVP5-801
Standard equipment	500 ml oil bottle, 5/16" adaptor	500 ml oil bottle, 5/16" adaptor
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB8 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933492853	4933492854
EAN Code	4058546477240	4058546477257

M₁₈ ONEBLPXPL

M18™ ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E **HYDRAULIC PIPE EXPANDING TOOL**

ONE KEY FORCELOGIC"



- The ONE-KEY™ FORCE LOGIC™ hvdraulic expander is the world's first cordless expander for UPONOR™ Q&E PE-Xa pipe sizes up to
- Brushless POWERSTATE™ motor delivers outstanding run time and quick expansions
- Expands dimensions DN40, DN50, DN63 and DN75 of 6 and 10 bar pipes

M18 ONFRI PXPI -502C

Kit included	2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933464299
EAN Code	4058546222444

M₁₈ FPXP

M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL

ONE KEY



405854637230

- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Most compact 50 mm battery powered pipe expander
- Compatible with all existing M12™ and M18™
- expansion heads up to 50 mm Fast solution for 50 mm Q&E installations
- Two speed settings: one for up to 32 mm and

one for 40 min and above		ove
M18 FPXP-0C	M18 FPXP-H06502C	M18 FPXP-H10502C
-	6 bar Heads 32/40/50 mm	10 bar Heads 32/40/50 mm
No batteries supplied. No	2 x M18 B5 Battery packs.	2 x M18 B5 Battery packs.

4933479437

4058546372316

charger supplied, Kitbox M12-18 FC Charger, Kitbox M12-18 FC Charger, Kitbox 4933479438

40585463723

HD18 PXP

M18™ UPONOR™ Q&E EXPANSION TOOL



- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, onehanded expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism single pull continuous action installs Q&E up to 4x faster
- Steel gears and integrated magnesium frame

	HD18 PXP-H06202C	HD18 PXP-H10202C
Included heads	16/20/25/32 mm	16/20/25/32 mm
Kit included	2 x M18 B2 Battery packs, M12-18 C	2 x M18 B2 Battery packs, M12-18 C
KIL IIIGIUUEU	Charger, Kitbox	Charger, Kitbox
Article Number	4933441771	4933441774
EAN Code	4002395001835	4002395001842

M₁₂ FPXP

Included heads

Article Numbe EAN Code

Kit included

M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION



- and to 25 mm (10 bar) provides accurate, onehanded expansion
- Quick cam mechanism single pull, continuous action installs Q&E up to 7 seconds faster RAPID SEAL™ heads improve time to seal by 20% or more (depending on the ambient temperatures)
- Dual acting trigger allows expansions from any

	M12 FPXP-0C	M12 FPXP-I10202C	M12 FPXP-I06202C
ncluded heads	_	10 Bar heads 16 / 20 /	6 Bar heads 16 / 20 /
Hichard Heads	_	25 mm	25 mm
Kit included	No batteries supplied, No	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,
NI IIICIUUEU	charger supplied, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
Article Number	4933472018	4933472020	4933472021
EAN Code	4058546324148	4058546324162	4058546324179

C12 PXP

M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL



- Auto-rotating head 12 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, onehanded expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism single pull, continuous action installs Q&E up to 4x faster
- Steel gears and integrated frame

C12 PXP-I06202C	C12 PXP-I10202C	C12 PXP-N202C
16/ 20/ 25 mm	16/ 20/ 25 mm	15/18/22 mm
2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,
C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
4933441715	4933441730	4933441740
4002395002016	4002395002047	4002395002061
	16/ 20/ 25 mm 2 x M12 B2 Battery packs, C12 C Charger, Kitbox 4933441715	16/20/25 mm 16/20/25 mm 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox C12 C Charger, Kitbox 4933441715 4933441730

M12 FUEL



- Auto-rotating head 9.9 mm to 32 mm (6 bar)

	M12 FPXP-UC	M12 FPXP-I10202C	M12 FPXP-106202C
cluded heads	_	10 Bar heads 16 / 20 /	6 Bar heads 16 / 20 /
Iciuucu IIcaus		25 mm	25 mm
it included	No batteries supplied, No	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,
it iliciuueu	charger supplied, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
rticle Number	4933472018	4933472020	4933472021
AN Code	4058546324148	4058546324162	4058546324179

SCAN TO VIEW THE FULL RANGE OF EXPANDER HEADS





DRAIN CLEANING AND

SCAN HERE FOR MORE INFORMATION





MXF LSDP

MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™



 The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building

World's first battery powered large drum machine that uses MII WAUKEF® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up

MXF I SDP-301

Ctandard aguinment	1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m
Standard equipment	inner core cable, 1 x 9 pc head attachment kit
Kit included	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox
Kit iliciuded	or bag supplied
Article Number	4933471851
EAN Code	4058546297503

M₁₈ FFSDC₁₃

M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM



World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety • M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes. 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FUEL

M18 FFSDC13-0

Standard equipment	1 x backpack assembly, 2 x drum assembly's, 2 x 13 mm x 15 m cables, 1 x cutter set & removal tool
Kit included	No batteries supplied, No charger supplied, No kitbox or
KIT INCIUDED	bag supplied
Article Number	4933459708
EAN Code	4058546028800

M₁₈ FFSDC₁₀ M18 FUEL M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM



World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety

o M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes. 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC10-0

Standard equipment	1 x backpack assembly, 1 x drum assembly, 1 x 10 m 15 m cables, 1 x cutter set & removal tool No batteries supplied, No charger supplied, No kitbox bag supplied	
Kit included		
Article Number	4933459707	
EAN Code	4058546028794	

M₁₈ FDCPF₁₀

M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM



World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

M18 FUEL

M18 FDCPF10-0C M18 FDCPF10-201C 1 x 10 mm x 10.6 m cable 1 x 10 mm x 10.6 m cable Standard equipmen (48532675), retreiver bulb, removal (48532675), 5 pc cutter set (48532685), removal pin 1 x M18 B2 Battery pack, M12-18 FC No batteries supplied, No charger Kit included supplied, Closed bucket Charger, Closed bucket Article Number 4933459684

M18 FFSDC16 M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM



World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety

o M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes. 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC16-0	M18 FFSDC16-502
	- 1 x backpack assembly, 2 x drum as- 1 sembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool
No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
4933459709	4933459710
4058546028817	4058546028824
	1 x backpack assembly, 2 x drum as sembly's, 2 x 16 mm x 15 m cables, x cutter set & removal tool No batteries supplied, No charger supplied, No kitbox or bag supplied 4933459709

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

SCAN TO VIEW THE **AUTO FEED SYSTEM ATTACHMENTS**







M₁₈ FDCPF₈

M18 FUEL

M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM



World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

M18 FDCPF8-0C

Standard equipment	8 mm x 10.6 m cable (48532673)	
Kit included	No batteries supplied, No charger supplied, Closed	
Kit iliciadea	bucket	
Article Number	4933459683	
EAN Code	4058546028558	

M12 BDC8

M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL **DIAMETER 8 MM**

- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one
- Best user flexibility and manoeuvrability due to the independence of electric power supply

	M12 BDC8-0C	M12 BDC8-202C
tandard equipment	8 mm x 7.6 m inner core bulb head	8 mm x 7.6 m inner core bulb head
it included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
t included	supplied, Bucket	Charger, Bucket
rticle Number	4933451632	4933451633
AN Code	A0023051A0002	ANN23051A16N0

M12 BDC6

M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM



Lightest professional drain cleaner on the Versatile design, provides benefits of both

- handheld and floor based drain cleaners in one
- Best user flexibility and manoeuvrability due to the independence of electric power supply

M12 BDC6-0C	M12 BDC6-202C
6 mm x 7.6 m inner core bulb head	6 mm x 7.6 m inner core bulb head
No batteries supplied, No charger supplied, Bucket	2 x M12 B2 Battery packs, C12 C Charger, Bucket
4933451634	4933451635
4002395141616	4002395141623
	6 mm x 7.6 m inner core bulb head No batteries supplied, No charger supplied, Bucket 4933451634

M₁₈ FSSM

M18 FUEL™ SECTIONAL SEWER MACHINE



World's first cordless sectional sewer machine on a 18V battery with automatic feed and retract that can be used with 22 mm and 32 mm sectional spirals from both MILWAUKEE® and other manufacturers in pipes from 50 mm up to 200 mm, up to 60m down the line. eliminating all electrocution hazards users encounter today with their corded tools

M18 FUEL

	M18 FSSM-0	M18 FSSM-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933471411	4933471410
EAN Code	4058546290399	4058546290382

M₁₈ FCSSM

M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE



World's first compact sectional sewer machine on a 18V battery that uses 16 mm and 22 mm sectional spirals from both MILWAUKEE® and other manufacturers, eliminating all electrocution hazards users encounter today with their corded tools

Extremely light weight, 14 kg including M18™ 12.0 Ah battery, allowing user to comfortably transport the compact sectional up multiple flights of stairs or over longer distances

	M18 FCSSM-0	M18 FCSSM-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933478408	4933478407
EAN Code	4058546345990	4058546345983

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR DRAIN CLEANERS



M12





SCAN TO VIEW OUR SYSTEM ATTACHMENTS **FOR SECTIONAL SEWER** MACHINE





M₁₈ HSFSM

M18 FUEL M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE



- Clears clogs in 32 mm (1 1/4") 110 mm (4") pipes up to 23 m down the line
- Infinite variable speed from 600 2200 RPM for more control in the line and best wall to wall clean
- Integrated mechanical clutch protecting the
- cable when binding up Nylon coated 8 mm cable with universal reception to fit and use with most common attachment heads available on the market

	M18 HSFSM-0	M18 HSFSM-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933480721	4933480722
EAN Code	4058546410063	4058546410070

M12 PL

ONE TKEY

M12™ PLUMBING LOCATOR



 Easy to use plumbing locator: 2 omni directional antennas make locating sondes and tracing energised lines easy without any ghost signals

M12

M12

M12

First locator on the market on a 12V battery with 13 hours run time on a M12™ 2.0 Ah battery, no alkaline batteries that need frequent changing

4.3" colour LCD screen with backlit buttons for

	M12 PL-0C	M12 PL-201C
Mit in almost ad	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
Kit included	supplied, Kitbox	Charger, Kitbox
Article Number	4933471995	4933478615
EAN Code	4058546298944	4058546348083

M12 360IC12

M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
 • 270° rotating screen provides the user fluid
- image control in every position of use 1.2 metre cable balances flexibility and rigidity
- for both drain line and behind wall inspections Included 32 GB micro SD card allows to record

-0C	M12 360IC12-201C		
	and store images and videos		

4x Accessories Standard equipment 1 x M12 B2 Battery pack, C12 C No hatteries supplied. No charger Kit included supplied, Kitbox Charger, Kitbox Article Numbe 4933480739 EAN Code 4058546410247 405854641025

M₁₂ 360IC₃₂

M12™ 360° INSPECTION CAMERA 3 M 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in areater detail
- 270° rotating screen provides the user fluid
- image control in every position of use

 3 metre cable balances flexibility and rigidity
- for both drain line and behind wall inspections Included 32 GB micro SD card allows to record and store images and videos

M12 360IC32-0C

Standard equipment	4x Accessories
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933480741
EAN Code	4058546410261

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HSFSM - M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE









ALKALINE INSPECTION CAMERA 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections 5 modes of brightness provide best in class
- illumination without shadow or glare 720p camera resolution provides outstanding image guality
- AIC2 4x Accessories Standard equipmen Kit included 4 x AA Batteries, Kitbox Article Number 4058546410230



INSPECTION CAMERAS





SMART HUB





CHOOSE YOUR

SAVE YOUR RECORDINGS





M18 SIC60SC

M18™ SEWER INSPECTION SMALL CAMERA 60 M



- 25 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire
- 12 LED's for better illumination of drain pipes 60 m long, 10 mm thick push rod for easier reach of longer runs but still flexible enough to
- run through 50 mm 90 degree bends Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC60SC	
4933480585	
1050510100701	

M18 SIC60

M18™ SEWER INSPECTION CAMERA 60 M



- 34 mm 1080 p HD camera with pan zoom. allowing the user to zoom in on the entire 20 LED's for better illumination of drain pipes
- 60 m long, 12 mm thick push rod for easier

M18

M18

M₁₈

- reach of longer runs but still flexible enough to
- run through 75 mm 90 degree bends Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC60
4933471412
4058546290405

M18 SIC36

Article Number

M18™ SEWER INSPECTION CAMERA 36 M



- 25 mm 1080 p HD camera with pan zoom. allowing the user to zoom in on the entire
- picture

 12 LED's for better illumination of drain pipes 36 m long, 10 mm thick push rod for easier
- reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess
- Rubber stand for putting reel on back

M18	SIC36
4022	471 410

4058546290412

M18 SIC30

Article Number

M18™ SEWER INSPECTION CAMERA 30 M



- 25 mm 1080 p HD camera with pan zoom. allowing the user to zoom in on the entire
- 30 m long, 9.5 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess
- 12 LED's for better illumination of drain pipes

	M18 21030	
Article Number	4933480737	
EAN Code	4058546410223	

M₁₈ SISH

M18™ SEWER INSPECTION SMART HUB



- Easily interchangeable between reels with one push on the button
 Integrated WI-FI for connection with
- MILWAUKEE® monitor and tablet or smartphone with NEW MILWAUKEE® App
- Multiple screen viewing and recording

M18 SISH-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Tut moladou	bag supplied
Article Number	4933471415
EAN Code	4058546290436

M18 SIM

ONE KEY

M18™ SEWER INSPECTION MONITOR



- Wireless 8" high resolution, 800 x 600, LCD screen for optimal viewing

 Sun readable screen for best viewing of
- inspection
 ONE-KEY™ tool tracking & security offers a free
- of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking

M18 SIM-0

Kit included	No batteries supplied, No charger supplied, No kitbox or	
NI IIICIUUEU	bag supplied	
Article Number	4933471414	
EAN Code	4058546290429	

SCAN HERE FOR MORE INFORMATION









M18 F2LM53

M18 FUEL M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM



- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class
- quality of cut
 Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge Automatic blade speed adjustment to the

	W 10 F2LW33-U	W10 F2LW33-122
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB12 Battery packs, M18 DFC Charger, No kitbox or bag supplied
Article Number	4933479584	4933479585
EAN Code	4058546373788	4058546373795

M18 F2LM46

M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN **MOWER 46 CM**



M18 FUEL™ technology deliver best-in-class quality of cut Compact deck design for more maneuverability

46 cm steel deck and blade design paired with

M18 FUEL

M18 FUEL

- in tight access areas 3-in-1 grass management system to mulch,
- 60 litre bag, or rear side discharge chute

	M18 F2LM46-0	M18 F2LM46-802
Kit included	No batteries supplied, No charger	2 x M18 HB8 Battery packs, M18 DFC
KIL IIICIUUEU	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933492010	4933492011
EAN Code	4058546413774	4058546413781

M₁₈ BLLT

M18™ BRUSHLESS GRASS TRIMMER




- The M18[™] brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or
- Adjustable cutting swath of 35 cm 40 cm

M18 BLLT-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472218
EAN Code	4058546326142

M₁₈ FBCU M18 FUEL™ BRUSH CUTTER



cutting swath and a 23 cm blade featuring a 4-tooth design, meant to take on more demanding applications

	M18 FBCU-0	M18 FBCU-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12 18 FC Charger, No kitbox or bag supplied
Article Number	4933492297	4933492298





M18 FHET60

M18 FUEL™ HEDGE TRIMMER 60 CM



Double sharpened blade for clean cuts and removal of thicker material

M18 FUEL

- Power to cut 20 mm branches
- 60 cm blade trims more material in a single
- pass, increasing reach and productivity Up to 2 hours run time with an M18™ HIGH
- OUTPUT™ 8.0 Ah battery pack
 POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power

	M18 FHET60-0	M18 FHET60-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933493290	4933493291
EAN Code	4058546481612	4058546481629

M18 FHET45

M18 FUEL™ HEDGE TRIMMER 45 CM



- Double sharpened blade for clean cuts and removal of thicker material
- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack

	M18 FHET45-0	M18 FHET45-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933493293	4933493294
EAN Code	4058546481643	4058546481650



M12 FHT20

M12 FUEL™ HEDGE TRIMMER 20 CM



- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity

M12 FUEL

M18 FUEL

- Il metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- · Well balanced and low weight for better control and effortless cutting in multiple positions

	M12 FHT20-0	M12 FHT20-402
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, No kitbox or bag supplied
Article Number	4933479675	4933479676
EAN Code	4058546374693	4058546374709

M₁₈ FCHS

M18 FUEL™ CHAINSAW WITH 40 CM BAR



- The M18 FUEL™ chainsaw delivers the
- power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

	M18 FCHS-0	M18 FCHS-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933464723	4933464223
EAN Code	4058546226688	4058546221683

M18 FCHS35

M18 FUEL™ CHAINSAW WITH 35 CM BAR



Kit included

Article Number EAN Code

- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws Maintains speed in tough applications without
- bogging down
 The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT"

M18 FCHS35-0	M18 FCHS35-122
No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
4933479678	4933479679
1050510071700	10505 1003 1300

M₁₈ FCHSC

M18 FUEL M18 FUEL™ CHAINSAW WITH 30 CM BAR



- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

	M18 FCHSC-0	M18 FCHSC-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933471441	4933471442
EAN Code	4058546290696	4058546290702



M18 FUEL M₁₈ FTHCHS₃₅ M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR





- Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under

	M18 FTHCHS35-0	M18 FTHCHS35-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933479588	4933479589
EAN Code	4058546373825	4058546373832

M18 FTHCHS30

M18 FUEL M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR



- Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second

	M18 FTHCHS30-0	M18 FTHCHS30-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933479586	4933479587
EAN Codo	A0E0E46272001	ADE0E46272010



M18 FHS20

M18 FUEL M18 FUEL™ HATCHET™ PRUNING SAW 20 CM



- M18 FUEL™ HATCHET™ pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance
- Compact design for increased control and maneuverability in tight access areas

	M18 FHS20-0	M18 FHS20-552
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933480117	4933480118
EAN Code	4058546404024	4058546404031

M12 FHS

Kit included

EAN Code

Article Number

M12 FUEL M12 FUEL™ HATCHET™ PRUNING SAW 15 CM



- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance and durability needs of landscape maintenance

M12 FHS-0	M12 FHS-602X
No batteries supplied, No charger	2 x M12 B6 Battery packs, C12 C
supplied, No kitbox or bag supplied	Charger, HD Box
4933472211	4933472212

M₁₂ BLPRS

M12™ BRUSHLESS PRUNING SHEARS

BRUSHLESS



Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application

Power to cut branches up to 32 mm

M12

 No manual effort required, especially convenient for extended applications Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed

	M12 BLPRS-0	M12 BLPRS-202
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, No kitbox or bag supplied
Article Number	4933480114	4933480115
EAN Code	4058546403997	4058546404000

M18 F2BPB

M18 FUEL™ DUAL BATTERY BACKPACK BLOWER

405854632607



High constant clearing force with a consistent blowing force of 20.5 N over the entire battery discharge

405854632608

- 2 x 18V dedicated backpack blower with a padded back pad and padded adjustable Up to four battery slots for extended run time
- Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris


	M18 F2BPB-0	M18 F2BPB-124
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	4 x M18 HB12 Battery packs, M18 PC6 Chargers, No kitbox or bag supplied
Article Number	4933493212	4933493213
EAN Code	4058546480837	4058546480844





M18 F2BL

M18 FUEL™ DUAL BATTERY BLOWER



- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise

M18 FUEL

	M18 F2BL-0	M18 F2BL-802
Kit included	No batteries supplied, No charger	2 x M18 HB8 Battery packs, M18 DFC
KIL IIIGIUUEU	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933479987	4933479988
EAN Code	4058546377816	4058546377823

M₁₈ FBL M18 FUEL™ BLOWER

M18 FUEL



- Ergonomic inline design clears debris and dirt
- in tight spaces
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool

	M18 FBL-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459825
EAN Code	4058546029975

Up to 12.74 m³/min of air volume at 193 km/h to clear debris Variable trigger and speed lock for full power

- control
- and battery and uniquely enhances the tool performance under load

M18 FBL-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933459825

Kit included Article Number

M18 FOPHLTKIT



M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER

M18 FOPH M18 FUEL M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

 Versatile outdoor power equipment system, powered by a single power head Delivers the capability to swap between multiple attachments to complete a wide range of applications

Full throttle in under 1 second

 2-speed with variable speed trigger
 POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power

	WIO FUPH-U
Kit included	No batteries supplied, No charger supplied, No kitbox o
Kit iliciuueu	bag supplied
Article Number	4933464954
EAN Code	4058546228996

M18 FTPS30

M18 FUEL™ TELESCOPING POLE SAW 30 CM



- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm cutting length for fast results
 Outperforms petrol pole saws in demanding
- applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm

	M18 FTPS30-0	M18 FTPS30-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933480868	4933480869
EAN Code	4058546411534	4058546411541

M₁₂ BHCS₃L

M12™ HANDHELD CHEMICAL SPRAYER 3.7 L



Instant, constant and adjustable pressure for best in class control

M12

- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers

	M12 BHCS3L-0	M12 BHCS3L-201
Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
All Included	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933480781	4933480782
EAN Code	4058546410667	4058546410674



M18 BPFPH M18™ SWITCH TANK™



The M18™ SWITCH TANK™ 15 I backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping

M18

M18

 The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™

M18 BPFPH-0	M18 BPFPH-401
No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B4 Battery pack, M12-18 C Charger, No kitbox or bag supplied
4933464961	4933464962
4058546229061	4058546229078



M18 FUEL

Brushless POWERSTATE™ motor for longer

and battery and uniquely enhances the tool performance under load

Up to 1 hour of run time with M18[™] HIGH

No batteries supplied, No charger supplied, No kitbox or

REDLINK PLUS[™] intelligence system delivers an advanced digital overload protection for tool

motor life and up to 20% more power

Full throttle in under 1 second

OUTPUT™ 8.0 Ah battery pack

M18 FOPHLTKIT-0

Has the power to clear thick brush

		Description	Article Number	EAN Code
1.	M18 FOPH-LTA	QUIK-LOK™ grass trimmer attachment	4932464955	4058546229009
2.	M18 FOPH-HTA	QUIK-LOK [™] hedge trimmer attachment	4932464959	4058546229047
3.	M18 FOPH-CSA	QUIK-LOK [™] chainsaw attachment	4932464957	4058546229023
4.	M18 FOPH-EA	QUIK-LOK™ edger attachment	4932464958	4058546229030
5.	M18 FOPH-EXA	QUIK-LOK™ extension attachment	4932464960	4058546229054
6.	M18 FOPH-BCA	QUIK-LOK™ brush cutter attachment	4932479986	4058546377809
7.	M18 FOPH-RBA	QUIK-LOK [™] rubber broom attachment	4932479984	4058546377786
8.	M18 FOPH-BBA	QUIK-LOK™ bristle brush attachment	4932479985	4058546377793
9.	M18 FOPH-SHTA	QUIK-LOK [™] short hedge trimmer attachment	4932492666	4058546513450
10.	M18 FOPH-CA	QUIK-LOK™ cultivator attachment	4932492667	4058546475383
11.	M18 FOPH-BA	QUIK-LOK [™] blower attachment	4932492668	4058546475390
12.	M18 FOPH-RA	QUIK-LOK™ reciprocator attachment	4932492669	4058546475406

M₁₈ BPFP-CST

M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER



- Fully compatible with SWITCH TANK™ Chemical sprayer tank for pesticides/fertilizers/ treatments/herbicides/fungicides/insecticides/ de-icing agents and more
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into

	M18 BPFP-CST	
Article Number	4933464964	
EAN Code	4058546229092	

M₁₈ BPFP-WST

Kit included Article Number EAN Code

M18™ SWITCH TANK™ 15L WATER SUPPLY



- Fully compatible with SWITCH TANK™ Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and eauipment
- know how much liquid is inside the tank transport and pouring of water into tank

	M18 BPFP-WST	
rticle Number	4933464965	
AN Code	4058546229108	

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu









 TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20.000 lumens in DC mode for both task and

Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

MXF TL-601

KIT INCILIDED	1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied
Article Number	4933471844
EAN Code	4058546297435

M18 ONESLDP

M18 M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER

ONE KEY **TRUE**VEW™



the light output from 0 - 9000 lumens ONE-KEY[™] tool customisation allows user to control brightness and set light settings

Optimise brightness and run time by adjusting

ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking

M18 ONESLDP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459160
EAN Code	4002395287154

M₁₈ ONESLSP

M18™ ONE-KEY™ LED COMPACT SITE LIGHT



 ONE-KEY[™] tool customisation allows user to control brightness and set light settings

ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking

Optimise brightness and run time by adjusting the light output between 0 - 4400 lumens

M18 ONESLSP-0

No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied Article Number 4002395287109

M18 TAL M18™ TRADESMAN AREA LIGHT

TRUEVIEW™ high definition lighting with 2,200 lumens of light output in Area mode and



1.000 lumens in Flood mode Advanced LED technology provides 360° of area light, while an independent array of LEDs on the side provide 90° of task lighting

M18


 Compact design allowing for one-handed transport on the jobsite, with a built-in carry

M18 TAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
NIL IIICIUUEU	bag supplied
Article Number	4933464134
EAN Code	4058546220792

M₁₈ HOSALC

M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER



M18 ONERSAL

M18™ ONE-KEY™ LED REMOTE STAND LIGHT



 Optimise brightness and run time by adjusting the light output from 0 - 5400 lumens ONE-KEY™ tool customisation allows user to control brightness and set light settings

ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking

M18 ONFRSAL-O

Cit included	No batteries supplied, No charger supplied, No kitbox or
at moradou	bag supplied
Article Number	4933459431
EAN Code	4058546010928

M18 SAL2 M18™ LED STAND LIGHT

M18

M18



TRUEVIEW™ high definition lighting
 Twelve high performance LEDs provides up to

2800 lumens on high light output Impact resistant adjustable head with highly durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally Protective guard secures the head and lens when the light is collapsed for storage or

	M18 SAL2-0	M18 SAL2-502B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C , Tool bag
Article Number	4933492486	4933492903
EAN Code	4058546418533	4058546477745

transport

M12 SAL M12™ STAND LIGHT

TRUEVIEW™ high definition lighting
 12 high performance LEDs provide



M12 SAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933464823
FAN Code	4058546227685

M₁₈ POALC

M18™ PACKOUT™ AREA LIGHT CHARGER

TRUEVEW[™] PACKOUT



Three independent pivoting light heads provide 3000 lumens of TRUVIEW™ High Definition Output

All three pivot light heads combined provide up to 12 hours of run time on a M18th REDLITHIUM™ 5.0 Ah battery pack IP54: water and dust resistant

M18 POALC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478120
EAN Code	4058546340537

M₁₂ POAL

M12™ PACKOUT™ AREA LIGHT 1400 LUMENS

TRUEVEW^{IM}

PACKOUT

1400 Lumens of TRUEVIEW[™] high definition

IP 54: water and dust resistant

 3 modes to manage output and run time 300° of horizontal rotation and 180° of vertical

rotation for complete light head adjustability Storage compartment for devices and small

M12 POAL-0

Kit included Article Number	No batteries supplied, No charger supplied, No kitbox o
	bag supplied 4933480473
EAN Code	4058546407582

M₁₈ HOAL M18™ HIGH OUTPUT AREA LIGHT

TRUEVEWTM



• 4000 lumens TRUEVIEW™ of High Definition • Up to 12 hours of run time on M18™

REDLITHIUM ™ 5.0 Ah battery pack 120° rotatable light head and integrated key

 Impact resistant design and durable roll cage to protect the light from rough jobsite

M18 H0AL-0

Kit included	bag supplied
Article Number	4933478118
EAN Code	4058546340513
'	



M18 AL M18™ LED AREA LIGHT

TRUEVIEW^{IM}



TRUEVIEW™ high definition lighting Eight high performance LEDs provide 1500 lumens of light output - up to 30% brighter than 250 W halogen lights

Compact roll cage design provides superior durability

Convenient built-in handle - ability to hang vertically or horizontally

M18 AL-0

Kit included	No batteries supplied, No charger supplied, Blister
at morado	packaging
Article Number	4932430392
EAN Code	4002395380534

M12 AL M12™ LED AREA LIGHT



 TRUEVIEW™ high definition lighting
 Five high performance LEDs provide 1000 lumens of light output replacing 250 W halogen lights

M12

M12

M12

M12

2.7 metres

and key hole for screws / nails provide multiple mounting options for different surfaces

TRUEVEW



Highly durable and impact resistant polycarbonate lens to withstand drops up to

Integrated magnets, clamping mechanism

M12 AL-0
No batteries supplied, No charger supplied, Blister
packaging
4933451394
4002395158621

M12 CML

Kit included

Article Number

Kit included

Article Number

M₁₂ UCL

TRUEVEW™

M12™ UNDERCARRIAGE LIGHT

M12™ COLOUR MATCHING LIGHT



 High definition lighting with up to 1000 lumens
 98+ colour rendering index for use to identify accurate and reliable colour recognition

Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements

TRUEVIEW™ high definition lighting with up to

Up to 15 hours of run time on M12[™] 4.0 Ah battery pack

Designed for the on-the-go needs of automotive maintenance and service trades

No batteries supplied, No charger supplied, No kitbox or

Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage

1,200 Lumens

illumination coverage

M12 UCL-0

 Up to 14 hours of run time on M12[™] 4.0 Ah battery pack
• IP54 rated for water and dust resistant and 2 m

impact resistant

M12 CML-401
1 x M12 B4 Battery pack, C12 C Charger, No kitbox or
bag supplied
4933479366
4058546371609

TRUEVEW

M12

M12 UHL M12™ LED UNDERHOOD LIGHT M12

M12

M12



TRUEVIEW™ high definition light output delivers consistent beam, optimised colour temperature and true representation of colours and detail

Two light output settings with 1350 and 600 lumens to maximise run time and to optimise lighting output

o M12™ 4.0 Ah battery provides 4 hours of run

time in high and 8 hours of run time in low

M12 UHI -0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459432
EAN Code	4058546010935

TRUEVEW[™]

M18™ PIVOTING AREA LIGHT

M18 PAL



 TRUEVIEW[™] high definition lighting with up to 1500 lumens and up to 20 hours of run time, allows replacement of 500 W halogen

Two powerful magnets, a spring loaded clamp and a folding rotating light head design provide multiple mounting options and illumination possibilities from any angle Highly durable and impact resistant

polycarbonate lens to withstand drops up to

M18 PAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933464105
EAN Code	4058546220501

M12 ™ PIVOT AREA LIGHT

M₁₂ PAL

TRUEVEW

Kit included

Article Number



• TRUEVIEW™ high definition lighting with up to Up to 24 hours of run time on M12[™] 4.0 Ah

battery pack

 With powerful magnets as well as a rotating light head design with 110° rotation in each direction to provide multiple beam options Highly durable and impact resistant design to

withstand drops up to 3 m

M12 PAI -0

Kit included	No batteries supplied, No charger supplied, Blister
Kit iliciuueu	packaging
Article Number	4933478226
EAN Code	4058546344030

M₁₈ SLED M18™ LED SEARCH LIGHT



TRUEVIEW™ high definition lighting
 Pivoting head provides 1250 lumens with up to

650 m beam distance 4 output modes: Spot, Flood, Spot/Flood,

Strobe delivering multiple options in work space illumination Spot mode for long range identification: utility pole/ high voltage cable inspection, inspection

of long runs of conduit, cast or copper pipe, under ground work, bridge work...

Kit included	No batteries supplied, No charger supplied, No kitbox or
NIL IIIGIQUEQ	bag supplied
Article Number	4933459159
EAN Code	4002395287147

M₁₂ SLED M12™ LED SPOT LIGHT





 TRUEVIEW™ high definition lighting Up to 35% longer beam distance than competition - 650 m intense and highly focused beam of light with 750 lumens

 Especially useful for long range identification
 utility pole/high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work

Kit included	No batteries supplied, No charger supplied, Blister packaging				
Article Number	4933451261				
EAN Code	4002395170159				

M18 LL M18™ LED LANTERN LIGHT



TRUEVIEW™ high definition lighting 180° - 360° adjustable beam - versatile

design, allows the user to select between area lighting and task lighting Best-in-class performance - outstanding light output 700 lumens, designed to illuminate large areas

High powered USB charger charges tablets, smart phones, MP3 players and other electronic devices

M18 LL-0

	22 0
Kit included	No batteries supplied, No charger supplied, Blister
	packaging
Article Number	4932430563
EAN Code	4002395382248

M12 LL M12™ LED LANTERN LIGHT

TRUEVEW[™]



TRUEVIEW™ high definition lighting 180° - 360° adjustable beam - versatile

design, allows the user to select between area lighting and task lighting Best-in-class performance - outstanding light output 400+ lumens, designed to illuminate

large areas High powered 2.1A USB charger charges tablets, smart phones, MP3 players and other electronic devices

M12 LL-0

No batteries supplied, No charger supplied, Blister Kit included packaging 4932430562 Article Number EAN Code 400239538223

M18 IL M18™ LED INSPECTION LIGHT



∘ TRUEVIEW™ high definition lighting ∘ Three LED design with 2 light settings provides 300 lumens on High and 130 lumens on Low

Pivoting 45° forward & backward head allows

2 adjustable metal hooks for hanging in vertical

and horizontal position

Thanks to its compact design it operates in locations other lights cannot

M18 IL-0

it included	No batteries supplied, No charger supplied, Blister
it iliciaaca	packaging
rticle Number	4932430564
AN Code	4002395382255

M12 SL M12™ LED STICK LIGHT

TRUEVIEW™ high definition lighting



- Powerful three LED design provides 220 lumens Adjustable metal hook allows for light to be
- hung in multiple orientations when being used Compact design - operates in locations other lights cannot
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

M12 SL-0

Kit included	No batteries supplied, No charger supplied, Blister packaging					
Article Number	4932430178					
EAN Code	4002395378395					

M₁₈ TLED M18™ LED TORCH



- The 120 lumen LED light is 2x brighter and ter than conventional incandescent bulbs
- M18™ LED electronics deliver 2x longer run time on a single charge with less heat than conventional removable light bulbs
- and weather-resistant durability
- 135° rotating head allows the user to easily direct the light beam at the desired work area Integrated hook for hands-free use

M18 TLED-0

No batteries supplied, No charger supplied, Blister packaging					
4932430361					
4002395380220					

M₁₂ TLED M12™ LED TORCH

TRUEVEW



The 120 lumen LED light is 2x brighter and niter than conventional incandescent bulbs M12™ LED electronics deliver 2x longer run time on a single charge with less heat Sealed aluminium head is designed for impact-and weather-resistant durability


 90° rotating head allows the user to easily direct the light beam at the desired work area Magnetic back for hands-free use

M12 TLED-0 No batteries supplied, No charger supplied, Blister Kit included packaging Article Number EAN Code 4002395380213



PERSONAL LIGHTS

REDLITHIUM™ USB



INTERNAL RECHARGEABLE

		Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code
	IR HL450	450/ 100/ 250/ 50/ 250	2.5/ 8/ 4/ 14/ 4	IP54	Magnet, Hard hat clips, BOLT™ Low-profile headlamp mount	Integrated battery, USB cable, Blister packaging	4933478587	4058546347802
	IR FL500	500 / 100 / 10/ -	3.5 / 16/ 40/ -	IP67	Clip	Integrated battery, USB cable, Blister packaging	4933478586	4058546347796
*	IR PL250	250/ -/ 50/ -	1.5/ - / 8 / -	IP67	Bite zone, Clip	Integrated battery, USB cable, Blister packaging	4933478705	4058546348984

ALKALINE

LKALINE									
		Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code	
4	IPL-LED	100	3	IP67	Clip, Bite zone	2 x AAA Batteries, Blister packaging	4933459440	4058546011017	
1	ML-LED	325/ -/ 25/ -	5/ -/ 18/ -	IP67	Clip	3 x AAA Batteries, Blister packaging	4933464825	4058546227708	
	FL-LED	300/ -/ 100/ -	5/ -/ 16/ -	IP54	Magnet, Clip	2 x AA Batteries, Blister packaging	4933464824	4058546227692	
0.	HL-SF	450/ 350/ 150/ 25/ 350	2/ 4/ 10/ 26/ 4	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471388	4058546290160	
	ISHL-LED	310/ 235/ 155/ 25/ 155	4/ 6/ 10/ 40/ 8	IP64	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, No kitbox or bag supplied	4933478112	4058546340452	
	HL2-LED	350/ 150/ 25/ -	4/ 8.5/ 28/ -	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471286	4058546289140	

BATTERIES





REDLITHIUM USB	

DAITE												Ü	2 <u> M</u> 18	
		Description	Charge time M18 DBSC charger	Charge time M12-18 FC charger	Charge time M12-18 C charger	Charge time M12-18 AC charger	Charge time M1418C6 charger	Charge time M18 DFC charger	Charge time C12 C charger	Charge time M12 TC charger	Charge time M12 C4 charger	Charge time L4 C charger	Article number	EAN Code
	M18 HB12	M18™ HIGH OUTPUT™ 12.0 Ah battery	60 min	130 min	250 min	285 min	270 min	130 min	-	-	-	-	4932464260	405854622205
	M18 HB8	M18™ HIGH OUTPUT™ 8.0 Ah battery	45 min	87 min	167 min	190 min	190 min	87 min	-	-	-	-	4932471070	405854628698
	M18 HB5.5	M18™ HIGH OUTPUT™ 5.5 Ah battery	35 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932464712	405854622657
A v	M18 HB3	M18™ HIGH OUTPUT™ 3.0 Ah battery	36 min	36 min	65 min	75 min	70 min	36 min	-	-	-	-	4932471069	405854628697
W many of the	M18 FB6	M18™ FORGE™ 6.0 Ah battery	25 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932492533	405854641900
	M18 B5	M18™ 5.0 Ah battery	59 min	59 min	100 min	100 min	100 min	59 min	-	-	-	-	4932430483	400239538144
	M18 B5-CR	M18™ 5.0 Ah battery	59 min	59 min	100 min	100 min	59 min	59 min	-	-	-	-	4932479265	405854637059
4-10	M18 B4	M18™ 4.0 Ah battery	52 min	52 min	80 min	80 min	80 min	52 min	-	-	-	-	4932430063	400239537724
	M18 B2	M18™ 2.0 Ah battery	26 min	26 min	40 min	40 min	40 min	26 min	-	-	-	-	4932430062	400239537723
	M12 HB5	M12™ 5.0 Ah HIGH OUTPUT™ battery pack	-	75 min	110 min	110 min	-	-	110 min	380 min	110 min	-	4932480165	405854640450
	M12 HB2.5	M12™ 2.5 Ah HIGH OUTPUT™ battery pack	-	40 min	55 min	55 min	-	-	55 min	200 min	55 min	-	4932480164	405854640449
Box W	M12 B6	M12 [™] 6.0 Ah battery	-	95 min	130 min	165 min	-	-	130 min	525 min	130 min	-	4932451395	400239515863
	M12 B4	M12 [™] 4.0 Ah battery	-	52 min	80 min	115 min	-	-	80 min	347 min	80 min	-	4932430065	400239537726
Ö	M12 B3	M12™ 3.0 Ah battery	-	50 min	70 min	90 min	-	-	70 min	264 min	70 min	-	4932451388	400239515796
	M12 B2	M12™ 2.0 Ah battery	-	26 min	40 min	55 min	-	-	40 min	174 min	40 min	-	4932430064	40023953772
- CO	L4 B3	3.0 Ah REDLITHIUM™ USB battery	-	-	-	-	-	-	-	-	-	120 min	4933478311	405854634502

packaging

RECHARGEABLE



CHARGERS



CHARGER	3					,	USB	M12 M1	4 M18
		Description	Charging ports	Charge type	Power source	Carry handle	Wall mountable	Article Number	EAN Code
	M18 PC6	M18™ PACKOUT™ six bay rapid charger	6 x M18 [™] ; 1 x USB	Simultaneous	AC, USB	v	V	4932480162	4058546404475
	M18 DBSC	M18 FUEL™ dual bay super charger	2 x M18™	Simultaneous	AC	-	V	4932492531	4058546418984
	M12-18 FC	M12™ - M18™ fast charger	1 x M12™, 1 x M18™	Sequential	AC	-		4932451079	4002395810581
	M12-18 C	M12™ - M18™ charger	1 x M12™, 1 x M18™	Sequential	AC	-		4932352959	4002395376179
	M12-18 AC	M12 [™] -M18 [™] car charger	1 x M12™, 1 x M18™	Sequential	DC	-	V	4932459205	4002395287208
	M18 DFC	M18™ dual bay rapid charger	2 x M18™	Simultaneous	AC	-		4932472073	4058546324698
	M1418 C6	M14 [™] - M18 [™] multibay charger	6 x M14™ or 6 x M18™	Sequential	AC	·	V	4932430086	4002395377473
	C12 C	M12 [™] charger	1 x M12™	Single	AC	-	V	4932352000	4002395366606
1 7	M12TC	M12 [™] travel charger	1 x M12™	Single	AC, USB	-	-	4932459450	4058546011116
	M12 C4	M12 [™] 4 bay charger	4 x M12™	Sequential	AC	-	~	4932430554	4002395382156

PROMOTIONAL BATTERIES AND CHARGER KITS



M12 M18















		Voltage (V)	Battery type	Battery pack capacity (Ah)	No. of batteries supplied	Charger supplied	Article Number	EAN Code
1.	M18 HNRG-122	18 & 12	Li-ion	M18 [™] 12.0 & M12 [™] 6.0	3	M12-18 FC	4933464261	4058546222062
2.	M18 HNRG-802	18 & 12	Li-ion	M18™ 8.0 & M12™ 4.0	3	M12-18 FC	4933471073	4058546287016
3.	M18 HNRG-552	18 & 12	Li-ion	M18™ 5.5 & M12™ 3.0	3	M12-18 FC	4933464713	4058546226589
4.	M18 HNRG-302	18 & 12	Li-ion	M18 [™] 3.0 & M12 [™] 2.0	3	M12-18 FC	4933471071	4058546286996
5.	M18 NRG-503	18 & 12	Li-ion	M18™ 5.0 & M12™ 2.0	4	M12-18 FC	4933451423	4002395162628
6.	M18 NRG-502	18 & 12	Li-ion	M18™ 5.0 & M12™ 2.0	3	M12-18 FC	4933459217	4002395287925

BATTERIES AND CHARGER KITS































		Voltage (V)	Battery type	Battery pack capacity (Ah)	No. of batteries supplied	Charger supplied	Article Number	EAN Code
1.	M18 FORGENRG-602	18	Li-ion	6.0	2	M18 DBSC	4933498549	4058546524180
2.	M18 NRGCR-502	18	Li-ion	5.0	2	M12-18 FC	4932479831	4058546376253
3.	M18 NRG-402	18	Li-ion	4.0	2	M12-18 FC	4933459215	4002395287901
4.	M18 NRG-202	18	Li-ion	2.0	2	M12-18 C	4933459213	4002395287284
5.	M12 NRG-603	12	Li-ion	6.0	3	C12 C	4933459208	4002395287239
6.	M12 NRG-602	12	Li-ion	6.0	2	C12 C	4933451903	4002395282128
7.	M12 NRG-402	12	Li-ion	4.0	2	C12 C	4933459211	4002395287260
8.	M12 NRG-303	12	Li-ion	3.0	3	C12 C	4933459207	4002395287222
9.	M12 NRG-302	12	Li-ion	3.0	2	C12 C	4933451902	4002395282111
10.	M12 NRG-202	12	Li-ion	2.0	2	C12 C	4933459209	4002395287246
11.	M12 NRG-201	12	Li-ion	2.0	1	C12 C	4933451900	4002395281497
12.	L4 PPS-301	4	Li-ion	3.0	1	USB rechargeable power source and charger + USB cable	4932493335	4058546482060



CONSTRUCTION

SCAN HERE FOR MORE INFORMATION





BREAKERS

_			Tool reception	Power input (W)	Blow energy (EPTA))(J) No load speed (rpm)	Full load hammer action (bpm)	Full load speed (soft hammer) (rpm)	Max. drilling solid bit (mm)	Max. drilling tunnel bit (mm)	Max. drilling core bit (mm)	Vibration drilling (m/s²)	Vibration chiseling (m/s²)	Weight (kg)	Supplied in	Article number	EAN code
		K 2628 H	K-Hex	2400	64		1200						6.2	25.7	No kitbox or bag supplie	d 4933471685	4058546295844
2	2.	K 1530 H	K-Hex	2100	39	-	1560	-	-	-	-	-	8.4	16.8	Plastic case	4933464117	4058546220624
3	3.	K 1528 H	K-Hex	2100	39	-	1560	-	-	-	-	-	8.8	17.2	Plastic case	4933464118	4058546220631
4	4.	K 1000 S	SDS-Max	1750	26	-	1400 - 1950	-	-	-	-	-	6.7	12.7	Plastic case	4933464120	4058546220655
5	5.	K 950 S	SDS-Max	1700	20	125 - 250	975 - 1950	125 - 250	50	80	150	12.5	11	11.8	Kitbox	4933375710	4002395232031
6	6.	K 900 K	K-Hex	1600	20	-	975 - 1950	-	-	-	-	-	11	11.0	Kitbox	4933375650	4002395231614
6	6.	K 900 S	SDS-Max	1600	20	-	975 - 1950	-	-	-	-	-	11	11.0	Kitbox	4933375720	4002395232048
7	7.	K 850 S	SDS-Max	1400	11	380	1600 - 2900	210 - 380	50	80	150	9.4	10.14	9.6	Kitbox	4933464896	4058546228415
8	3.	K 750 S	SDS-Max	1550	11.9	300	2740	240	50	80	150	9.5	9.1	8.2	Kitbox	4933398600	4002395235193
 g	9.	K 545 S	SDS-Max	1300	8.5	450	2840	350	45	65	100	13	9	6.7	Kitbox	4933398200	4002395234073
1	10.	K 540 S	SDS-Max	1100	7.5	450	3000	430	-	65	105	16.8	16.7	6.3	Kitbox	4933418100	4002395238422
	11.	K 500 ST	SDS-Max	1100	7.5	450	3000						16.7	5.9	Kitbox	4933443180	4002395003402
	12.	K 500 S	SDS-Max	1300	8.5		2840	2200					11.5	6.3	Kitbox	4933398220	4002395234059
1	13.	PCE 3/K	SDS-Plus	720	3.6		0 - 3650						11	3.7	Kitbox	4933384300	4002395232215

COMBI HAMMERS



			Tool reception	Power input (W)	Blow energy (EPTA)((J) Full load hammer action (bpm)	Full load speed (rpm	Max. drilling concrete (mm)	Max. drilling steel (m	m) Max. drilling wood (mi	m) Vibration drilling (m/s²	Vibration chiseling	FIXTEC™	Weight (kg)	Supplied in	Article number	EAN code
	1.	PLH 32 XE	SDS-Plus + Reduced shank 13 mm	900	3.8		0 - 800	32	16	40	22	20	Yes	3.6	Kitbox	4933400069	4002395233342
		PLH 28 E	SDS-Plus	800	4.1	0 - 4000	0 - 1000	28	13	40	10.6	6.8	No	3.4	Kitbox	4933446790	4002395005482
I		PLH 28 XE	SDS-Plus + Reduced shank 13 mm	800	4.1	0 - 4000	0 - 1000	28	13	40	10.6	6.8	Yes	3.6	Kitbox	4933446800	4002395005499
	3.	PH 30 POWER X	SDS-Plus + Reduced shank 13 mm	1030	3.6	0 - 3800	0 - 850	30	13	40	22	14	Yes	2.9	Kitbox	4933396420	4002395234967
	4.	PH 28	SDS-Plus	820	3.4	0 - 4000	0 - 900	28	13	30	22	16	No	2.7	Kitbox	4933396396	4002395234936
	4.	PH 28 X	SDS-Plus + Reduced shank 13 mm	820	3.4	0 - 4000	0 - 900	28	13	30	22	16	Yes	2.9	Kitbox	4933396392	4002395234943
2	5.	PH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	No	2.4	Kitbox	4933464580	4058546225254
	5.	PH 26 TX	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	Yes	2.6	Kitbox	4933464579	4058546225247
	6.	PFH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	No	2.4	Kitbox	4933464581	4058546225261
	7.	PFH 26	SDS-Plus	725	2.4	0 - 4500	0 - 1250	26	13	30	13.5	-	No	2.4	Kitbox	4933428230	4002395239832



ROTARY DRILLS AND DRIVERS



EAN Code

4002395006809



2-SPEED DRY DIAMOND DRILL

DD 2-160 XE

4933368690

4002395232505

DD 2-160 XE



3-SPEED COMBI DIAMOND DRILL

DD 3-152

4933428000

400239523980


Article Number

EAN Code









EAN Code

4002395229086



1200 W ANGLE GRINDER WITH

AGV 12 DEG

EAN Code



Article Number

EAN Code



METAL WORKING

SCAN HERE FOR MORE INFORMATION



ANGLE GRINDERS

0	
	2
3	
	4
⑤	
9	
	6
0	√
	8
9	
9	
	100
10	
	<i>-</i>
	120
(3)	
	(A)
(5)	
\$ 5	
€	6
(f)	
0	
	18
(9)	
9	20
	20
2	<u> </u>

	Power	r input (W)	No load speed (rpm)	Disc diameter	(mm)Weight (kg)	Switch type	Brake	Anti-kickback protection	FIXTECTM	AVS Anti-Vibration System	AVS side handle	Rotatable main handle	Autobalancer system	Line lock out function	Supplied in	Article Number	EAN Code
1. AGVM 2	26-230 GEX 2600		6600	230	5.8	Trigger lock-on switch	No	Yes	Yes	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402365	4002395234271
1. AGVM 26	26-230 GEX 2600		6600	230	5.8	Deadman switch	No	Yes	Yes	Yes		Yes	Yes	No	No kitbox or bag supplied	4933402495	4002395234394
	-230 GE 2600		6600	230	5.5	Trigger lock-on switch	No	No	No	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402360	4002395234257
2. AGV 26-	-230 GE DMS 2600		6600	230	5.5	Deadman switch	No	No	No	Yes		Yes	Yes	No	No kitbox or bag supplied	4933402490	4002395234356
3. AGVM 2	24-230 GEX 2400		6600	230	5.8	Trigger lock-on switch	No	Yes	Yes	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402340	4002395234240
3. AGVM 24	24-230 GEX 2400		6600	230	5.8	Deadman switch	No	Yes	Yes	Yes		Yes	Yes	No	No kitbox or bag supplied	4933402475	4002395234370
	24-230 EKX 2400		6500	230	5.9	Trigger lock-on switch	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No kitbox or bag supplied	4933471464	4058546293635
5. AGVK 24	14-230 EK 2400		6600	230	5.4	Trigger lock-on switch	No	Yes	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451413	4002395161683
5. AGVK 24	24-230 EK 2400		6600	230	5.4	Deadman switch	No	Yes	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451414	4002395161690
	-230 GE 2400		6600	230	5.5	Trigger lock-on	No	No	No	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402330	4002395234226
7. AG 24-2	230 E 2400		6600	230	5.3	switch Trigger lock-on	No	No	No	No		No	No	Yes	No kitbox or bag supplied	4933402325	4002395234219
	230 E DMS 2400		6600	230	5.3	switch Deadman switch	No	No .	No	No		No	No	No	No kitbox or bag supplied		4002395234325
	!-180 E 2200		8500	180	5.3	Trigger lock-on		No No	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied		4002395243839
8. AGV 22-7			6600	230	5.4	switch Trigger lock-on	No	No	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied		4002395243860
	1-230 DMS 2200		6600	230	5.4	switch Deadman switch		No	No No	Yes	Yes	No	No	No	No kitbox or bag supplied		4002395243877
	180 DMS 2200		8500	180	5.1	Deadman switch		No	No No	No	No No	No No	No	No	No kitbox or bag supplied	4933431830	4002395243846
	230 DMS 2200		6600	230	5.2			No No	No	No No	No	No	No	No			4002395244423
						Trigger lock-on									No kitbox or bag supplied		
	7-125 XE 1750		2600 - 11,000		2.8	switch Trigger lock-on		Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied		4002395243983
	-125 XC 1750		11,000	125	2.8	switch	No	Yes	Yes	No 	Yes		No	Yes	No kitbox or bag supplied		4002395247295
	-125 XC DMS 1750		11,000	125	2.8	Deadman switch		Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied		4002395247905
10. AGV 17-	7-150 XC DMS 1750		9500	150	3.0	Deadman switch	No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432250	4002395243990
10. AGV 17-	7-180 XC DMS 1750		7600	180	3.1	Deadman switch		Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432270	4002395244003
11. AGV 17-	'-125 INOX 1750		2000 - 7600	125	2.8	Trigger lock-on switch	No	Yes	Yes	No			No	Yes	No kitbox or bag supplied	4933449870	4002395247912
12. AGV 15-	i-125 XC 1550		11,000	125	2.6	Slide lock-on swi	ch No	Yes	Yes	No			No	Yes	No kitbox or bag supplied	4933428120	4002395239641
12. AGV 15-	i-125 XE 1550		2800 - 11,000	125	2.6	Slide lock-on swi	ch No	Yes	Yes	No			No	Yes	No kitbox or bag supplied	4933428127	4002395239658
12. AGV 15-	-150 XC 1550		9000	150	2.6	Slide lock-on swi	ch No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933433250	4002395244164
13. AGV 13-	125 XE 1250		2,800 - 11,500	125	2.4	Slide lock-on swi		Yes	Yes	Yes	Yes			Yes	No kitbox or bag supplied	4933451218	4002395260850
	I-125 XSPDEB 1250		12,000	125	2.5	Paddle (Deadman switch		Yes	Yes	No	Yes		-	Yes	No kitbox or bag supplied	4933464998	4058546229436
14. AGV 13-	1-125 XSPDEB 1250		12,000	125	2.5	Paddle (Deadmar switch		Yes	Yes	No	Yes			Yes	Kitbox	4933471194	4058546288228
15. AGV 13-	-125 XSPDE 1250		12,000	125	2.5	Paddle (Deadmar switch) No	Yes	Yes	No	Yes	-	-	Yes	No kitbox or bag supplied	4933451578	4002395140794
16. AG 13-1	125 XSPD 1250		12,000	125	2.3	Paddle (Deadmar switch) No	No	Yes	No	-	-	-	No	No kitbox or bag supplied	4933451577	4002395140787
17. AGV 12-	!-125 X 1200		11,000	125	2.4	Slide lock-on swi	ch No	Yes	Yes	No	Yes			Yes	No kitbox or bag supplied	4933428085	4002395239597
18. AGV 10-	1-125 EK 1000		11,000	125	2.2	Slide lock-on swi	ch No	No	No	No				Yes	No kitbox or bag supplied	4933451222	4002395260898
19. AG 10-1	115 EK 1000		11,000	115	2.1	Slide lock-on swi	ch No	No	No	No				Yes	No kitbox or bag supplied	4933451219	4002395260867
19. AG 10-1	125 EK 1000		11,000	125	2.1	Slide lock-on swi	ch No	No	No	No				Yes	No kitbox or bag supplied	4933451220	4002395260874
20. AG 800-	1-125 EK 800		11,500	125	2.0	Slide lock-on swi	ch No	No	No	No				Yes	No kitbox or bag supplied	4933451213	4002395260805
21. AG 800-	I-115 E 800		11,500	115	2.0	Slide lock-on swi	ch No	No	No	No				Yes	No kitbox or bag supplied		4002395260171
	I-125 E 800		11,500	125	2.0	Slide lock-on swi		No	No	No				Yes	No kitbox or bag supplied		4002395260188
)-115 E D-SET800		11,500	115	2.0	Slide lock-on swi		No No	No	No				Yes	Kitbox	4933451281	4002395170777



AGS 15-125 C 1500 W GRINDER/SANDER



	AGS 15-125 C
Article Number	4933407480
EAN Code	4002395236015

AS 12 E 1200 W SANDER WITH ELECTRONIC VARIABLE SPEED

	AS 12 E	
Article Number	4933383940	
EAN Code	4002395229390	

AP 14-2 200 E 1450 W POLISHER

	AP 14-2 200 E	AP 14-2 200 E KIT
Standard equipment	Side handle, flexible backing pad	Side handle, flexible backing pad, soft & hard polishing sponge, lambswool pad, sand- ing & finishing compound, cloth
Article Number	4933432800	4933493427
EAN Code	4002395001156	4058546482985



AP 12 E	
4933383925	
4002395229406	
	4933383925



DGL 34	
4933385110	
4002395230020	
	4933385110



DGL 30 E	
4933385120	
4002395230037	
	4933385120





	DG 30 E
Article Number	4933385100
EAN Code	4002395230013





	DG 7 E
Article Number	4933391200
EAN Code	4002395231928

MCS 66 DRY CUT METAL CIRCULAR SAW

	MCS 66	
Article Number	4933440615	
EAN Code	4002395000432	

BS 125 DEEP CUT BAND SAW




	BS 125	
Article Number	4933448245	
EAN Code	4002395262830	

CHS 355 2300 W CHOPSAW



	CHS 355	
Article Number	4933411760	
EAN Code	4002395236220	







	MDE 41	
Article Number	4933451015	
EAN Code	4002395136681	

MDP 41 MAGNETIC DRIILING PRESS WITH **PERMANENT MAGNET**



	MDP 41	
rticle Number	4933451014	
AN Code	4002395136674	

SCAN HERE FOR MORE INFORMATION



WOODWORKING

SCAN HERE FOR MORE INFORMATION



SAWZALL™




		Power input (W)	No load stroke rate (spm)	Stroke length (mm	n) Weight (kg)	Supplied in	Article number	EAN code
	SSPE 1500 X	1500	0 - 2800	32	4.5	Kitbox	4933428900	4002395241699
	SSPE 1300 RX	1300	0 - 3000	32	4.2	Kitbox	4933440590	4002395001095
3.	SSPE 1300 SX	1300	0 - 2800	32	3.9	Kitbox	4933428520	4002395241545
4.	SSD 1100 X	1100	0 - 2900	28	3.2	Kitbox	4933416710	4002395237623

JIGSAWS



			Power input (W)		Max. cutting capacity wood/ steel/ aluminium (mm)	Mitre capacity (°)	Stroke length (mm)	Weight (kg)	Supplied in	Article number	EAN code
		FSPE 110 X	710	500 - 3000	120/ 10/ 30	45	26	2.5	Kitbox	4933357990	4002395229185
-	2.	JSPE 135 TX	750	800 - 3000	135/ 10/ 30	45	26	2.5	Kitbox	4933381230	4002395232529
	3.	JS 120 X	710	500 - 2800	120/ 10/ 30	45	26	2.3	Kitbox	4933381680	4002395234677

CIRCULAR SAWS



		Power input (W)	No load speed (rpm)	Blade diameter (mm)	diameter capacity	Max. cutting depth 45° (mm)	Max. cutting depth 90° (mm) Bore size (mm)	depth 45° depth 90°	Weight (kg)	Supplied in Article Number EAN Code		r EAN Code
1.	CS 85 SB	2200	4500	235	50	67	85	30	6.6	No kitbox or bag supplied	4933451117	4002395137411
2.	CS 85 CBE	2200	4500	235	60	67	85	30	7.7	Kitbox	4933451116	4002395137404
3.	SCS 65 Q	1900	5800	190	0 - 45	52	65	30	5.5	Kitbox	638051	4002395229529
4	CS 60	1600	5800	184	0 - 56	49	61	30	48	No kitbox	4933419225	4002395238361



SANDERS



_		Power input (V	V) No load speed (rpm)	Oscillation rate (opm)	Oscillation diameter (mm)	Sanding pad size (mm)	Weight (kg)	Supplied in	Article Number	EAN Code
	BS 100 LE	1150	230 - 400			100 x 160	5.3	No kitbox or bag supplied	4933385150	4002395229222
2.	ROS 125 E	300	7000 - 12,000	14,000 - 26,000	2.4	125	1.7	Tool bag	4933433180	4002395244010
3.	SPS 140	260	14,700	28,000	1.6	113 x 105	1.6	No kitbox or bag supplied	4933447015	4002395005826

DUST EXTRACTORS









MILWAUKEE® IS THE SOLUTIONS PROVIDER

ACCESSORIES





HAND TOOLS







OVER
1200
SOLUTIONS

STORAGE





OVER

100

SOLUTIONS

PPE





OVER
850
SOLUTIONS



MX FUEL™ RAI	NGE	4 - 7						
MX FUEL™ BATTERIES								
MX FUEL™ BATTERIES AND CHARGER KITS								
MX FUEL™ CHARG	ERS	7						
MX FUEL™ INTROD	UCTION	4						
MXF COS350G2	MX FUEL™ 350 MM CUT-0FF SAW	5						
MXF COSCG2	MX FUEL™ CUT-0FF SAW CART	5						
MXF CVBC	MX FUEL™ BRIEFCASE CONCRETE VIBRATOR	4						
MXF CVBP	MX FUEL™ BACKPACK CONCRETE VIBRATOR	4						
MXF DCD150	MX FUEL™ 150 MM DIAMOND CORE DRILL	5						
MXF DCD350	MX FUEL™ 350 MM DIAMOND CORE DRILL	5						
MXF DH2528H	MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER	6						
MXF DHT	BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER	6						
MXF DR255TV	PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL	5						
MXF LSDP	MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™	6, 67						
MXF PS	MX FUEL™ POWER SUPPLY	6						
MXF PSC	MX FUEL™ SCREED	4						
MXF PTR2	MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™	6, 64						
MXF TL	MX FUEL™ TOWER LIGHT	6, 76						

MXF IL	MX FUEL™ TOWER LIGHT	6, 76
M18™ RANGE		8 - 39
C18 HZ	M18 TM HACKZALL TM	33
C18 PCG/310	M18™ CAULK GUN WITH 310 ML CANISTER	23
C18 PCG/400	M18™ CAULK GUN WITH 400 ML TUBE	23
C18 PCG/600	M18™ CAULK GUN WITH 600 ML TUBE	23
C18 RAD	M18™ COMPACT RIGHT ANGLE DRILL	17
GET THE RIGHT ANG	LE GRINDER FOR THE JOB	24
GET THE RIGHT HAM	MER FOR THE JOB	10
GET THE RIGHT IMPA	ACT DRIVER FOR THE JOB	16
GET THE RIGHT IMPA	ACT WRENCH FOR THE JOB	18 - 19
GET THE RIGHT MITF	RE SAW FOR THE JOB	29
GET THE RIGHT NAIL	ER/ STAPLER FOR THE JOB	36
GET THE RIGHT PERO	CUSSION DRILL FOR THE JOB	14
GET THE RIGHT SAW	FOR THE JOB	31
HD18 CS	M18 $^{\text{TM}}$ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC	32
M12-18 JSSP	M12™ - M18™ BLUETOOTH® SPEAKER	38, 51
M18 AF	M18™ AIR FAN	38
M18 ARFHP	M18™ HIGH PERFORMANCE AIR FAN	38
M18 BBL	M18™ BATTERY BLOWER	38
M18 BH	M18™ COMPACT 2-MODE SDS-PLUS HAMMER	13
M18 BHG	M18™ HEAT GUN	28
M18 BI	M18™ INFLATOR	38
M18 BIW12	M18 TM 1/2" IMPACT WRENCH	22
M18 BIW38	M18 ^{TM 3} /8" IMPACT WRENCH	23
M18 BJS	M18™ TOP HANDLE JIGSAW	34
M18 BLCPP2A	M18™ COMPACT BRUSHLESS POWERPACK	39
M18 BLCPP2B	M18™ COMPACT BRUSHLESS POWERPACK	39
M18 BLCS66	M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 BLDD2	M18™ BRUSHLESS DRILL DRIVER	15
M18 BLDDRC	M18™ COMPACT BRUSHLESS DRILL DRIVER	15
M18 BLH	M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER	13
M18 BLHACD26	M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER	13
M18 BLHIWF12	M18 $^{\text{TM}}$ Brushless $^{1/2}$ " High torque impact wrench with Friction Ring	22
M18 BLHX	M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK	13
M18 BLIDR	M18™ BRUSHLESS 1/4" HEX IMPACT DRIVER	17
M18 BLIDRC	M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER	17
M18 BLPD2	M18™ BRUSHLESS PERCUSSION DRILL	15
M18 BLPDRC	M18™ COMPACT BRUSHLESS PERCUSSION DRILL	15
M18 BLSAG115XPD	M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH	27
M18 BLSAG125X	M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH	26
M18 BLSAG125XPD	M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH	27

M18 BMS12	M18™ METAL SHEAR	28
M18 BMS20	M18™ METAL SHEAR	28
M18 BMT	M18™ MULTI-TOOL	34
M18 B0S125	M18™ 125 MM RANDOM ORBITAL SANDER	35
M18 BP	M18 TM PLANER M18 TM QUARTER SHEET SANDER	34
M18 BQSS M18 BRAID	M18™ RIGHT ANGLE IMPACT DRIVER	34 20
M18 BRAIW	M18 TM 3/8" RIGHT ANGLE IMPACT WRENCH	23
M18 BRDC	M18™ ROTATION DRYWALL CUTTER	34
M18 BSX	M18 TM SAWZALL TM	33
M18 CBS125	M18 FUEL™ DEEP CUT BAND SAW	27
M18 CCS55	M18 FUEL™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 CDEX	M18 FUEL™ SDS-PLUS DUST EXTRACTOR	13
M18 CHM	M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER	11
M18 CRAD2	M18 FUEL™ RIGHT ANGLE DRILL	17
M18 CV	M18™ HAND VAC	38
M18 F2VC23L	M18 FUEL™ 23L L-CLASS VACUUM	37
M18 FAC	M18 FUEL™ AIR COMPRESSOR	35
M18 FAP	M18 FUEL™ POLISHER	27
M18 FBJS	M18 FUEL™ BODY GRIP JIGSAW	33
M18 FBPV	M18 FUEL™ BACKPACK VACUUM	37
M18 FBS85	M18 FUEL™ COMPACT BAND SAW	28
M18 FBTS75	M18 FUEL™ 75 MM BELT SANDER	35
M18 FCDDEXL	COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS	12
M18 FC0S230	M18 FUEL™ CUT-0FF SAW	13
M18 FCS66	M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 FCSG66	M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS, GUIDE RAIL COMPATIBLE	32
M18 FCSRH66	M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD	32
M18 FCVN	M18 FUEL™ NEEDLE CONCRETE VIBRATOR	13
M18 FDD3	M18 FUEL™ DRILL DRIVER	15
M18 FDDEL32	DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS- PLUS D-HANDLE HAMMER WITH AUTOPULSE™	11
M18 FDDEXL	DEDICATED DUST EXTRACTION FOR M18 FUEL™26 MM SDS- PLUS HAMMERS WITH AUTOPULSE™	12
M18 FDGRB	M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH	28
M18 FDGROVB	M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH	28
M18 FDGROVPDB	M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH	28
M18 FFN	M18 FUEL™ 34° FRAMING NAILER 2-MODE	35
M18 FFN21	M18 FUEL™ 21° FRAMING NAILER 2-MODE	35
M18 FFNS	M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY	35
M18 FFUS	M18 FUEL™ FENCING UTILITY STAPLER	37
M18 FH	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH	12
M18 FHACOD32	ONE-KEYTM	11
M18 FHIW2F12	M18 FUEL TM 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	21
M18 FHIW2P12	M18 FUEL ^{TM 1} / ₂ " HIGH TORQUE IMPACT WRENCH WITH PIN DETENT	21
M18 FHIWF1R	M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION RING	20
M18 FHM	M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER	11
M18 FHSAG125XB	M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH SLIDE SWITCH	25
M18 FHSAG125XPDB	M18 FUEL TM HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH	25
M18 FHSAG150XB	M18 FUELTM HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH SLIDE SWITCH	25
M18 FHSAG150XPDB	M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH PADDLE SWITCH	25
M18 FHX	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH	12
M18 FHZ	FIXTECTM M18 FUELTM HACKZALLTM	33
M18 FID3	M18 FUELTM 1/4" HEX IMPACT DRIVER	17
M18 FIW2F12	M18 FUELTM 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING	22
M18 FIW2F38	M18 FUEL ^{TM 3} /s" COMPACT IMPACT WRENCH WITH FRICTION RING	22
M18 FIW2P12	M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT	22

M18™ RANGE	M10 ELIELTM TOD LIANDLE THOSAW	8 - 39
M18 FJS	M18 FUEL™ TOP HANDLE JIGSAW M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE	3
M18 FLAG230XPDB	SWITCH	2
M18 FMCS	M18 FUEL™ 57 MM METAL CIRCULAR SAW	2
M18 FMCS66	M18 FUEL™ 66 MM METAL CIRCULAR SAW	2
M18 FMDP	M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET	2
M18 FMS190	M18 FUEL™ 190 MM MITRE SAW	3
M18 FMS254	M18 FUEL™ 254 MM MITRE SAW	3
M18 FMS305	M18 FUEL TM ONE-KEY TM 305 MM MITRE SAW	3
M18 FMT	M18 FUEL™ MULTI-TOOL	3
M18 FMTIW2F12	M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING	2
M18 FMTIW2F38	M18 FUEL TM 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING	2
M18 FMTIW2P12	M18 FUELTM 1/2" MID-TORQUE IMPACT WRENCH WITH PIN DETENT	2
M18 FN15GA	M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE	3
M18 FN16GA	M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE	3
M18 FN16GS	M18TM FUELTM 16 GA STRAIGHT FINISH NAILER	3
M18 FN18GS	M18 FUEL TM NARDOW CROWN CTARLED A MODE	3
M18 FNCS18GS	M18 FUELTM NARROW CROWN STAPLER 2-MODE	3
M18 FPD3	M18 FUELTM PERCUSSION DRILL DEDICATED DUST EXTRACTION FOR M18 FUELTM 32 MM SDS-	1
M18 FPDDEXL	PLUS HAMMERS WITH AUTOPULSE™	1
M18 FPM	M18 FUELTM PADDLE MIXER	1
M18 FPOVCL M18 FPP2A3	M18 FUEL™ PACKOUT™ WET/ DRY VACUUM M18 FUEL™ POWER PACK	3
	M18 FUEL™ POWER PACK	3
M18 FPP6E3 M18 FPP6F3	M18 FUEL™ POWER PACK	
M18 FPS55	M18 FUELTM 55 MM PLUNGE SAW	3
M18 FQID	M18 FUELTM SURGETM 1/4" HEX HYDRAULIC IMPACT DRIVER	1
M18 FR12	M18 FUELTM 12 MM ROUTER	3
M18 FRAD2	M18 FUEL™ 12 MINI ROUTER M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II	1
M18 FR0P15	M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM	2
M18 FR0P21	STROKE M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE	2
M18 FSAG125X	M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH	2
M18 FSAG125XB	M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH	2
M18 FSAGF125XB	M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH	2
M18 FSAGF125XPDB	M18 FUEL $^{\rm TM}$ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH	2
M18 FSAGSV0125X	M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEY™	2
M18 FSAGV125XB	M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH	2
M18 FSAGV125XPDB	M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH	2
M18 FSG	M18 FUEL™ SCREW GUN	2
M18 FSGC	M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT	2
M18 FSX	M18 FUEL™ SUPER SAWZALL™	3
M18 FSZ	M18 FUEL TM SAWZALL TM	3
M18 FTR8	M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES	3
M18 FTS210	M18 FUEL™ ONE-KEY™ TABLE SAW	3
M18 FUEL™ INTROD	DUCTION	
M18 GG	M18™ GREASE GUN	2
M18 ONEDD3	M18 FUEL™ ONE-KEY™ DRILL DRIVER	1
M18 ONEFH	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™	1
M18 ONEFHIWF1	M18 FUEL TM One-key TM 1" high torque impact wrench with friction ring	2
M18 ONEFHIWF12	M18 FUEL $^{\intercal M}$ One-Key $^{\intercal M}$ $^{1}\!/^{2}$ High torque impact wrench with friction ring	2
M18 ONEFHIWF12E	M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL	2
M18 ONEFHIWF1D	M18 FUEL™ ONE-KEY™ 1"HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL	2
M18 ONEFHIWF1DS	M18 FUEL TM ONE-KEY TM 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL	2
M18 ONEFHIWF34	M18 FUEL TM ONE-KEY TM 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	2

M18 ONEFHIWH716	M18 FUEL ^{TM 7} /16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY TM	21
M18 ONEFHIWP12	M18 FUEL™ ONE-KEY™ ¹/₂" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT	21
M18 ONEFHP	M18 FUEL TM HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY TM	11
M18 ONEFHPX	M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK	11
M18 ONEFHPXDEL	M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR	11
M18 ONEFHX	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™	12
M18 ONEFHXDEL	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR	12
M18 ONEFLAG230XPDB	M18 FUEL TM ONE-KEY TM 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	25
M18 ONEFLT	M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™	23
M18 ONEFPRT	M18 FUEL™ RIVET TOOL WITH ONE-KEY™	23
M18 ONEFSAG125XB	M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH	26
M18 ONEFSAG125XPDB	M18 FUEL TM ONE-KEY TM 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	25
M18 ONEFSZ	M18 FUEL™ ONE-KEY™ SAWZALL™	33
M18 ONEID3	M18 FUEL TM ONE-KEY TM 1/4" HEX IMPACT DRIVER	17
M18 ONEIWF12	M18 FUEL TM ONE-KEY TM 1/2" IMPACT WRENCH WITH FRICTION RING	22
M18 ONEIWP12	M18 FUEL TM ONE-KEY TM 1/2" IMPACT WRENCH WITH PIN DETENT	22
M18 ONEPD3	M18 FUEL™ ONE-KEY™ PERCUSSION DRILL	15
M18 ONEPP2A3	M18 FUEL TM ONE-KEY TM POWERPACK	39
M18 PRCDAB+	M18™ PACKOUT™ RADIO CHARGER	38
M18 RADDAB+G2	M18™ JOBSITE RADIO DAB+	38
M18 RC	M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®	38
M18 VC2	M18™ WET/ DRY VACUUM	37
MITRE SAW EXTENDA	ABLE LEGSTANDS	29
MSL 1000	MITRE SAW STAND EXTENDABLE UP TO 2 M	30
MSL 2000	MITRE SAW STAND EXTENDABLE UP TO 2.5 M	30
MSL 3000	MITRE SAW STAND EXTENDABLE UP TO 3 M	30
MSUV 280	MITRE SAW STAND EXTENDABLE UP TO 2.8 M	30
ONE-KEY™ INTRODU	JCTION	9
TSS 1000	TABLE SAW STAND	32

M12™ RANGE		40 - 51
C12 HZ	M12™ SUB COMPACT HACKZALL™	49
C12 MT	M12™ SUB COMPACT MULTI-TOOL	49
C12 PN	M12™ SUB COMPACT PALM NAILER	50
C12 RAD	M12™ SUB COMPACT RIGHT ANGLE DRILL	42
C12 RT	M12™ SUB COMPACT ROTARY TOOL	47
GET THE RIGHT RAT	CHET FOR THE JOB	44
M12 AF	M12™ AIR FAN	51
M12 ATB	M12™ AUTOMOTIVE TECHNICIAN BORESCOPE	46
M12 AUN	M12™ AIR-TIP™ UTILITY NOZZLE	50
M12 BBL	M12™ BLOWER	50
M12 BCST	M12™ SUB COMPACT CABLE STAPLER	49
M12 BD	M12™ SUB COMPACT DRIVER	42
M12 BDDX	M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK	41
M12 BI	M12™ SUB COMPACT INFLATOR	47
M12 BIW12	M12™ SUB COMPACT 1/2" IMPACT WRENCH	43
M12 BIW38	M12™ SUB COMPACT 3/8" IMPACT WRENCH	43
M12 BLP	M12™ BRUSHLESS PLANER	48
M12 BLR0T	M12™ BRUSHLESS ROTARY TOOL	47
M12 BPP2B	M12™ POWERPACK	51
M12 BPRT	M12™ SUB COMPACT RIVET TOOL	43
M12 BPS	M12™ SUB COMPACT POLISHER / SANDER	48
M12 BRAID	M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER	42
M12 BS	M12™ SUB COMPACT BANDSAW	47
M12 BSD	M12™ SUB COMPACT SINGLE SPEED DRIVER	42
M12 BST	M12™ SUB COMPACT STAPLER	50
M12 CD	M12 FUEL™ SUB COMPACT DRIVER	42
M12 CH	M12 FUEL™ SUB COMPACT SDS-PLUS HAMMER	41

Milwauke	E INDEX
M12™ RANGE	
M12 CHZ	M12 FUEL™ SUB COMPACT HACKZALL™
M12 FBFL10	M12 FUEL™ BAND FILE 10 MM
M12 EREL 12	M12 ELIEL TM DAND ELLE 12 MM

M12" RANGE		40 - 51
M12 CHZ	M12 FUEL™ SUB COMPACT HACKZALL™	49
M12 FBFL10	M12 FUEL™ BAND FILE 10 MM	48
M12 FBFL13	M12 FUEL™ BAND FILE 13 MM	48
M12 FBS64	M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY	47
M12 FCN18GS	M12 FUEL™ 18 GA STRAIGHT BRAD NAILER	49
M12 FCOT	M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-0FF TOOL	47
M12 FCS442	M12 FUEL™ SUB COMPACT CIRCULAR SAW	49
M12 FDD2	M12 FUEL™ SUB COMPACT DRILL DRIVER	41
M12 FDDX	M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS	41
M12 FDGA	M12 FUEL™ ANGLED DIE GRINDER	48
M12 FDGS	M12 FUEL™ STRAIGHT DIE GRINDER	48
M12 FDSS	M12 FUEL™ SUB COMPACT SPOT SANDER	48
M12 FHIR14	M12 FUEL™ 1/4" HIGH SPEED RATCHET	45
M12 FHIR14LR	M12 FUEL ^{TM 1} /4" EXTENDED REACH HIGH SPEED RATCHET	45
M12 FHIR38	M12 FUELTM 3/8" HIGH SPEED RATCHET	45
M12 FHIR38LR	M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET	45
M12 FID2	M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER	42
M12 FIR12	M12 FUEL™ SUB COMPACT 1/2" RATCHET	46
M12 FIR38	M12 FUEL™ SUB COMPACT 3/8" RATCHET	46
M12 FIR38LR	M12 FUEL™ 3/8" EXTENDED REACH RATCHET	45
M12 FIW14	M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH	43
M12 FIW38	M12 FUEL™ SUB COMPACT 3/8" IMPACT WRENCH	42
M12 FIWF12	M12 FUELTM SUB COMPACT 1/2" IMPACT WRENCH	43
M12 FJS	M12 FUEL™ BODYGRIP JIGSAW	49
M12 FMT	M12 FUEL™ MULTI-TOOL	49
M12 FNB16	M12 FUEL™ 1.6 MM NIBBLER	48
M12 FPD2	M12 FUEL™ SUB COMPACT PERCUSSION DRILL	41
M12 FPDX	M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK	41
M12 FPP2A2	M12 TM POWERPACK	51
M12 FPP2E2	M12 FUEL™ POWERPACK	51
M12 FPP2F2	M12 FUEL™ POWERPACK	51
M12 FPTR	M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET	45
M12 FQID	M12 FUELTM SURGETM 1/4" HEX HYDRAULIC IMPACT DRIVER	42
M12 FRAIWF12	M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING	43
M12 FRAIWF38	M12 FUELTM 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING	43
M12 FTB	M12 FUEL™ LOW SPEED TYRE BUFFER	47
M12 FUEL™ INTRO	DUCTION	40
M12 FVCL	M12 FUEL™ WET/ DRY VACUUM	50
M12 GG	M12™ SUB COMPACT GREASE GUN	46
M12 HV	M12™ SUB COMPACT STICK VAC	50
M12 IR	M12™ SUB COMPACT RATCHET	46
M12 JSSP	M12™ JOBSITE BLUET00TH® SPEAKER	51
M12 ONEFTR12	M12 FUELTM ONE-KEYTM 1/2" DIGITAL TORQUE WRENCH	43
M12 ONEFTR38	M12 FUELTM ONE-KEYTM 3/8" DIGITAL TORQUE WRENCH	45
M12 PCG/310	M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER	46
M12 PCG/400	M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE	46
M12 PCG/600	M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE	46
M12 RCDAB+	M12 TM RADIO CHARGER DAB+	51
M12 SI	M12 TM SUB COMPACT SOLDERING IRON	47
M12 UDEL	M12 TM UNIVERSAL DUST EXTRACTOR	41
M12-18 JSSP	M12 TM - M18 TM BLUETOOTH® SPEAKER	38, 51
10 0001	IIIIO DEGETOVIII OLEMAEII	50, 51

WORK GEAR		52 - 54
L4 HBLB	USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER	54
M12 HHBL4	M12™ HEATED HOODIE - BLACK	54
M12 HHGREY4	M12™ HEATED HOODIE - GREY	54
M12 HHLBL1	M12™ HEATED LADIES HOODIE - BLACK	54
M12 HJ BL5	M12™ HEATED JACKET - BLACK	52
M12 HJ CAM06	M12™ HEATED CAMOUFLAGE JACKET	52
M12 HJ GREY5	M12™ HEATED JACKET - GREY	52
M12 HPJBL2	M12™ HEATED PUFFER JACKET - BLACK	53

M12 HPJLBL2	M12™ HEATED PUFFER JACKET LADIES - BLACK	53
M12 HPVBL2	M12™ HEATED PUFFER VEST	53
M12 HVGREY1	M12™ HEATED VEST - GREY	53

LASERS RANG	E	55 - 58
CLL	ALKALINE GREEN CROSS LINE LASER	56
HI-VIST	HIGH VISIBILITY LASER TARGET PLATE	57
L4 CLL	USB RECHARGEABLE GREEN CROSS LINE LASER	56
L4 CLLP	USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS	56
LDM 100	100 M LASER DISTANCE METER	58
LDM 30	30 M LASER DISTANCE METER	58
LDM 45	45 M LASER DISTANCE METER	58
LDM 50	50 M LASER DISTANCE METER	58
LLD50	LASER LINE DETECTOR	57
LM360	360° LASER MOUNT	57
LMP	3.6 M TELESCOPING LASER POLE	57
LRD100	LINE/ ROTARY LASER DETECTOR	56
LWM	LASER WALL MOUNT	57
M12 3PL	M12™ GREEN 360° 3 PLANE LASER	55
M12 CLL4P	M12™ CROSS LINE LASER WITH 4 POINTS	55
M12 CLLP	M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS	55
M18 RL0H600	M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™	55
M18 RL0HV1200	M18 [™] 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY [™]	55
M18 RLOHVG300	M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™	55
RD1200	ROTARY LASER DETECTOR 1200 M	56
RD300G	ROTARY LASER DETECTOR 300 M GREEN	56
RD600	ROTARY LASER DETECTOR 600 M	56
ROD500	500 CM GRADE ROD	58
SR240	240 CM STAFF ROD	58
TRP120	1.2 METER COMPACT LASER TRIPOD	58
TRP160	1.6 METRE LASER TRIPOD	58
TRP180	1.8 METER LASER TRIPOD	57
TRP300	3.0 METRE LASER TRIPOD	57
WLB	WIRELESS LASER ALIGNMENT BASE	57

ELECTRICAL		59 - 62
2200-40	VOLTAGE DETECTOR	62
2205-40	FORK METER FOR ELECTRICIANS	62
2212-20	AUTO VOLTAGE / CONTINUITY TESTER	62
2216-40	LIGHT COMMERCIAL MULTIMETER	62
2217-40	DIGITAL MULTIMETER	62
2235-40	LIGHT COMMERCIAL CLAMP METER	62
2267-40	10:1 INFRARED TEMP-GUN™	62, 66
M12 CC	M12™ SUB COMPACT CABLE CUTTER	59
M18 BLTRC	M18™ BRUSHLESS THREADED ROD CUTTER	61
M18 BSBT	M18™ SHEAR BOLT TOOL	61
M18 FPFT	M18 FUEL™ POWERED FISH TAPE	60
M18 HCC125	M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER	59
M18 HCC45	M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER	59
M18 HCC75	M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND CABLE CUTTER	59
M18 HCC75R	M18 [™] FORCE LOGIC [™] HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER	59
M18 HCCT	M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER	61
M18 HCCT109/42	M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE CRIMPER	61
M18 HDCT	M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER	61
M18 HKP	M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH	60
M18 HSFC125R	M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER	59
M18 HUP700	M18™ HYDRAULIC UTILITY PUMP	60
M18 ONEHCC	M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER	60
M18 ONEHCCT60	M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE CRIMPER	61
M18 UBL	M18™ LED UTILITY BUCKET LIGHT	62

PLUMBING		63 - 66
2267-40	10:1 INFRARED TEMP-GUN™	62, 66
C12 PC	M12™ SUB COMPACT COPPER PIPE CUTTER	65
C12 PPC	M12™ SUB COMPACT PEX CUTTER	65
C12 PXP	M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL	66
HD18 PXP	M18™ UPONOR™ Q&E EXPANSION TOOL	66
M12 BSWP	M12™ HYDROPASS™ BRUSHED STICK WATER PUMP	65
M12 FPXP	M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL	66
M12 HPT	M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL	64
M12 PCSS	M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL	65
M18 BLHPT	M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL	63
M18 BLHPTXL	M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL	63
M18 BTP	M18™ COMPACT TRANSFER PUMP	65
M18 FPT114	M18 FUEL TM PIPE THREADER 1 1/4" WITH ONE-KEY TM	64
M18 FPT2	M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™	64
M18 FPXP	M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL	66
M18 FVP5	M18 FUEL™ VACUUM PUMP 5 CFM	66
M18 ONEBLHPT	M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™	63
M18 ONEBLPXPL	M18™ ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E HYDRAULIC PIPE EXPANDING TOOL	66
M18 STS0	M18™ FORCE LOGIC™STRUT SHEAR	65
MPS	MILWAUKEE® PIPE STAND	65
MXF PTR2	MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™	6, 64

INDEX

DRAIN CLEAN	NING AND INSPECTION	67 - 70
AIC2	ALKALINE INSPECTION CAMERA 2ND GEN	69
INSPECTION CAM	ERAS	70
M12 360IC12	M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN	69
M12 360IC32	M12™ 360° INSPECTION CAMERA 3 M 2ND GEN	69
M12 BDC6	M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM	68
M12 BDC8	M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM	68
M12 PL	M12™ PLUMBING LOCATOR	69
M18 FCSSM	M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE	68
M18 FDCPF10	M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM	67
M18 FDCPF8	M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM	68
M18 FFSDC10	M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM	67
M18 FFSDC13	M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM	67
M18 FFSDC16	M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM	67
M18 FSSM	M18 FUEL™ SECTIONAL SEWER MACHINE	68
M18 HSFSM	M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE	69
M18 SIC30	M18™ SEWER INSPECTION CAMERA 30 M	70
M18 SIC36	M18™ SEWER INSPECTION CAMERA 36 M	70
M18 SIC60	M18™ SEWER INSPECTION CAMERA 60 M	70
M18 SIC60SC	M18™ SEWER INSPECTION SMALL CAMERA 60 M	70
M18 SIM	M18™ SEWER INSPECTION MONITOR	70
M18 SISH	M18™ SEWER INSPECTION SMART HUB	70
MXF LSDP	MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™	6, 67

	71 - 75
M12™ HANDHELD CHEMICAL SPRAYER 3.7 L	74
M12™ BRUSHLESS PRUNING SHEARS	73
M12 FUEL™ HATCHET™ PRUNING SAW 15 CM	73
M12 FUEL™ HEDGE TRIMMER 20 CM	72
M18™ BRUSHLESS GRASS TRIMMER	71
M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER	74
M18™ SWITCH TANK™ 15L WATER SUPPLY	74
M18™ SWITCH TANK™	74
M18 FUEL™ DUAL BATTERY BLOWER	74
M18 FUEL™ DUAL BATTERY BACKPACK BLOWER	73
M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM	71
M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM	71
M18 FUEL™ BRUSH CUTTER	71
	M12™ BRUSHLESS PRUNING SHEARS M12 FUEL™ HATCHET™ PRUNING SAW 15 CM M12 FUEL™ HEDGE TRIMMER 20 CM M18™ BRUSHLESS GRASS TRIMMER M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER M18™ SWITCH TANK™ 15L WATER SUPPLY M18™ SWITCH TANK™ M18 FUEL™ DUAL BATTERY BLOWER M18 FUEL™ DUAL BATTERY BACKPACK BLOWER M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM

M18 FBL	M18 FUEL™ BLOWER	74
M18 FCHS	M18 FUEL™ CHAINSAW WITH 40 CM BAR	72
M18 FCHS35	M18 FUEL™ CHAINSAW WITH 35 CM BAR	72
M18 FCHSC	M18 FUEL™ CHAINSAW WITH 30 CM BAR	72
M18 FHET45	M18 FUEL™ HEDGE TRIMMER 45 CM	72
M18 FHET60	M18 FUEL™ HEDGE TRIMMER 60 CM	72
M18 FHS20	M18 FUEL™ HATCHET™ PRUNING SAW 20 CM	73
M18 FOPH	M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™	75
M18 FOPH ATTACHI	MENTS	75
M18 FOPHLTKIT	M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT	75
M18 FTHCHS30	M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR	73
M18 FTHCHS35	M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR	73
M18 FTPS30	M18 FUEL™ TELESCOPING POLE SAW 30 CM	74

TRUEVIEW™	HIGH DEFINITION LIGHTING	76 - 80
M12 AL	M12™ LED AREA LIGHT	78
M12 CML	M12™ COLOUR MATCHING LIGHT	79
M12 LL	M12™ LED LANTERN LIGHT	79
M12 PAL	M12 ™ PIVOT AREA LIGHT	78
M12 POAL	M12™ PACKOUT™ AREA LIGHT 1400 LUMENS	77
M12 SAL	M12™ STAND LIGHT	77
M12 SL	M12™ LED STICK LIGHT	78
M12 SLED	M12™ LED SPOT LIGHT	78
M12 TLED	M12™ LED TORCH	79
M12 UCL	M12™ UNDERCARRIAGE LIGHT	79
M12 UHL	M12™ LED UNDERHOOD LIGHT	79
M18 AL	M18™ LED AREA LIGHT	78
M18 HOAL	M18™ HIGH OUTPUT AREA LIGHT	77
M18 HOSALC	M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER	77
M18 IL	M18™ LED INSPECTION LIGHT	78
M18 LL	M18™ LED LANTERN LIGHT	79
M18 ONERSAL	M18™ ONE-KEY™ LED REMOTE STAND LIGHT	77
M18 ONESLDP	M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER	76
M18 ONESLSP	M18™ ONE-KEY™ LED COMPACT SITE LIGHT	76
M18 PAL	M18™ PIVOTING AREA LIGHT	78
M18 POALC	M18™ PACKOUT™ AREA LIGHT CHARGER	77
M18 SAL2	M18™ LED STAND LIGHT	77
M18 SLED	M18™ LED SEARCH LIGHT	78
M18 TAL	M18™ TRADESMAN AREA LIGHT	76
M18 TLED	M18™ LED TORCH	79
MXF TL	MX FUEL™ TOWER LIGHT	6, 76
PERSONAL LIGHT	TS	80

81 - 83
81
82
83
83

CONSTRUCTION	N	84 - 87
AGV 12 DEC	1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	87
AGV 12 DEG	1200 W ANGLE GRINDER WITH DUST MANAGEMENT	87
AGV 15 DEC	1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	87
AGV 15 DEG	1550 W ANGLE GRINDER WITH DUST MANAGEMENT	87
BREAKERS		84 - 85
BRT	BREAKER TROLLEY	86
COMBI HAMMERS		84 - 85
DD 2-160 XE	2-SPEED DRY DIAMOND DRILL	86
DD 3-152	3-SPEED COMBI DIAMOND DRILL	86
IPWE 400 R	1/2" DRIVE IMPACT WRENCH	86
IPWE 520 R	3/4" DRIVE IMPACT WRENCH	86
ROTARY DRILLS AND) DRIVERS	86 - 87
WCE 30	1500 W 125 MM (30 MM DOC) WALL CHASER	87



CONSTRUCTION		84 - 87
WCS 45	1900 W 150 MM (45 MM DOC) WALL CHASER	87

METAL WORKING		88 - 90
AGS 15-125 C	1500 W GRINDER/SANDER	90
ANGLE GRINDERS		88 - 90
AP 12 E	1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED	90
AP 14-2 200 E	1450 W POLISHER	90
AS 12 E	1200 W SANDER WITH ELECTRONIC VARIABLE SPEED	90
BS 125	DEEP CUT BAND SAW	90
CHS 355	2300 W CHOPSAW	90
DE 10 RX	630 W SINGLE HIGH SPEED ROTARY DRILL	90
DG 30 E	VARIABLE SPEED SINGLE HANDED DIE GRINDER	90
DG 7 E	LOW SPEED DIE GRINDER	90
DGL 30 E	VARIABLE SPEED 2-HANDED DIE GRINDER	90
DGL 34	SINGLE HIGH SPEED 2-HANDED DIE GRINDER	90
MCS 66	DRY CUT METAL CIRCULAR SAW	90
MDE 41	MAGNETIC DRILLING PRESS WITH ELECTRO MAGNET	90
MDP 41	MAGNETIC DRIILING PRESS WITH PERMANENT MAGNET	90

WOODWORKING		91 - 92
CIRCULAR SAWS		91
JIGSAWS		91
RCO	REMOTE SOCKET CONTROLLER	92
RCS	REMOTE CONTROL SOCKET AND CONTROLLER KIT	92
SANDERS		92
SAWZALL™		91
DUST EXTRACTORS		92





O'Donnell Commercials Truck and Trailer Parts

sales@odonnellcommercials.ie

Phone: +353 (0) 74 93 90122